

ELECTRICAL EQUIPMENT—WINGS

Ref. No.	Part No.	Description					No. Off.	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
—	D.207227	ELECTRICAL INSTALLATION IN PORT WING, ASSEMBLY (Mod. 228)					—	—		
	F.207239	Angle, support, for cable harness (Make from 30B/1732)					3	L.72	—	
	A.206175	BLOCK, TERMINAL, No. 21, AT INTER-SPAR RIB "D", PORT, ASSEMBLY					—	—		
5X/2863	Plessey CZ.24285	Block, terminal, 10 way					1	—	B.	
5X/3275	Plessey CZ.26808	Cover					1	—	B.	
5X/6163	Plessey Z.50210	Link, commoning, 2 way					2	—	C.	
	A.206175/1	Markers					1 set	—		
4177	F.197297	Pillar					2	BSS.249	C.	
	A.206158	BLOCK, TERMINAL, No. 22, AT OUTER RIB, PORT, ASSEMBLY					—	—		
5X/3268	Plessey CZ.50207	Block, terminal, 5 way					1	—	B.	
5X/3274	Plessey CZ.26805	Cover					1	—	B.	
6963	A.206158/1	Markers					1 set	—	MR/C	
5X/3278	Plessey Z.28426	Pillar					2	—	C.	
	A.215707	BLOCK, TERMINAL, No. 24, AT RIB "S", PORT, ASSEMBLY (Mod. 452)					—	—		
5X/2863	Plessey CZ.24285	Block, terminal, 2 way					1	—	B.	
5X/3275	Plessey CZ.26808	Cover					1	—	B.	
6023	F.206895	Spacer					2	—	MR/C	
	A.206139	BLOCK, TERMINAL, No. 25, AT RIB "C", PORT, ASSEMBLY					—	—		
5X/3268	Plessey CZ.50207	Block, terminal, 5 way					1	—	B.	
5X/3274	Plessey CZ.26805	Cover					1	—	B.	
6964	A.206139/1	Markers					1 set	—	MR/C	
5X/3278	Plessey Z.28426	Pillar					2	—	C.	
	A.206171	BLOCK, TERMINAL, No. 26, AT RIB "D", PORT, ASSEMBLY					—	—		
5X/2863	Plessey CZ.24285	Block, terminal, 10 way					1	—	B.	
5X/3275	Plessey CZ.26808	Cover					1	—	B.	
5X/6163	Plessey Z.50210	Link, commoning					2	—	C.	
	A.206171/1	Markers					1 set	—		
4177	F.197297	Pillar					2	BSS.249	C.	
	A.206133	BLOCK, TERMINAL, No. 27, AT TAIL RIBS "L" AND "M", PORT, ASSEMBLY					—	—		
5X/2863	Plessey CZ.24285	Block, terminal, 10 way					1	—	B.	
	A.206133/1	Markers					1 set	—		
	F.180308	Spacer-lock					2	BSS.249		
	B.208246	BLOCK, TERMINAL, No. 28, AT INTER-SPAR RIB "F", PORT, ASSEMBLY					—	—		
5X/2863	Plessey CZ.24285	Block, terminal, 10 way					1	—	B.	
6003	F.205956	Bracket, mounting					1	L.72	MR/C	
5X/3275	Plessey CZ.26808	Cover					1	—	B.	
5X/6163	Plessey Z.50210	Link, commoning, 2 way					1	—	C.	
6840	B.208246/1	Label					1	—	MR/C	
5X/3278	Plessey Z.28426	Pillar					2	—	C.	
	A.201764	BLOCK, TERMINAL, No. 29, AT INTER-SPAR RIB "F", PORT, ASSEMBLY					1	—	—	
5X/3276	Plessey CZ.50205	Block, terminal, 2 way					1	—	B.	
5X/3272	Plessey CZ.26799	Cover					1	—	B.	
	A.201764/1	Markers					1 set	—		
5X/3278	Plessey Z.28426	Pillar					2	—	C.	

RESTRICTED

Hunter F. Mk. 4
Issued with Amendment List No. 19

ELECTRICAL EQUIPMENT—WINGS

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	B.209176	Box, junction, arm 3, group (Mod. 228)					1	—		
5X/2863	Plessey CZ.24285	Block, terminal, 10 way					1	—	B.	
5X/3181	Plessey CZ.23212/1	Block, terminal, 20 way					1	—	B.	
7928	A.210795	Cover					1	L.59	B.	
5X/6171	Plessey Z.50211	Link, commoning, 3 way					1	—	C.	
5X/	Plessey Z.24949	Piece, distance					4	—	C.	
5X/3278	Plessey Z.28426	Pillar					4	—	C.	
	Plessey Z.28614	Screw, special					4	—		
	B.208989	Box, junction, arm 4, group (Mod. 228)					1	—		
5X/2863	Plessey CZ.24285	Block, terminal, 10 way					1	—	B.	
5X/3181	Plessey CZ.23212/1	Block, terminal, 20 way					1	—	B.	
7929	A.208778	Cover					1	L.59	C.	
5X/6171	Plessey Z.50211	Link, commoning, 3 way					1	—	C.	
5X/6735	Plessey Z.24949	Piece, distance					4	—	C.	
4177	F.197297	Pillar					2	BSS.249	C.	
	Plessey Z.28614	Screw, special					4	—		
—	B.207006	Cable, A.19 group (See cable chart)					1	—		
7989	A.209702	Ferrule					1	—	C.	
8407	B.213570	Cable, A.32, group (Mod. 427)					1	—	B.	
	A.213559	Bracket, supporting, group					1	—		
	F.213565	Clip					1	Spring Steel		
28FP/809	Dzus GF6-250	Grommet					1	—	C.	
5D/1924	RAE.EL.42887/1C	Connector					1	—	B.	
8409	B.213572	Cable, A.34, group (Mod. 427)					1	—	B.	
	A.213561	Bracket, supporting, group					1	—		
	F.213565	Clip					1	Spring Steel		
28FP/809	Dzus GF6-250	Grommet					1	—	C.	
5D/1925	RAE.EL.42887/1D	Connector					1	—	B.	
8411	B.213574	Cable, A.36, group (Mod. 427)					1	—	B.	
	A.213559	Bracket, supporting, group					1	—		
	F.213565	Clip					1	Spring Steel		
28FP/809	Dzus GF6-250	Grommet					1	—	C.	
5D/1924	RAE.EL.42887/1C	Connector					1	—	B.	
8413	B.213576	Cable, A.38, group (Mod. 427)					1	—	B.	
	A.213563	Bracket, supporting, group					1	—		
	A.213565	Clip					1	Spring Steel		
28FP/809	Dzus GF6-250	Grommet					1	—	C.	
5D/1924	RAE.EL.42887/1C	Connector					1	—	B.	
—	—	Cables, electrical (See Cable Chart)					—	—		
6A/4381	Smiths CG.1	Cable, harness, co-axial					1	—	B.	
6A/4390	Smiths CRC.54	Cable, co-axial					1	—	B.	
	D.199922	CLIPPING AND STRAPPING CABLES, ASSEMBLY ...					—	—		
4761	Std.840/13	Clip, securing cables at rib "A" and inter-spar rib "F", $\frac{1}{16}$ " wide x 22 s.w.g. x 1.3" long					3	DTD.610	MR/C	4
3971	Std.840/19	Clip, securing cables at inter-spar rib "F" and front spar, $\frac{1}{16}$ " wide x 22 s.w.g. x 1.9" long					3	DTD.610	MR/C	4
4791	Std.840/34	Clip, securing cables at undercarriage girder, inter-spar rib "D", $\frac{1}{16}$ " wide x 22 s.w.g. x 3.4" long					1	DTD.610	MR/C	4
4159	Std.841/20	Clip, securing cables at front spar, inter-spar rib "D", $\frac{1}{16}$ " wide x 22 s.w.g. x 2" long					1	DTD.610	C.	4
3748	Std.841/34	Clip, securing cables, $\frac{1}{16}$ " wide x 22 s.w.g. x 3.4" long					1	DTD.610	MR/C	4
3755	Std.843/13	Clip, securing cables at rib "E", $\frac{1}{16}$ " wide x 22 s.w.g. x 1.3" long					2	S.3	MR/C	4

RESTRICTED

ELECTRICAL EQUIPMENT—WINGS

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
4165	Std.850/35	Clip, securing cables at undercarriage girder, inter-spar rib "D", $\frac{1}{8}$ " x 22 s.w.g. x 3.5" long					1	DTD.610	C.	4
4040	Std.851/41	Clip, securing cables at undercarriage girder between inter-spar ribs "C" and "D", $\frac{1}{8}$ " wide x 22 s.w.g. x 4.1" long (Make from 30B/1433)					1	DTD.610	MR/C	4
6011	F.208013	Clip, securing cables at undercarriage girder, inter-spar rib "E"					1	S.3	C.	
6006	F.205087	Clip, securing cables at undercarriage girder, inter-spar rib "F"					1	S.3	C.	
5832	F.205000	Plate, sealing, at undercarriage girder, outboard of inter-spar, rib "F"					2	L.F.S.21	C.	
5F/2281	Hellerman HV.3341	Strapping					QR	—	C.	
5F/2279	Hellerman HV.3254	Strapping					QR	—	C.	
5F/2282	Std.1614/1 Hellerman HV.3342	Strip, sealing, at inter-spar rib "D"					17	Rubber		
5F/2283	Hellerman HV.3255	Stud					QR	—	C.	
	Std.2045/17/26	Clip, sleeved					1	—		
	Std.2045/23/24	Clip, sleeved					2	—		
	Std.2045/37/22	Clip, sleeved					1	—		
4544	Std.841/18	Clip, $\frac{1}{8}$ " wide x 22 s.w.g. x 1.8" long					2	DTD.610	C.	4
	Std.2046/28/22	Clip, sleeved					1	—		
6008	Std.850/110	Clip, securing cables on undercarriage jack, $\frac{1}{8}$ " wide x 22 s.w.g. x 11" long (Make from 30B/1433)					1	DTD.610	MR/C	4
29H/2100	Bowden 448	Clip, pliable					2	—	C.	
	Std.2045/25/24	Clip, sleeved					1	—		
	Std.2046/18/24	Clip, sleeved (AS.830/37)					1	—		
5X/2121	—	Ferrule, inner					1	—	C.	
5X/2114	—	Ferrule, outer					1	—	C.	
5L/9952431	—	Filament, lamp, 28V. 24W.					1	—	B.	
5CX/887	—	Lamp, navigation, type B, port					1	—	A.	
4752	Std.1231/9	Lug, locking, 4 B.A.					1	—	MR/C	4
4830	F.176494	Packing, at drum switch					4	DTD.364	MR/C	
4831	F.179367	Packing, at micro switch, inter-spar rib "D"					1	DTD.610 or DTD.364	MR/C	
5833	F.205537	Plate, bolt, at micro switch, inter-spar "D"					1	—	C.	
5X/3148	—	Sleeve, 4-7 amp.					23	—	C.	
5X/3146	—	Sleeve, 7-19 amp.					3	—	C.	
5K/3455	—	Sleeve, plus J.P. x $\frac{3}{4}$ "					26	—	C.	
5X/6194	—	Socket, assembly "D" 24/2/10					1	—	B.	
5F/2281	Hellerman HV.3341	Strapping					QR	—	C.	
5F/2282	Hellerman HV.3342	Stud					QR	—	C.	
9727	F.230401	Switch, micro (Mod. 684)					1	—	B.	
5CW/6376	—	Switch, micro, type 4A					4	—	B.	
5CW/5118	Dowty C.1220Y Mk. 111	Switch, drum, unit					1	—	A.	
6A/2133	—	Transmitter, position indicator, type C					1	—	A.	
5767	Std.1509/12/030	Tube, distance, $\frac{1}{4}$ " o/d x 20 s.w.g. x .3" long (Make from 30B/619)					1	T.4	MR/C	4
3763	Std.915/B24	Washer, special					1	DTD.364	C.	4

ELECTRICAL EQUIPMENT—WINGS

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
		SUMMARY OF STOCK ITEMS								
28D/12528	A25.1B	Bolt, 4	B.A.	...	...	...	...	—	—	—
28D/12511	A25.2B	Bolt, 4	B.A.	...	...	...	...	—	—	—
28D/12622	A25.3B	Bolt, 4	B.A.	...	...	...	...	—	—	—
28D/12625	A.25.9B	Bolt, 4	B.A.	...	...	...	...	—	—	—
28D/12626	A.25.10B	Bolt, 4	B.A.	...	...	...	...	—	—	—
28D/12627	A.25.11B	Bolt, 4	B.A.	...	...	...	...	—	—	—
28D/12513	A.25.2C	Bolt, 2	B.A.	...	...	...	...	—	—	—
28D/12532	A.25.4C	Bolt, 2	B.A.	...	...	...	...	—	—	—
28D/12535	A.25.12C	Bolt, 2	B.A.	...	...	...	...	—	—	—
28D/8300	AS.1242.1B	Bolt, 4	B.A.	...	...	...	...	—	—	—
28N/254	AGS.191B	Burr	...	...	...	...	...	—	—	—
28N/255	AGS.191C	Burr	...	...	...	...	...	—	—	—
28M/10327	AGS.2002.B1	Nut, 4	B.A.	...	...	...	...	—	—	—
28M/10328	AGS.2002.C1	Nut, 2	B.A.	...	...	...	...	—	—	—
28S/3426	A.32.B8	Screw, 4	B.A.	...	...	...	...	—	—	—
28S/2857	A.32.B12	Screw, 4	B.A.	...	...	...	...	—	—	—
28S/14005	A.32.B14	Screw, 4	B.A.	...	...	...	...	—	—	—
28S/2869	A.32.B20	Screw, 4	B.A.	...	...	...	...	—	—	—
28S/2875	A.32.B24	Screw, 2	B.A.	...	...	...	...	—	—	—
28S/2856	A.32.C12	Screw, 2	B.A.	...	...	...	...	—	—	—
28S/13742	A.32.C14	Screw, 2	B.A.	...	...	...	...	—	—	—
28S/2431	A44.B28	Screw, 4	B.A.	...	...	...	...	—	—	—
28S/2868	A.32.C20	Screw, 2	B.A.	...	...	...	...	—	—	—
28S/2121	A45.B12	Screw, 4	B.A.	...	...	...	...	—	—	—
28W/9419474	SP.15B	Washer, 4	B.A.	...	...	...	...	—	—	—
28W/9419475	SP.15C	Washer, 2	B.A.	...	...	...	...	—	—	—
28W/9419486	SP.16B	Washer, 4	B.A.	...	...	...	...	—	—	—
28W/9419404	SP.16C	Washer, 2	B.A.	...	...	...	...	—	—	—
28W/12307	SP.18B	Washer, 2	B.A.	...	...	...	...	—	—	—

ELECTRICAL EQUIPMENT—WINGS

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Score	Plate No.
		1	2	3	4	5				
	D.207228	ELECTRICAL INSTALLATION IN STARBOARD WING, ASSEMBLY (Mod. 228)					—	—		
—	F.207239	Angle, support for cable harness (Make from 30B/1732)					3	L.72	—	
	A.215708	BLOCK, TERMINAL, No. 32, AT RIB 'S', STARBOARD, ASSEMBLY (Mod. 452)					—	—		
5X/2863	Plessey CZ.24285	Block, terminal, 10 way					1	—	B.	
5X/3275	Plessey CZ.26808	Cover					1	—	B.	
6023	F.206895	Spacer					2	—	MR/C	
	A.206084	BLOCK, TERMINAL, No. 33, AT RIB 'D', STARBOARD, ASSEMBLY					—	—		
5X/2863	Plessey CZ.24285	Block, terminal, 10 way					1	—	B.	
5X/3275	Plessey CZ.26808	Cover					1	—	B.	
5X/6163	Plessey Z.50210	Link, commoning, 2 way					1	—	C.	
	A.206084/1	Marker					1 set	—		
5X/3278	Plessey Z.28426	Pillar					2	—	C.	
	B.208247	BLOCK, TERMINAL, No. 34, AT INTER-SPAR RIB 'F', STARBOARD, ASSEMBLY					—	—		
5X/2863	Plessey CZ.24285	Block, terminal, 10 way					1	—	B.	
6003	F.205956	Bracket (Pre-Mod. 197)					1	—	MR/C	
	F.217326	Bracket (Mod. 197)					1	—		
5X/3275	Plessey CZ.26808	Cover					1	—	B.	
6841	B.208247/1	Label					1	—	MR/C	
5X/3278	Plessey Z.28426	Pillar					2	—	C.	
	A.201765	BLOCK, TERMINAL, No. 35, AT INTER-SPAR RIB 'F', STARBOARD ASSEMBLY					—	—		
5X/3276	Plessey CZ.50205	Block, terminal, 2 way					1	—	B.	
5X/3272	Plessey CZ.26799	Cover					1	—	B.	
	A.201765/1	Marker					1 set	—		
5X/3278	Plessey Z.28426	Pillar					2	—	C.	
	B.209177	Box, junction, arm 5, group					1	—		
5X/2863	Plessey CZ.24285	Block, terminal, 10 way					1	—	B.	
5X/3181	Plessey CZ.23212/1	Block, terminal, 20 way					1	—	B.	
7926	A.212165	Cover					1	L.59	B.	
5X/6171	Plessey Z.50211	Link, commoning, 3 way					1	—	C.	
5X/6735	Plessey Z.24949	Piece, distance					4	—	C.	
5X/3278	Plessey Z.28426	Pillar					4	—	C.	
	Plessey Z.28614	Screw, special					4	—		
	B.208990	Box, junction, arm 6, group					1	—		
5X/2863	Plessey CZ.24285	Block, terminal, 10 way					1	—	B.	
5X/3181	Plessey CZ.23212/1	Block, terminal, 20 way					1	—	B.	
7927	A.210796	Cover					1	L.59	C.	
5X/6171	Plessey Z.50211	Link, commoning, 3 way					1	—	C.	
5X/6735	Plessey Z.24949	Piece, distance					4	—	C.	
4177	F.197297	Pillar					2	BSS.249	C.	
	Plessey Z.28614	Screw, special					4	—		
	B.207005	Cable, A.18, group (See Cable Chart)					1	—	—	
7989	A.209702	Ferrule					1	—	C.	
8408	B.213571	Cable, A.33, group (Mod. 427)					1	—	B.	
	A.213560	Bracket, supporting, group					1	—		
	F.213565	Clip					1	Spring Steel		
28FP/809	Dzus GF6-250	Grommet					1	—	C.	
5D/1924	RAE.EL.42887/1C	Connector					1	—	B.	

RESTRICTED

Hunter F. Mk. 4
Issued with Amendment List No. 19

ELECTRICAL EQUIPMENT—WINGS

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
8410	B.213573	Cable, A.35, group (Mod. 427)					1	—	B.	
	A.213562	Bracket, supporting, group					1	—		
	F.213565	Clip					1	Spring Steel		
28FP/809	Dzus GF6-250	Grommet					1	—	C.	
5D/1925	RAE.EL.42887/1D	Connector					1	—	B.	
8412	B.213575	Cable, A.37, group (Mod. 427)					1	—	B.	
	A.213560	Bracket, supporting, group					1	—		
	F.213565	Clip					1	Spring Steel		
28FP/809	Dzus GF6-250	Grommet					1	—	C.	
5D/1924	RAE.EL.42887/1C	Connector					1	—	B.	
8414	B.213577	Cable, A.39, group (Mod. 427)					1	—	B.	
	A.213564	Bracket, supporting, group					1	—		
	F.213565	Clip					1	Spring Steel		
28FP/809	Dzus GF6-250	Grommet					1	—	C.	
5D/1924	RAE.EL.42887/1C	Connector					1	—	B.	
6A/4390	Smiths CRC.54	Cable, co-axial					1	—	B.	
—	—	Cables, electrical (See Cables Chart)					—	—	—	
6A/4381	Smiths CG.1	Cable, harness, co-axial					1	—	B.	
	D.199923	CLIPPING AND STRAPPING CABLES, ASSEMBLY					—	—		
	A.197419/2	Clip, at inter-spar rib "E"					1	S.3		
4761	Std.840/13	Clip, securing cables at undercarriage girder, inter-spar ribs "A" and "F", $\frac{1}{8}$ " wide x 22 s.w.g. x 1-3" long					3	DTD.610	MR/C	4
4099	Std.840/18	Clip, securing cables, $\frac{1}{8}$ " wide x 22 s.w.g. x 1-8" long					3	DTD.610	C.	4
4797	Std.840/27	Clip, securing cables at undercarriage girder, inter-spar rib "D", $\frac{1}{8}$ " wide x 22 s.w.g. x 2-7" long					1	DTD.610	C.	4
4670	Std.840/23	Clip, securing cables, $\frac{1}{8}$ " wide x 22 s.w.g. x 2-9" long					1	DTD.610	C.	4
	Std.841/40	Clip, securing cables at undercarriage girder between inter-spar ribs "C" and "D", $\frac{1}{8}$ " wide x 22 s.w.g. x 4-0" long (Make from 30B/1433)					1	DTD.610		4
	Std.840/40	Clip, securing cables, $\frac{1}{8}$ " wide x 22 s.w.g. x 4-0" long					2	DTD.610		
5480	Std.842/13	Clip, securing cables at inter-spar rib "D", $\frac{1}{8}$ " wide x 22 s.w.g. x 1-3" long (Make from 30A/549)					1	S.3	MR/C	4
6004	Std.850/30	Clip, securing cables at undercarriage girder, inter-spar, rib "D", $\frac{1}{8}$ " wide x 22 s.w.g. x 3" long					1	DTD.610	C.	4
6005	Std.850/31	Clip, securing cables at front spar, inter-spar rib "C", $\frac{1}{8}$ " wide x 22 s.w.g. x 3-1" long					2	DTD.610	MR/C	4
6006	F.205087	Clip, securing cables at inter-spar rib "F"					1	S.3	C.	
8481	F.218733	Clip, securing cables at inter-spar rib "E" (Mod. 452)					1	S.3	C.	
5832	F.205000	Plate, sealing, at undercarriage girder, outboard of inter-spar rib "F"					1	LFS.21	C.	
5F/2281	Hellerman HV.3341	Strapping:					QR	—	C.	
5F/2279	Hellerman HV.3254	Strapping:					QR	—	C.	
5F/2282	Hellerman HV.3342	Stud					QR	—	C.	
5F/2280	Hellerman HV.3255	Stud					QR	—	C.	

RESTRICTED

ELECTRICAL EQUIPMENT—WINGS

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
4544	Std.2045/17/26	Clip, sleeved	...	...	...	...	3	—		
	Std.841/18	Clip, $\frac{1}{2}$ " wide x 22 s.w.g. x 1-8" long	...	...	...	...	2	DTD.610	C.	4
	Std.2046/18/24	Clip, sleeved	...	...	...	...	1	—		4
	Std.2045/36/22	Clip, sleeved	...	...	...	...	1	—		4
	Std.2046/15/26	Clip, sleeved	...	...	...	...	2	—		
6008	Std.2046/28/22	Clip, sleeved	...	...	...	...	1	—		
	Std.850/110	Clip, securing cables on undercarriage jack, $\frac{7}{16}$ " wide x 22 s.w.g. x 11" long	...	...	...	...	1	DTD.610	MR/C	4
29H/2100	Bowden 448	Clip, pliable	...	...	...	...	2	—	C.	
5X/2121	Plessey	Ferrule, inner	...	...	...	...	1	—	C.	
5X/2114	Z.22676/D									
	Plessey	Ferrule, outer	...	...	...	...	1	—	C.	
5L/9952431	—									
	—	Filament, lamp, 28V. 24W.	...	...	...	...	1	—	B.	
5CX/889	—	Lamp, navigation, type B, starboard	...	...	...	...	1	—	A.	
4752	Std.1231/9	Lug, locking	...	...	...	...	1	—	MR/C	4
4831	F.179367	Packing, at micro switch, inter-spar rib "D"	...	...	...	...	1	DTD.610 or DTD.364	MR/C	
5833	F.205537	Plate, bolt, at micro-switch, inter-spar rib D	...	...	...	...	1	S.3	C.	
5X/3148	—	Sleeve, 4-7 amp.	...	...	...	...	23	—	C.	
5X/3146	—	Sleeve, 7-19 amp.	...	...	...	...	3	—	C.	
5K/3455	—	Sleeve, plus J.P. x $\frac{3}{4}$ "	...	...	...	...	26	—	C.	
5X/6194	—	Socket, assembly D24/2/D	...	...	...	...	1	—	B.	
5F/2281	Hellerman HV.3341	Strapping	...	...	...	...	QR	—	C.	
5F/2282	Hellerman HV.3342	Stud	...	...	...	...	QR	—	C.	
9727	F.230401	Switch, micro (Mod. 684)	...	...	...	...	1	—	B.	
5CW/6376	—	Switch, micro, type 4A	...	...	...	...	4	—	B.	
3763	Std.915.B24	Washer	...	...	...	...	1	DTD.364	C.	

RESTRICTED

Hunter F. Mk. 4
Issued with Amendment List No. 19

ELECTRICAL EQUIPMENT—WINGS

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Place No.		
		1	2	3	4	5						
		SUMMARY OF STOCK ITEMS										
28D/12528	A.25.1B	Bolt, 4	B.A.	...	...	...	...	...	...	—	—	—
28D/12511	A.25.2B	Bolt, 4	B.A.	...	...	...	...	...	...	—	—	—
28D/12622	A.25.3B	Bolt, 4	B.A.	...	...	...	...	...	...	—	—	—
28D/12625	A.25.9B	Bolt, 4	B.A.	...	...	...	...	...	...	—	—	—
28D/12626	A.25.10B	Bolt, 4	B.A.	...	...	...	...	...	...	—	—	—
28D/12532	A.25.4C	Bolt, 2	B.A.	...	...	...	...	...	...	—	—	—
28D/12627	A.25.11B	Bolt, 4	B.A.	...	...	...	...	...	...	—	—	—
28D/8300	AS.1242.1B	Bolt, 4	B.A.	...	...	...	...	...	...	—	—	—
28N/254	AGS.191.B	Burr	...	...	...	...	...	...	...	—	—	—
28N/255	AGS.191.C	Burr	...	...	...	...	...	...	...	—	—	—
28M/10327	AGS.2002.B1	Nut, 4	B.A.	...	...	...	...	...	...	—	—	—
28M/10328	AGS.2002.C1	Nut, 2	B.A.	...	...	...	...	...	...	—	—	—
28S/3426	A.32.B8	Screw, 4	B.A.	...	...	...	...	...	...	—	—	—
28S/13887	A.32.B10	Screw, 4	B.A.	...	...	...	...	...	...	—	—	—
28S/2857	A.32.B12	Screw, 4	B.A.	...	...	...	...	...	...	—	—	—
28S/2869	A.32.B20	Screw, 4	B.A.	...	...	...	...	...	...	—	—	—
28S/2856	A.32.C12	Screw, 2	B.A.	...	...	...	...	...	...	—	—	—
28S/2868	A.32.C20	Screw, 2	B.A.	...	...	...	...	...	...	—	—	—
28W/9419475	SP.15.C	Washer	...	...	...	...	...	...	...	—	—	—
28W/9419474	SP.15.B	Washer, 4	B.A.	...	...	...	...	...	...	—	—	—
28W/9419404	SP.16.C	Washer, 2	B.A.	...	...	...	...	...	...	—	—	—
28W/9419486	SP.16.B	Washer, 4	B.A.	...	...	...	...	...	...	—	—	—
28W/12307	SP.18.B	Washer, 4	B.A.	...	...	...	...	...	...	—	—	—

RESTRICTED



This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.