

EQUIPMENT AIRCRAFT—G.M. COMPASS INSTALLATION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Score	Place No.
		1	2	3	4	5				
	E.200068	G.M. COMPASS INSTALLATION, ASSEMBLY (Pre Mod. 256)					—	—		
6B/635	—	Amplifier , precession					1	—	A.	
6B/2569	—	Box , connector control					1	—	A.	
—	—	Cable , electrical (See Cable Chart)					—	—	—	
	Std.850/32	Clip , detector unit cable attachment at outer wing end rib					1	DTD.610		
	F.193236	Plate , for panel mounting plug					1	DTD.610		
5F/2281	Hellerman HV.3341	Strapping , $\frac{1}{8}$ " wide					QR	—	C.	
5F/2279	Hellerman HV.3254	Strapping , $\frac{5}{16}$ " wide					QR	—	C.	
5F/2282	Hellerman HV.3342	Stud					QR	—	C.	
5F/2280	Hellerman HV.3255	Stud					QR	—	C.	
6B/438	—	Tray , mounting for amplifier					1	—	A.	
6B/1993	—	Unit , detector, type "A"... ..					1	—	A.	
10H/Z.970050	—	Washer , panel mounting					2	—	C.	
	G.212370	G.M. COMPASS INSTALLATION, ASSEMBLY (Mod. 256)					—	—		
6B/635	—	Amplifier , precession					1	—	A.	
6B/2569	—	Box , connector control					1	—	A.	
—	—	Cables , electrical (See Cable Chart)					—	—	—	
7846	F.207421	Clip , securing cable					9	L.72	C.	
7847	F.210058	Clip , securing coupler plug					1	L.72	C.	
9493	F.222036	Clip , special, securing cables (Mod. 629)					6	—	C.	
3741	Std.840/20	Clip , securing cable at frame 18, $\frac{7}{16}$ " wide x 22 S.W.G. x 2" long					10	DTD.610	C.	4
3951	Std.840/26	Clip , $\frac{7}{16}$ " wide x 22 S.W.G. x 2-6" long					1	DTD.610	MR/C	
3740	Std.840/33	Clip , $\frac{7}{16}$ " wide x 22 S.W.G. x 3-3" long					1	DTD.610	MR/C	
	Std.841/27	Clip , $\frac{7}{16}$ " wide x 22 S.W.G. x 2-7" long					1	DTD.610		
3756	Std.850/27	Clip , $\frac{7}{16}$ " wide x 22 S.W.G. x 2-7" long					1	DTD.610	MR/C	
	F.208641	Cover , forward of frame 18					1	L.72		
8277	F.213231	Fairlead , at frame 52					1	LFS.21	MR/C	
	F.213415	Hook , at frame 52					2	L.72		
	F.210974	Plate , adaptor					1	L.72		
	F.193236	Plate , plug					1	—		
	F.213232	Strip , rubbing, at frame 52					1	DTD.171		
5F/2281	Hellerman HV.3341	Strapping , $\frac{1}{8}$ " wide					QR	—	C.	
5F/2282	Hellerman HV.3342	Stud					QR	—	C.	
	Std.1509/23/090	Tube , distance, $\frac{5}{16}$ " o/d x 17 S.W.G. x .9" long (Make from 30B/556)					9	T.4	—	
5X/6419	Plessey Z.54079	Tag					24	—	C.	
5X/6418	Plessey Z.54066	Thimble					24	—	C.	
6B/438	—	Tray , mounting, for amplifier					1	—	A.	
6B/1993	—	Unit , detector, type "A"... ..					1	—	A.	
10H/Z.970050	—	Washer , panel mounting					3	—	C.	


RESTRICTED

Hunter F. Mk. 4
Issued with A.L.16

EQUIPMENT AIRCRAFT—G.M. COMPASS INSTALLATION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
		SUMMARY OF STOCK ITEMS								
28D/12528	A25.1.B	Bolt, 4	B.A.	...	...	...	...	...	—	—
28D/12512	A25.1.C	Bolt, 2	B.A.	...	...	...	...	...	—	—
28D/12539	A25.16.C	Bolt, 2	B.A.	...	...	...	...	...	—	—
28D/12953	A.28.1.B	Bolt, 4	B.A.	...	...	...	...	...	—	—
28M/10288	AGS.2001/C.1	Nut, 2	B.A.	...	...	...	...	...	—	—
28M/10327	AGS.2002/B.1	Nut, 4	B.A.	...	...	...	...	...	—	—
28M/10309	AGS.2002/B.4	Nut, 4	B.A.	...	...	...	...	...	—	—
28M/10328	AGS.2002/C.1	Nut, 2	B.A.	...	...	...	...	...	—	—
5K/88	AGS.1658/1	Nut, gland		...	...	...	...	...	—	—
28S/2772	A31.C.20	Screw, 2	B.A.	...	...	...	...	...	—	—
28S/13883	A31.B.14	Screw, 4	B.A.	...	...	...	...	...	—	—
28S/13887	A32.B.10	Screw, 4	B.A.	...	...	...	...	...	—	—
28S/2857	A32.B.12	Screw, 4	B.A.	...	...	...	...	...	—	—
28S/14005	A32.B.14	Screw, 4	B.A.	...	...	...	...	...	—	—
28S/2085	A43.B24	Screw, 4	B.A.	...	...	...	...	...	—	—
28S/2418	A44.C.20	Screw, 2	B.A.	...	...	...	...	...	—	—
28D/8341	AS.1248/1.C	Screw, 2	B.A.	...	...	...	...	...	—	—
5K/41	AGS.1653/1	Sleeve, inner		...	...	...	...	...	—	—
5K/51	AGS.1654/2	Sleeve		...	...	...	...	...	—	—
28W/12306	SP.15.B	Washer, 4	B.A.	...	...	...	...	...	—	—
28W/12296	SP.15.C	Washer, 2	B.A.	...	...	...	...	...	—	—

RESTRICTED





This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.