

EQUIPMENT-ANCILLARY

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	E.189199	ANCILLARY EQUIPMENT ASSEMBLY					—	—		
2726	A.195020	Adaptor , union for pressure gauge pipe					1	DTD.364	MR/C	GA.3
4Q/2305	—	Adaptor , head, Mk. 13					3	—	B.	
4Q/2594	—	Adaptor , head, Mk. 42					1	—	B.	
105G/11	—	Adaptor					1	—	B.	
4G/	Rolls Royce	Adaptor , for Avon engine stand					1	—	B.	
	GE.6004 Sht. 2									
95219	D.189647	Adaptor , cradle for Sapphire engine stand					1	—	B.	GA.6
	A.208035	Adaptor , for external air supply, group					1	—		
	A.208029	Adaptor ,					1	Brass		
	BEN./SA.48	Plug , half, female "Instantair" $\frac{3}{8}$ "					1	—		
1731	F.193381	Ring , sealing					1	Rubber	C.	
4G/4175	—	Arm , forward towing, Mk. 1					1	—	A.	
4G/3070	—	Arm , forward steering					1	—	A.	
95142	B.199011	Bar , levelling, transverse					1	S.1	B.	GA.4
95220	A.201222	Bar , levelling, longitudinal					1	S.1	B.	GA.8
4Q/2617	—	Body , jack, 5 ton hydraulic					3	—	A.	
95229	B.200424	Box , for alignment sights, complete with key and sights, group					1	—	A.	GA.8
95230	B.200424/1	Box					1	—	C.	
95152	A.193839	Key , locking					1	S3, T6 & S.21.B	B.	GA.4
95157	A.193753	Sight , front, port					1	—	B.	GA.4
95158	A.193754	Sight , front, starboard					1	—	B.	GA.4
95159	A.193755	Sight , rear					2	—	B.	GA.4
95003	A.188133	Bracket , jacking for nose undercarriage, group					1	—	B.	GA.2
	B.191158	Bracket					1	Casting		
	Std.1996/7	Chain					2	Brass		
95065	F.164139	Pennant					1	—	C.	GA.2
—	Aerolex	Pin , quick release, (use 27FP/638.)					1	—		
	F.48/7/830	Ring , split type, $\frac{1}{4}$ " dia.					3	Steel		
27G/5062	Dunlop A.10039	Brake , alignment fixture					1	—	A.	
	F.214607	Cap , protective for assembly of gun pack rear mounting bolts (S.O.O.)					—	S.1		
95144	D.199059	Control , column and rudder bar rigging fixture					1	—	B.	GA.3
95428	B.214194	Covers , blanking, for air intake, group					1 Pair	—	B.	GA.5
		Consisting of:—								
	D.197865	Cover , blanking, for air intake, port, group					1	—		
	D.197866	Cover , blanking, for air intake starboard, group					1	—		
	C.200079	Bung , top, port					1	—		
	C.200080	Bung , top, starboard					1	—		
	C.200081	Bung , bottom, port					1	—		
	C.200082	Bung , bottom, starboard					1	—		
	A.192941	Catch , port					1	—		
	A.192942	Catch , starboard					1	—		
26AQ 5893	F.193287	Eye-bolt					1	M.S.B.		
	A.194620	Handle					2	M.S.B.		
	F.193285	Lever					2	M.S.B.		
	F.193286	Link					2	M.S.B.		
	F.193288	Plunger					2	M.S.B.		
	F.184342	Spring					2	Spr. Stl.		
95065	—	Key , ring, $1\frac{1}{4}$ " dia.					1	Steel		
N/V	A.164139	Pennant					1	—	C.	GA.2
	B.214194/2	Strap , complete with eyelets					1	Webbing		

RESTRICTED

Mks. 4, 5, 50, 51, 52
Issued with Amendment List No. 4

EQUIPMENT-ANCILLARY

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
95217	C.200177	Cover, for centre fuselage ducts, port (Avon) ...					1	—	B.	GA.5
95218	C.200178	Cover, for centre fuselage ducts, starboard (Avon) ...					1	—	B.	GA.5
95028	C.192777	Cover, sealing, for jet pipe, group (Avon) ...					1	—	B.	GA.5
	Std.1996/12	Chain, 12" long ...					1	Brass		
95065	F.164139	Pennant ...					1	—	C.	GA.2
	C.168540/2	Ring, split type ...					2	Steel		
95292	C.198871	Cover, sealing, for jet pipe, group (Sapphire) ...					1	—	B.	GA.5
	Std.1996/12	Chain, 12" long ...					1	Brass		
95065	F.164139	Pennant ...					1	—	C.	GA.2
9371	C.168540/2	Ring, split type <i>8 1/2" o/d. x 1/2" i/d.</i> ...					2	Steel		
27D/2999	B.206431	Cover, weather for centre fuselage ...					1	—	B.	
95022	D.194044	Cradle, inboard, for wing trestling, group ...					2	—	B.	GA.6
	Std.1996/7	Chain, 7" long ...					2	Brass		
	F.180683	Lever ...					2	S.1		
	Aerolex	Pin, quick release (use 27FP/18) ...					2	Steel		
	F.48/7/513									
95023	D.194045	Cradle, outboard, for wing trestling, group ...					2	—	B.	GA.6
	Std.1996/7	Chain, 7" long ...					2	Brass		
	A.180683	Lever ...					2	S.1		
	Aerolex	Pin, quick release (use 27FP/18) ...					2	Steel		
	F.48/7/513									
	E.192688	EQUIPMENT, HANDLING AND SPECIAL TOOLS FOR ARMAMENT PACKAGE, ASSEMBLY					—	—		
	B.192252	BARS, ALIGNMENT, FOR GUN SIGHT, SUB ASSEMBLY					—	—		
95161	B.192253	Bar, front, group ...					1	—	B.	GA.4
27FP/28	Avia. Dev. A.615	Pin, pip ...					2	—	C.	
95162	B.192254	Bar, rear, group ...					1	—	B.	GA.4
27FP/28	Avia. Dev. A.615	Pin, pip ...					2	—	C.	
4G/3360	—	Hoist, type "C" ...					3	—	A.	
95043	A.183955	Key, for barrel catch release ...					3	S.21	B.	GA.4
95037	C.177141	Sling, group ...					1	—	B.	GA.4
	B.177752	Block ...					2	M.S. 27D		
95066	C.177141/5	Strap, group ...					1	—	B.	GA.4
95153	B.196709	Spanner, for front gun nut ...					1	—	B.	GA.4
27Y/5000	S.B.A.C. R.S.181/45	Spanner, front mounting retaining ring ...					1	—	A.	
27Y/2373	S.B.A.C. R.S.181/32	Spanner, barrel, support retaining ...					1	—	A.	
95036	B.177142	Spigot, group ...					2	—	B.	GA.4
95044	B.183954	Tool, locking, for gun package ...					2	—	B.	GA.4
95201	D.197310	Tool, lifting, for 30 m/m. "Aden" gun ...					1	—	B.	GA.6
95150	B.192679	Tool, centralising barrel, group ...					1	—	B.	GA.4
	F.192682	Eye-bolt ...					1	S.1		
95004	F.191165	Extension, jacking, main wheel, group ...					1	—	B.	GA.2
	F.192139	Pin ...					1	S.1		
	F.176122	Plug ...					1	S.1		
	F.176124	Spring ...					1	DTD.239		
1L/	Britool Z.4919	Extension, for starter exhaust pipe (Sapphire) ...					1	—	B.	
95058	A.191552	Extractor, for front spar joint pin ...					1	—	B.	GA.3
95059	A.191655	Extractor, for rear spar joint pin ...					1	—	B.	GA.3
95303	Dunlop A.10054	Extractor, for main wheels ...					1	—	B.	

RESTRICTED

EQUIPMENT-ANCILLARY

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
95032	Dunlop A.5826	Extractor,	for nose wheel	...	...	...	1	—	B.	
95140	B.198963	Extractor,	for main spar wing joint bush	...	...	...	1	—	B.	GA.3
95141	C.198962	Extractor,	for rear spar wing joint bush	...	...	...	1	—	B.	GA.3
4G/4176	—	Fork unit,	adjustable, Mk. 2	...	...	...	1	—	A.	
95005	C.191642	Gauge,	incidence, for main plane, group	...	...	...	1	—	B.	GA.4
	F.192067	Bar,	contact	...	...	...	2	BSS.251		
95007	B.201624	Gauge,	incidence, for tail plane	...	...	...	1	—	B.	GA.4
95006	A.192534	Gauge,	dihedral, main plane	...	...	...	1	—	B.	GA.4
95388	A.210992	Gauge,	for undercarriage lever setting, port	...	...	...	1	—	B.	
95389	A.210993	Gauge,	for undercarriage lever setting, starboard	...	...	...	1	—	B.	
	B.214835	Gauge,	setting for micro-switch, nosewheel leg up	...	...	...	1	—		
95508	A.210921	Gauge,	setting, nosewheel down	...	...	...	1	—	B.	
	C.188374	GROUND LOCKING GEAR, FOR FLYING CONTROLS, ASSEMBLY					—	—		
95137	C.189263	Ground locking gear,	for aileron, group	...	...	...	2	—	B.	GA.7
	Std.1996/7	Chain,	7" long	...	...	...	1	Brass		
95155	A.111811	Cord,	shock absorber	...	...	...	2	F.16	C.	GA.7
	A.208394	Pennant	...	...	...	...	1	—	C.	
	C.206419	Plate,	locking	...	...	...	1	S.3		
	—	Ring,	split type, $\frac{3}{4}$ " dia.	...	...	...	2	Steel		
	—	Ring,	split type, 1" dia.	...	...	...	1	Steel		
95514	A.189264	Strap	...	...	...	...	1	F.52	C.	
95138	C.192836	Ground locking gear,	for elevator, group	...	...	...	2	—	B.	GA.7
95068	A.192835	Cord,	tension	...	...	...	2	F.16	C.	GA.7
95139	B.189267	Ground locking gear,	for rudder, group	...	...	...	1	—	B.	GA.7
95069	A.193038	Bolt,	wing	...	...	...	1	S.92B & S.3	C.	GA.7
	Std.1996/7	Chain,	7" long	...	...	...	2	Brass		
	A.208394	Pennant	...	...	...	...	1	—		
	—	Ring,	split type, $\frac{3}{4}$ " dia.	...	...	...	4	—		
95135	B.188483	Ground locking gear,	for cockpit controls, group	...	...	...	1	—	B.	GA.7
	A.88468	Bolt,	...	...	...	...	2	S.1		
	A.192829	Bracket	...	...	...	...	1	S.3 & Rubber		
	A.200724	Bracket,	for aileron locking	...	...	...	1	—		
	B.188483/1	Cable,	front (complete with hooks and thimble)	...	...	...	2	W.2		
	B.188483/2	Cable,	rear (complete with hooks, thimbles and bracket)	...	...	...	2	W.2		
	A.188484	Cap	...	...	...	...	1	S.3		
	A.200718	Cap,	for aileron locking	...	...	...	1	—		
	F.186679	Eye-bolt	...	...	...	...	1	S.1		
	A.208393	Pennant	...	...	...	...	1	—		
95030	B.188480	Ground lock,	for nose wheel, group	...	...	...	1	—	B.	GA.7
	A.188482	Adjuster	...	...	...	...	1	—		
	B.188481	Bar,	clamping, group	...	...	...	1	—		
	B.188481/2	Seating	...	...	...	...	2	LFB.82		
	Std.1996/7	Chain,	7" long	...	...	...	2	Brass		
95065	A.164139	Pennant	...	...	...	...	1	—	C.	GA.2
—	Aerolex F.48/7/607	Pin,	quick release (use 27FP/23)	...	...	...	1	—	—	
	—	Ring,	split type, $\frac{3}{4}$ " dia.	...	...	...	3	Steel		
	A.204974	Guard,	for spigot in wheel bay	...	...	...	1	—	B.	

RESTRICTED

Mks. 4, 5, 50, 51, 52
Issued with Amendment List No. 4

EQUIPMENT-ANCILLARY

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
95413	D.211231	Guard, safety, for air intake, port group ...					1	—	B.	
95414	D.211232	Guard, safety, for air intake, starboard group ...					1	—	B.	
	A.192941	Catch, assembly, port ...					1	—		
	A.192942	Catch, assembly, starboard ...					1	—		
	F.193287	Eye-bolt ...					2	M.S.B.		
	A.194621	Handle ...					2	M.S.B.		
	F.193285	Lever ...					2	M.S.B.		
	F.193286	Link ...					2	M.S.B.		
	F.193288	Plunger ...					2	M.S.B.		
	F.184342	Spring ...					2	Sp. St.		
	C.211215	Strut, bracing, group ...					2	—		
95086	A.194464	Guide, for fuel tanks vent connector ...					1	—	B.	GA.3
95421	A.214536	Indicator, position for adjustment of aileron booster unit					1	S.3	B.	
95083	A.195014	Jig, alignment, for gate valve, rear fuselage (Mks. 1, 2, & 6					1	DTD.610 & DTD.364	B.	GA.3
95505	D.210928	Jig, setting-up micro switch, nose undercarriage ...					1	—	A.	
95506	D.210929	Jig, setting, nosewheel door sequence valve ...					1	—	A.	
4Q/2604	—	Jack, pillar type, 4 ton hydraulic ...					1	—	A.	
95399	A.212332	Key, for hydraulic reservoir (Avon) ...					1	T.26 & S.3	B.	
95136	D.202713	Ladder, for pilot, group ...					1	—	B.	GA.5
	D.202713/12	Tread-plate ...					1	Alum.		
95501	B.208854	Lifting, tackle for engine starter, group (Sapphire) ...					1	—	B.	
95306	A.201030	Lock, rigging, elevator control tube ...					1	—	C.	GA.7
95307	A.201031	Lock, rigging, aileron or rudder control tubes ...					2	—	C.	GA.7
4G/3966	—	Mats, for main plane ...					2	—	B.	
95002	B.191156	Pad, jacking, at frame No. 11, group ...					1	—	B.	GA.2
	Std.1996/7	Chain, 7" long ...					2	Brass		
—	Aerolex	Pin, quick release (use 27FP/15) ...					2	—	—	
	F.48/7/508	Ring, split type, 3/4" dia. ...					4	Steel		
9136	—									
95300	B.206725	Pad, jacking, for main plane, group ...					2	—	B.	GA.2
	Std.1996/7	Chain, 7" long ...								
—	Aerolex	Pin, quick release (use 27FP/15) ...					2	—	—	
	F.48/7/508	Ring, split type, 1 1/4" dia. ...					4	Steel		
9138	—									
	D.193482	PICKETING AND REARWARD TOWING, ASSEMBLY					—	—		
95203	F.159908	Bolt, picketing, for rear fuselage group ...					1	—	C.	GA.5
	Std.1996/7	Chain, 7" long ...					1	Brass		
	F.159909	Eye-bolt ...					1	S.95.B		
95065	A.164139	Pennant ...					1	—	C.	GA.2
9137	—	Ring, split type, 1" dia. ...					2	—		
4G/4137	—	Bridle, towing, 50ft. long ...					1	—	A.	
95205	A.176437	Shackle, picketing, for main undercarriage group					2	—	C.	GA.5
	Std.1996/7	Chain, 7" long ...					3	Brass		
95071	F.176436	Collar, locking ...					1	T.45 & S.3	C.	GA.5
95065	A.164139	Pennant ...					1	—	C.	
—	Aerolex	Pin, quick release (use 27FP/17) ...					1	—	—	
	F.48/7/512	Ring, split, type, 3/4" dia. ...					4	Steel		

RESTRICTED

EQUIPMENT-ANCILLARY

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
6133	B.205907	Pad, jacking at frame 11, group (Mod. 241) ...					1	—		GA.2
	Std.1996/7	Chain, 7" long ...					2	Brass	C.	
	Aerolex	Pin, quick release (alternative to A.508.HTS)					2	—		
	F.48/7/508									
28FP/15	A.508.HTS	Pin, pip (alternative to F.48/7/508)					2	—	C.	
9136	—	Ring, split, $\frac{3}{8}$ " dia. ...					4	Steel	C.	
95606	B.205909	Pad, jacking for wing, group (Mod. 241)					1	—	B.	GA.2
6133	Std.1996/7	Chain, 7" long ...					2	Brass	C.	
—	Aerolex	Pin, quick release (use 28FP/923)					2	—	—	
9136	F.48/7/509									
	—	Ring, split, $\frac{3}{8}$ " dia. ...					4	Steel	C.	
	D.193482	PICKETING AND REARWARD TOWING, ASSEMBLY					—	—		
95203	F.159908	Bolt, picketing, for rear fuselage group ...					1	—	B.	GA.5
6133	Std.1996/7	Chain, 7" long ...					1	Brass	C.	
95632	F.159909	Eye-bolt ...					1	S.95.B	C.	GA.5
95065	A.164139	Pennant ...					1	—	C.	GA.2
9137	—	Ring, split type, 1" dia. ...					2	—	C.	
4GB/4137	—	Bridle, towing, 50ft. long ...					1	—	A.	
95205	A.176437	Shackle, picketing, for main undercarriage group					2	—	B.	GA.5
6133	Std.1996/7	Chain, 7" long ...					3	Brass	C.	
95071	F.176436	Collar, locking ...					1	—	C.	GA.5
95065	A.164139	Pennant ...					1	—	C.	
—	Aerolex	Pin, quick release (use 28FP/17)					1	—	—	
	F.48/7/512									
9136	—	Ring, split, type, $\frac{3}{8}$ " dia. ...					4	Steel	C.	
95204	A.176434	Shackle, picketing, for nose undercarriage, group					1	—	B.	GA.5
6133	Std.1996/7	Chain, 7" long ...					2	Brass	C.	
95065	A.164139	Pennant ...					1	—	C.	GA.2
—	Aerolex	Pin, quick release (use 28FP/638)					1	—	—	
	F.48/7/830									
9136	—	Ring, split type, $\frac{1}{2}$ " dia. ...					3	Steel	C.	
	D.191909	PICKETING AND REARWARD TOWING, ASSEMBLY (S.O.O. for embalmed aircraft only)					—	—		
95203	F.159908	Bolt, picketing, for rear fuselage, group ...					1	—	B.	GA.5
6133	Std.1996/7	Chain, 7" long ...					1	Brass	C.	
95632	F.159909	Eye-bolt ...					1	S.95.B	C.	GA.5
95065	A.164139	Pennant ...					1	—	C.	GA.2
9137	—	Ring, split type, 1" dia. ...					2	—	C.	
4GB/4137	—	Bridle, rearward towing ...					1	—	A.	
	B.191910	Fitting, picketing and rearward towing, at main undercarriage, group					2	—		GA.5
6133	Std.1996/7	Chain, 7" long ...					3	Brass	C.	
95071	F.176436	Collar ...					1	M.S.	C.	
95065	A.164139	Pennant ...					1	—	C.	GA.2
—	Aerolex	Pin, quick release (use 28FP/17)					1	—	—	
	F.48/7/512									
9137	—	Ring, split type, 1" dia. ...					5	—	C.	
	A.191716	Fitting, picketing at nose undercarriage, group ...					1	—		GA.5
6133	Std.1996/7	Chain, 7" long ...					2	Brass	C.	
95065	A.164139	Pennant ...					1	—	C.	GA.2
—	Aerolex	Pin, quick release (use 28FP/638)					1	—	—	
	F.48/7/830									
9137	—	Ring, split type, 1" dia. ...					2	—	C.	
95309	A.204865	Piece, distance, for use at front fuselage attachment nuts					1	M.S.B.	C.	GA.8

EQUIPMENT-ANCILLARY

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	C.207506	PIPE, DEFUELLING EQUIPMENT FOR WHEELS UP, ASSEMBLY					—	—		
6631	C.207507	Pipe, group (Mod. 156)					1	—		GA.7
	Flight Refuelling C.0724000/1	Coupling, valve refuelling (alternative to FC.110 Mk.2)					1	—		
27F/2227	Avery Hardall FC.110 Mk. 2	Coupling, valve refuelling, group (alternative to C.0724000/1)					1	—	A.	
27F/2228	FC.109	Cover, duct, group					1	—	C.	
27F/2599	FC.339	Ring, sealing					1	—	C.	
	A.207512	Elbow					1	B.11		
	B.207509	Handle, for coupling					1	—		
	F.209903	Nut, special					4	M.S.		
	C.207508	Pipe, defuelling					1	—		
	Avica 1/12/72/AA	Pipe, flexible, 1½"					1	—		
95046	B.191737	Rail, for engine between frames 34 and 37, group					1	—	B.	GA.6
6133	Std.1996/7	Chain, 7" long					1	Brass	C.	
	Std.1996/14	Chain, 14" long					1	Brass		
	F.199939	Label					1	—		
—	Aerolex F.48/7/514	Pin, quick release (use 28FP/19)					1	—	—	
	B.191737/3	Plate, indicator					1	M.S.B.		
	B.191737/1	Ring, retaining adjustable stop					1	MS Wire		
9137	—	Ring, split type, 1" dia.					4	—	C.	
9378	B.176010	Stop, adjustable					1	S.95.B & S.1	B.	GA.6
5P/2908	—	Rectifier, metal transportable, type 37					1	—	A.	
95029	C.191636	Sleeve, locking, for main undercarriage, group					2	—	B.	GA.7
6133	Std.1996/7	Chain, 7" long					1	Brass	C.	
95721	F.191640	Eye-bolt					2	M.S.B.	C.	
	F.191638	Flange					1	M.S.B.		
95072	A.193720	Pennant					1	—	C.	GA.7
9136	—	Ring, split type, ¾" dia.					2	Steel	C.	
	F.191639	Shim					4	M.S.B.		
95011	D.188575	Sling, lifting, for complete aircraft, group					1	—	B.	GA.2
95070	F.188573	Bolt, fork, for attachment of sling to aircraft					4	S.95.B	C.	GA.2
95074	A.188570	Bolt, fork, for attaching spreader strut to link					4	S.95.B	C.	GA.2
	D.188575/1	Cable, 100/110 ton					4	B.S.302		
	B.188566	Link, between spreader strut and aircraft attachment bolt					4	Stpg.		
	A.188726	Link, slinging, group					1	—		
	F.187729	Pin					2	S.94.B		
	F.187728	Roller					1	S.1		
	A.188572	Shackle, at sling to spreader strut attachment					4	Stpg.		
	B.188565	Shackle, at sling to top link attachment					2	Stpg.		
	B.188567	Strut, spreader, front and rear, group					2	—		
6133	Std.1996/7	Chain, 7" long					2	Brass	C.	
—	Aerolex F.48/7/813	Pin, quick release (use 28FP/625)					2	—	—	
9136	—	Ring, split type, ¾" dia.					4	—	C.	
	B.188568	Strut, spreader, side					2	—		

RESTRICTED

EQUIPMENT-ANCILLARY

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
95370	D.206952	Sling, for salvaging (Fuselage only with engine) group (S.O.O.)					1	—	B.	GA.2
95070	F.188573	Bolt, fork, for attaching sling to aircraft ...					4	S.95.B	C.	GA.2
95074	A.188570	Bolt, fork, for attaching spreader strut to link ...					4	S.96.B	C.	GA.2
	D.206952/1	Cable, forward ...					2	BS.302		
	D.206952/2	Cable, rear ...					2	BS.302		
	F.194575	Label ...					1	Brass		
	B.188566	Link, between spreader strut and aircraft attachment bolts					2	—		
	A.194422	Link, slinging, group ...					1	—		
	F.187729	Pin ...					2	S.94.B or S.95.B		
	F.187728	Roller ...					1	S.1		
	F.194423	Piece, distance ...					2	M.S.		
	F.194424	Piece, distance ...					2	M.S.		
	F.194425	Piece, distance ...					2	M.S.		
	—	Ring, split type, 1 1/4" dia. ...					2	Steel		
	B.194418	Shackle, at sling to top link attachment ...					2	Stmpg.		
	A.207182	Shackle, at sling to spreader strut attachment, rear					2	Stmpg.		
	A.207183	Shackle, at sling to spreader strut attachment, forward					2	Stmpg.		
	B.188567	Strut, spreader, front and rear group ...					2	—		
	Std.1996/7	Chain, 7" long ...					2	Brass		
—	Aerolex	Pin, quick release (use 27FP/625) ...					2	—	—	
	F.48/7/813	Ring, split type, 3/4" dia. ...					4	Steel		
	B.188568	Strut, spreader, side ...					2	—		
	B.189915	SLINGING, AND TRESTLING, FRONT FUSELAGE, ASSEMBLY					—	—		
95019	C.189917	Beam, at rear trestle group ...					1	—	B.	GA.1
	Std.1996/7	Chain, 7" long ...					4	Brass		
95512	F.180694	Eye-bolt ...					2	S.1	C.	
	A.180.83	Lever ...					4	S.1		
95073	A.191472	Pad, locating ...					2	LFS.21	C.	GA.1
—	Aerolex	Pin, quick release (use 27FP/18) ...					4	—	—	
	F.48/7/513	Ring, split type, 3/4" dia. ...					4	Steel		
95052	A.189921	Clip, at nose wheel leg ...					2	S.3 & L.16	C.	GA.1
95018	C.189916	Cradle, front, group ...					1	—	B.	GA.1
	Std.1996/7	Chain, 7" long ...					5	Brass		
	F.189923	Eye-bolt ...					2	S.2		
	A.180683	Lever ...					4	S.1		
—	Aerolex	Pin, quick release (use 27FP/18) ...					4	—	—	
	F.48/7/513	Pin, quick release (use 27FP/24) ...					1	—	—	
—	Aerolex	Ring, split type, 3/4" dia. ...					4	Steel		
	F.48/7/609	Link, at nose wheel leg ...					1	S.1 & S.3	C.	GA.1
95053	A.189922 F200668									

RESTRICTED

RESTRICTED

Mks. 4, 5, 50, 51, 52
Issued with Amendment List No. 4

EQUIPMENT—ANCILLARY

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
95015	C.189918	Sling, lifting, group	...	...	...	...	1	—	B.	GA.1
	C.189918/1	Cable, top portion, 100/110 ton	...	...	...	...	4	BS.302		
	C.189918/2	Cable, forward bottom portion, 100/110 ton	...	...	...	...	2	BS.302		
	C.189918/3	Cable, rear bottom portion	...	...	...	...	2	BS.302		
	F.189925	Plate, link, forward	...	...	...	...	4	S.3		
	F.189926	Plate, link, rear	...	...	...	...	4	S.3		
	B.189219	Ring, lifting	...	...	...	...	1	S.92.B		
	B.189919	Strut, group, forward	...	...	...	...	1	—		
	B.189920	Strut, group, aft	...	...	...	...	1	—		
95050	B.189929	Strut, bracing, between front and rear trestle, group	...	...	...	...	2	—	B.	GA.1
	Std.1996/7	Chain, 7" long	...	...	...	...	2	Brass		
—	Aerolex	Pin, quick release (use 27FP/640)	...	...	...	...	2	—	—	
	F.48/7/1023	Ring, split type, 3/4" dia.	...	...	...	...	2	Steel		
4G/	—	Trestle, U.J. No. 1.	...	...	...	...	2	—	A.	
	B.190381	SLINGING AND TRESTLING, CENTRE FUSELAGE, ASSEMBLY					—	—		
95020	C.190377	Cradle, group	...	...	...	...	2	—	B.	GA.1
	Std.1996/7	Chain, 7" long	...	...	...	...	4	Brass		
	F.180683	Lever	...	...	...	...	4	S.1		
—	Aerolex	Pin, quick release (use 27FP/18)	...	...	...	...	4	—	—	
	F.48/7/513	Ring, split type, 3/4" dia.	...	...	...	...	4	Steel		
95049	C.190378	Sling, lifting, group	...	...	...	...	1	—	B.	GA.1
	C.190378/1	Cable, aft, 100/110 ton	...	...	...	...	1	BS.302		
	C.130378/2	Cable, forward, 100/110	...	...	...	...	1	BS.302		
	F.190386	Plate, link	...	...	...	...	4	M.S.		
	B.190380	Plate, link, group	...	...	...	...	4	—		
	Std.1996/7	Chain, 7" long	...	...	...	...	1	Brass		
—	Aerolex	Pin, quick release (use 27FP/625)	...	...	...	...	1	—	—	
	F.48/7/813	Ring, split type, 3/4" dia.	...	...	...	...	1	Steel		
	F.190384	Pin, forked	...	...	...	...	2	S.1		
	F.186238	Ring, lifting	...	...	...	...	1	S.92.B		
	B.190379	Strut, upper, group	...	...	...	...	1	—		
	A.190383	Strut, lower, group	...	...	...	...	2	—		
4G/	—	Trestle, U.J. No. 1	...	...	...	...	2	—	A.	
	C.207184	SLINGING AND TRESTLING, REAR FUSELAGE (without tail unit), ASSEMBLY					—	—		
95041	C.190878	Cradle, front, group	...	...	...	...	1	—	B.	GA.1
	Std.1996/7	Chain, 7" long	...	...	...	...	4	Brass		
95512	F.180694	Eye-bolt	...	...	...	...	2	S.1	C.	
	F.180683	Lever	...	...	...	...	4	S.1		
—	Aerolex	Pin, quick release (use 27FP/18)	...	...	...	...	4	—	—	
	F.48/7/513	Ring, split type, 3/4" dia.	...	...	...	...	4	Steel		

RESTRICTED

RESTRICTED

Mks. 4, 5, 50, 51, 52
Issued with Amendment List No. 4

EQUIPMENT-ANCILLARY

Ref. No.	Part No.	Description					No. OH	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
95034	E.190347	Trolley removal, for tail unit. (Pre Mod. GE.51)					1	—	A.	GA.1
95215	C.200058	Trolley, removal, for tail unit group (Mod. GE.51)					1	—	A.	GA.1
	B.200212	Arm towing					1	—		
	D.200062	Aft-end, group					1	—		
	D.200062/12	Bush, for runner wheel					2	Bronze		
	C.189645	Jack, screw, group					2	—		
	C.189645/2	Bush					1	BSS.369		
	C.189645/7	Grub-screw					1	M.S.B.		
	C.189645/5	Nut					1	M.S.B.		
95076	C.189645/1	Shaft, screwed					1	M.S.B.	C.	GA.1
	D.200062/16	Nut, wheel attachment					4	M.S.		
	D.189637	Piece, distance, for wheel spindle					4	S.21.B		
95077	D.189638	Spindle					2	S.21.B	C.	GA.1
95078	Dunlop	Wheel, complete with solid tyre					2	—	B.	GA.1
	WDM.564									
	D.200062/11	Wheel, runner					2	M.S.B.		
	C.200058/1	Bolt, attaching side frame					6	M.S.		
	C.200058/2	Bolt, attaching side frame					2	M.S.		
	C.200060	Cradle					1	—		
	B.200059	Frame, side					2	—		
	D.200061	Forward-end, group					1	—		
275/263	Fischer W.1	Bearing, thrust race					2	—		
	D.189642	Bush, for castor fork spindle					2	Bronze		
	D.200062/12	Bush, for runner wheel					2	Bronze		
	C.189645	Jack, screw, group					2	—		
	C.189645/2	Bush					1	BSS.369		
	C.189645/7	Grub-screw					1	M.S.B.		
	C.189645/5	Nut					1	M.S.B.		
95076	C.189645/1	Shaft, screwed					1	M.S.B.	C.	GA.1
	D.200061/16	Nut, wheel attachment					4	M.S.B.		
	D.189637	Piece, distance, for wheel spindle					4	S.21.B		
95077	D.189638	Spindle					2	S.21.B	C.	GA.1
	Dunlop	Wheel, complete with solid tyre					2	—	B.	GA.1
	WDM.564									
	D.200062/11	Wheel, runner					2	M.S.B.		
	F.200236	Lug, for tie bar					4	M.S.		
	C.190463	Strap, attachment, group					1	—		
	A.179741	Bolt, with plate, group					1	—		
	F.179739	Bolt					1	S1, S3		
	F.179741/1	Collar					1	S.1		
	A.200232	Tie-bar					2	—		
95014	C.188900	Sling, for outer wings, group					1	—	B.	GA.2
	C.188900/1	Cable, forward, 100/110 ton, $\frac{5}{16}$ " dia.					1	BS.302		
	C.188900/2	Cable, rear, 100/110 ton, $\frac{5}{16}$ " dia.					1	BS.302		
	Std.1996/7	Chain, 7" long					3	Brass		
95075	F.188901	Eye-bolt					3	S.95.B	C.	GA.1
—	Aerolex	Pin, quick release (use 27FP/639)					3	—	—	
	F.48/7/1017									
	—	Ring, split type, $1\frac{1}{2}$ " dia.					3	Steel		
	F.186238	Ring, lifting					1	S.92.B		

RESTRICTED

RESTRICTED

EQUIPMENT—ANCILLARY

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
95222	C.199388 C.199388/1 C.199388/2 A.199389 F.199390	Sling, outer wing for chord vertical lifting ...	...	...	...	...	1	—	B.	GA.2
		Cable, 100/110 ton $\frac{5}{16}$ " dia., complete with lifting ring	...	...	...	...	4	BS.302		
		Leather strip, $\frac{1}{16}$ " thick ...	...	...	...	...	4	—		
		Screw, anchorage ...	...	...	...	...	4	—		
		Thimble ...	...	...	...	...	4	—		
95016	B.190526 B.190526/1 Std.1996/7 F.190527 F.199873 — Aerolex F.48/7/612 F.180478 —	Sling, for tail plane, fin and rudder ...	...	...	...	...	1	—	B.	GA.2
		Cable, 100/110 ton, $\frac{5}{16}$ " dia. ...	...	...	...	...	2	BS.302		
		Chain, 7" long ...	...	...	...	...	4	Brass		
		Pin ...	...	...	...	...	1	H.T.S.		
		Pin ...	...	...	...	...	1	—		
		Pin, quick release (use 27FP/26) ...	...	...	...	...	2	—		
		Ring, lifting ...	...	...	...	...	1	S.92.B		
		Ring, split type, $1\frac{1}{4}$ " dia. ...	...	...	...	...	2	Steel		
4G/4783	Rolls Royce J.47623	Sling, for "Avon" engine ...	...	...	...	...	1	—	A.	
4G/	Armstrong Siddeley	Sling, for Sapphire engine ...	...	...	...	...	1	—	A.	
95087	A.194634	Spanner, for Dunlop brake, adjustment ...	...	...	...	...	1	—	B.	GA.3
95311	A.209612	Spanner, for flap hinge bolts (aircraft with Mod. H.183)	...	...	...	...	1	—	B.	GA.8
95228	BRITTOOL Z.4948	Spanner, for rear fuselage transport joint nuts ...	...	...	...	...	1	—	B.	
95085	A.194578	Spanner, for inverted flight valve connector ...	...	...	...	...	1	EN.33	B.	GA.3
95081	B.194717	Spanner, for refuelling valve, forward ...	...	...	...	...	1	T.26 & S.3	B.	GA.3
95426	B.204233	Spanner, crutching for inboard and outboard pylons (Mks. 4, 5, 6, 50 and 51)	...	...	...	...	1	—	B.	
95226	A.201955	Spanner, special, for main fuel delivery joint ...	...	...	...	...	1	EN.33	B.	GA.8
95163	A.197766	Spanner, for hydraulic system, -605"—610" A/F ...	...	...	...	...	1	S.21 & S.3	B.	GA.3
95420	A.214535	Spanner, dial for aileron booster unit adjustment ...	...	...	...	...	1	—	B.	
95165	A.197767	Spanner, for hydraulic system, -852"—830" A/F ...	...	...	...	...	1	S.21 & S.3	B.	GA.3
95227	A.201798	Spanner, for air conditioning union (Sapphire)	...	...	...	...	1	—	B.	
95166	A.197768	Spanner, for hydraulic system, 1-015"—1-020" A/F ...	...	...	...	...	1	S.21 & S.3	B.	GA.3
95084	A.194729	Spanner, fuel system extension (Mks. 1, 2, 6, 50 and 51)	...	...	...	...	1	EN.33	B.	
95164	F.199124	Spanner, for hydraulic system ...	...	...	...	...	1	—	B.	GA.3
1L/	Lyon or Ford	Spanner, set, $\frac{3}{4}$ " B.S.F. straight ended ...	...	...	...	...	1	—	A.	
95304	F.199406	Spanner, for elevator outer hinge, -925" A/F ...	...	...	...	...	1	M.S.	B.	GA.8
95305	F.199407	Spanner, for elevator outer hinge, -715" A/F ...	...	...	...	...	1	M.S.	B.	GA.8
95308	B.204866	Spanner, for front fuselage attachment nuts ...	...	...	...	...	1	Steel	B.	GA.8
95425	A.190295	Spanner, for fuel system ...	...	...	...	...	1	M.S.	B.	
95503	B.209815	Spanner, wing fuel system (Mks. 4, 5, 6, 50 and 51) ...	...	...	...	...	1	Steel	B.	
95504	B.209816	Spanner, wing fuel system (Mks. 4, 5, 6, 50 and 51) ...	...	...	...	...	1	Steel	B.	
95143	F.198704	Spigot, levelling, removable, group ...	...	...	...	...	2	—	B.	GA.3
	Std.1996/7	Chain, 7" long ...	...	...	...	...	1	Brass		
95065	F.164139	Pennant ...	...	...	...	...	1	—	C.	GA.2
	—	Ring, split type, $\frac{3}{4}$ " dia. ...	...	...	...	...	1	Steel		
4G/4241	Rolls Royce GE.6004 Sht. 1	Stand, for Avon Engine, type 'B' ...	...	...	...	...	1	—	A.	
4G/	Armstrong Siddeley	Stand, for Sapphire engine ...	...	...	...	...	1	—	A.	

RESTRICTED

RESTRICTED

Hunter Mk. 4, 5, 50, 51, 52
Issued with Amendment List No. 4

EQUIPMENT—ANCILLARY

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
95234	B.199253	Strut, bracing, for gun package removal, group					1	—	B.	GA.8
	F.199257	Block, trunnion					1	S.1		
	F.199255	Bolt, fork					1	M.S.B.		
	A.199254	Fork-end					1	S.I.B.		
	F.199256	Pin, trunnion					1	M.S.B.		
95365	B.204496	Tackle, lifting for Rotax starter (Mk. 2 only)					1	—	B.	
95427	C.208502	Test Equipment for Fuel system, group					1	—	A.	
		(Mod. 385. S.O.O.)								
	A.211191	Adaptor for spine connection, group					1	—		
		(Mks. 4, 5, 6, 50 and 51)								
	C.212514	Box, for test equipment					1	—		
	B.207700	Box, control, group					1	—		
	SK.342/1	Controller, I.V.					1	—		
	Std.1371.C	Coupling					1	DTD.423		
	B.207700/1	Hose, $\frac{3}{8}$ " i/d. x 12 ft. long					1	—		
	F.207701	Nipple, special					1	L.65.C		
	BEN/S.A.48	Plug, instantair					1	—		
95759	A.207563	Bung, for rear vent pipe, group (Mks. 1, 2 & 6 only)					1	—		
	A.207568	Bolt					1	Brass		
	A.207563/1	Gland					1	Rubber		
	F.207577	Nut, wing					1	M.S.		
	A.207576	Sleeve					1	M.S.		
	F.207940	Bung, for recuperator vent pipe, group (Mk. 6 only)					1	—		
	F.207941	Barrel					1	M.S.		
	F.207942	Bolt					1	M.S.		
	F.207940/1	Gland					1	Rubber		
	A.209881	Cap, for vent pipe, port and starboard, group					2	—		
		(Sapphire)								
	A.207818	Cover, blanking for refuelling P.R.V., group					2	—		
		(Mks. 4, 5, 6, 50 and 51)								
	A.207800	Clamp					1	M.S.		
	A.207817	Nut, wing					1	—		
	F.207793	Plunger, group					1	—		
27QA/5	Dowty	Ring, seal					1	—	C.	
	SP.597/9									
5269	Fairey	Ring, retaining					2	—	C.	
	Aviat. Co.									
	FS.553									
	A.209783	Interconnection, rear fuselage, group (Mk. 6 only)					1	—		
	A.208433	Coupling, hose					1	DTD.253		
	A.209783/1	Hose, $\frac{3}{8}$ " i/d. x 6 ft. long					2	—		
	A.209882	Plug, for reducing valve, port and starboard group					2	—		
		(Mk. 6 only)								
95080	B.191654	Tool, for undercarriage up lock					1	—	B.	GA.3
95154	B.199592	Tool, belt removal					1	—	B.	GA.4
95223	B.200521	Tool, for assembly of transport joint spigot					1	—	B.	GA.8
95329	A.213921	Tool, cocking for rear hood latch					1	—		
4Q/2618	—	Trestle, Mk. 1					1	—	A.	
4Q/2620	—	Trestle, Mk. 3					2	—	A.	
4G/	—	Trestle, U.J. No. 6					4	—	A.	
	A.236181	Tool, MANUAL RELEASE FOR HOOD LOCK CONTROL ROD 1 MOD. GE. 882-L.M.					1	S.510	—	

RESTRICTED

EQUIPMENT-ANCILLARY

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
95045	E.189646	Trolley, removal, for engine unit (Pre Mod. GE.51)					1	—	A.	GA.6
95216	D.200213	Trolley, removal for engine unit, group (Mod. GE.51)					1	—	A.	GA.6
	B.200212	Arm, towing					1	—		
	D.200198	Aft-end, group					1	—		
	D.189644	Collar, wheel attachment					2	M.S.		
	C.189645	Jack screw, group					2	—		
	C.189645/2	Bush					1	BSS.369		
	C.189645/7	Grub screw					1	M.S.B.		
	C.189645/5	Nut					1	M.S.B.		
95076	C.189645/1	Shaft, screwed					1	M.S.B.	C.	GA.1
	D.200198/16	Nut, wheel attachment					4	M.S.		
95079	D.189643	Spindle, for wheel					2	S.21.B	B.	GA.6
95078	Dunlop	Wheel, complete with solid tyre					2	—	B.	GA.1
	WDM.564									
	C.200058/1	Bolt, attaching side frames					6	M.S.		
	C.200058/2	Bolt, attaching side frames					2	M.S.		
	B.200191	Frame, centre					1	—		
	B.200188	Frame, side					2	—		
	D.200197	Forward end, group					1	—		
27S/263	Fischer W.1	Bearing, thrust race					2	—		
	D.189642	Bush, for castor fork spindle					2	Bronze		
	C.189645	Jack, screw, group					2	—		
	C.189645/2	Bush					1	BSS.369		
	C.189645/7	Grub screw					1	M.S.B.		
	C.189645/5	Nut,					1	M.S.B.		
95076	C.189645/1	Shaft, screwed					1	M.S.B.	C.	GA.1
	D.200197/12	Nut, wheel attachment					4	M.S.		
	D.189637	Piece, distance, for wheel spindle					4	S.21.B		
95077	D.189638	Spindle					2	S.21.B	B.	GA.1
95078	Dunlop	Wheel, complete with solid tyre					2	—	B.	GA.1
	WDM.564									
	F.200238	Lug, for tie bar... ..					2	M.S.		
	F.200237	Lug, for tie bar... ..					2	M.S.		
	D.200210	Rail, group					1	—		
	F.196530	Bolt, at lower rail					1	S.95.B		
	D.200210/16	Bolt, special					2	M.S.		
	F.196531	Nut, at lower rail					1	S.95.B		
—	Aerolex	Pin, pip (use 27FP/42)					1	—	—	
	F.48/7/817									
	D.200210/19	Tommy-bar					2	M.S.		
	A.200233	Tie-bar					2	—		
4F/1714	—	Trolley, pressure, cabin testing, Mk. 1C					1	—	A.	
4F/1685	—	Trolley, hydraulic, Mk. 2					1	—	A.	
4F/1690	—	Trolley, E/L, servicing and testing, Mk. 1A					1	—	A.	
4G/4220	—	Trolley, oxygen charging, Mk. 2					1	—	A.	
4G/4221	—	Trolley, charging, H.P. air, Mk. 2					1	—	A.	
4G/	—	Trolley, for radar, cooling, and testing					1	—	A.	

RESTRICTED

Mks. 4, 5, 50, 51, 52
Issued with Amendment List No. 4

EQUIPMENT-ANCILLARY

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
95054	ARM.92751	Trolley, gun package (simplified version) ...	...	...	...	...	1	—	A.	
95167	ARM.92766	Cradle, gun package group ...	...	...	...	...	1	—	A.	
95176	ARM.92826	Bar, towing ...	...	...	...	...	1	—	B.	
95178	Morgan Crucible 121410	Bush, $\frac{3}{8}$ " o/d. $\times$ $\frac{3}{4}$ " i/d. $\times$ $\frac{5}{8}$ " long ...	...	...	...	...	2	—	C.	
95175	ARM.92812	Castor, assembly ...	...	...	...	...	4	—	B.	
95177	ARM.69270	Screw, locking ...	...	...	...	...	2	—	C.	
95192	ARM.92821	Axle, front wheel ...	...	...	...	...	1	—	C.	
95169	ARM.92780	Bush ...	...	...	...	...	1	—	C.	
95198	Glacier Metal Co. 3210	Bush, $1\frac{1}{8}$ " o/d. $\times$ 1 " i/d. $\times$ $1\frac{1}{4}$ " long ...	...	...	...	...	8	—	C.	
95172	ARM.92810	Clamp ...	...	...	...	...	1	—	C.	
95195	ARM.65322	Clevis, complete ...	...	...	...	...	2	—	C.	
95190	ARM.92759	Hose, flexible ...	...	...	...	...	1	—	C.	
95182	ARM.92763	Jack, assembly ...	...	...	...	...	1	—	B.	
95170	ARM.92845	Nut and cover, assembly ...	...	...	...	...	1	—	C.	
95174	Mills GP.1	Pin, grooved, $\frac{1}{8}$ " dia. ...	...	...	...	...	2	—	C.	
95184	ARM.92765	Pin, jack pivot ...	...	...	...	...	2	—	C.	
95194	ARM.69308	Pin, brake rocker ...	...	...	...	...	1	—	C.	
95199	ARM.92770	Pin ...	...	...	...	...	2	—	C.	
95185	ARM.92807	Pipe, flexible hose to reducing valve ...	...	...	...	...	1	—	C.	
95186	ARM.92808	Pipe, tank to pump ...	...	...	...	...	1	—	C.	
95187	ARM.92813	Pipe, control valve to reducing valve ...	...	...	...	...	1	—	C.	
95188	ARM.92814	Pipe, control valve to pump ...	...	...	...	...	1	—	C.	
95189	ARM.92815	Pipe, control valve to tank ...	...	...	...	...	1	—	C.	
95197	ARM.92777	Plate, keep ...	...	...	...	...	4	—	C.	
95181	ARM.92829	Pump, and handle assembly ...	...	...	...	...	1	—	B.	
95193	ARM.92820	Rocker, brake ...	...	...	...	...	1	—	C.	
95171	ARM.92782	Seal, felt ...	...	...	...	...	1	—	C.	
95196	Dunlop WDO.4699	Seal, oil ...	...	...	...	...	4	—	C.	
95173	ARM.92811	Stud ...	...	...	...	...	1	—	C.	
95179	ARM.92760	Tank, assembly ...	...	...	...	...	1	—	B.	
95180	ARM.92840	Valve, control ...	...	...	...	...	1	—	B.	
95183	ARM.92806	Valve, reducing ...	...	...	...	...	1	—	B.	
95168	ARM.92756	Wheel, assembly, rear ...	...	...	...	...	1	—	B.	
95191	ARM.92757	Wheel, assembly, front ...	...	...	...	...	1	—	B.	
4G/5561	ARM.92851	Trolley, transporting, gun package, Mk. 2 ...	...	...	...	...	1	—	A.	

RESTRICTED

RESTRICTED

EQUIPMENT-ANCILLARY

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
95038	ARM.33200	Trolley, gun package. (Alvis type, gun firing) ...					1	—	A.	
95317	ARM.70326	Adjuster ...					1	—	C.	
95359	Benton & Stone Y.116	Adaptor, male elbow, $\frac{3}{8}$ " B.S.P.— $\frac{5}{16}$ " thread ...					2	—	C.	
95362	Benton & Stone Y.108	Adaptor, male elbow, $\frac{3}{8}$ " B.S.P. ...					1	—	C.	
95266	ZRM.33146	Arm, draw, front ...					1	—	B.	
95271	ARM.37910	Arm, draw, rear ...					1	—	B.	
95272	ARM.70294	Axle, front ...					1	—	B.	
95274	ARM.70234	Axle, rear ...					1	—	B.	
95259	ARM.70165	Bar, torsion, short ...					2	—	C.	
95260	ARM.70166	Bar, torsion, long ...					2	—	C.	
95328	ARM.70143	Bar, toggle ...					1	—	C.	
95250	ARM.70155	Bearing ...					12	—	C.	
95251	ARM.70156	Bearing ...					4	—	C.	
95329	ARM.70144	Body, filter and valve ...					1	—	C.	
95268	ARM.70239	Bolt, for bearing housing ...					16	—	C.	
95249	ARM.70176	Bracket, front ...					2	—	C.	
95270	ARM.70154	Bracket, rear ...					2	—	C.	
95323	ARM.70331	Bush, pressure ...					1	—	C.	
95238	ARM.70189	Bush, flanged, short ...					8	—	C.	
95262	ARM.70169	Bush, flanged, long ...					8	—	C.	
95263	ARM.70171	Bush, flanged, long ...					32	—	C.	
95352	—	Cap, screw, SKT/ND $\frac{3}{8}$ " B.S.F. $\times$ 1" long ...					4	—	C.	
95353	—	Cap, screw, SKT/ND 2 B.A. $\times$ $\frac{3}{8}$ " long ...					1	—	C.	
95235	ARM.33142	Chassis, sub-assembly ...					1	—	A.	
95360	Z.325-20	Connector, reducing, $\frac{1}{2}$ " tube to $\frac{5}{16}$ " tube ...					1	—	C.	
95361	X.10	Clip, single tubing ...					9	—	C.	
95334	ARM.70319	Cylinder ...					2	—	C.	
95294	ARM.70308	Damper ...					4	—	B.	
95333	ARM.70227	Eye-end ...					2	—	C.	
95282	—	Elbow, Y.581, for $\frac{5}{16}$ " tube ...					6	—	C.	
95288	ARM.70202	Fork-end, centre ...					1	—	C.	
95322	ARM.70330	Gasket ...					1	—	C.	
95253	ARM.33145	Link, top ...					4	—	B.	
95264	ARM.70173	Link, bottom, R.H. ...					4	—	B.	
95265	ARM.70174	Link, bottom, L.H. ...					4	—	B.	
95321	ARM.70329	Link ...					1	—	C.	
95246	ARM.70211	Mudguard, R.H. ...					2	—	C.	
95247	ARM.70212	Mudguard, L.H. ...					2	—	C.	
95239	ARM.70197	Nut, tie pad ...					4	—	C.	
95256	ARM.70162	Nut ...					8	—	C.	
95287	—	Nut, tubing, No. Z.18 ...					18	—	C.	
95289	ARM.70201	Nut, clamp ...					1	—	C.	
95347	—	Packing, chevron, with plastic head, $1\frac{1}{16}$ " o/d. $\times$ $\frac{11}{16}$ " i/d. $\times$ $\frac{9}{16}$ " ...					1	—	C.	
95237	ARM.70192	Pad ...					4	—	C.	
95241	ARM.70195	Pad, stop ...					16	—	C.	
95332	ARM.71751	Piece, catch ...					1	—	C.	
95291	Mills GP.1	Pin, grooved, $\frac{1}{4}$ " dia. $\times$ $1\frac{1}{2}$ " long ...					1	—	C.	
95342	Mills GP.1	Pin, $\frac{1}{2}$ " dia. $\times$ $2\frac{1}{2}$ " long ...					2	—	C.	
95324	ARM.70332	Pin, lever ...					2	—	C.	

RESTRICTED

RESTRICTED

Mks. 4, 5, 50, 51, 52
Issued with Amendment List No. 4


EQUIPMENT—ANCILLARY

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
95326	ARM.70334	Pin, piston rod	...	...	...	...	1	—	C.	—
95345	—	Pin, $\frac{1}{8}$ " dia. $\times$ $\frac{3}{8}$ " long	...	...	...	...	1	—	C.	—
95244	ARM.70183	Pin	...	...	...	...	1	—	C.	—
95261	ARM.70167	Pin	...	...	...	...	4	—	C.	—
95330	ARM.70145	Plug, breather	...	...	...	...	1	—	C.	—
95354	—	Plug, pressure, $\frac{1}{8}$ " B.S.P.	...	...	...	...	3	—	C.	—
95314	ARM.38078	Pump, machining unit	...	...	...	...	1	—	B.	—
95327	ARM.70142	Restrictor	...	...	...	...	1	—	C.	—
95336	ARM.70276	Retainer, seal	...	...	...	...	2	—	C.	—
95243	ARM.70182	Retainer	...	...	...	...	1	—	C.	—
95337	ARM.70315	Ring, seal retaining	...	...	...	...	2	—	C.	—
95340	George Angus R.170	Ring, "O," 2.625 i/d. $\times$.138 thick	...	...	...	...	2	—	C.	—
95343	George Angus R.133	Ring, "O," .984 i/d. $\times$.139" thick	...	...	...	...	2	—	C.	—
95348	George Angus R.103	Ring, "O," .176" i/d. $\times$.07" dia.	...	...	...	...	1	—	C.	—
95349	George Angus R.128	Ring, "O," .812" i/d $\times$.103" dia.	...	...	...	...	1	—	C.	—
95350	George Angus R.114	Ring, "O," .437" i/d $\times$.07" dia.	...	...	...	...	1	—	C.	—
95351	George Angus R.122	Ring, "O," .674" i/d. $\times$.103" dia.	...	...	...	...	1	—	C.	—
95344	—	Ring, rod ram, $1\frac{1}{4}$ " dia. $\times$ $1\frac{1}{8}$ " o/d. $\times$ $\frac{11}{16}$ "	...	...	...	...	2	—	C.	—
95319	ARM.70327	Rod, piston	...	...	...	...	1	—	C.	—
95338	ARM.70316	Rod, piston	...	...	...	...	2	—	C.	—
95240	ARM.70198	Rod, tie	...	...	...	...	4	—	B.	—
95236	ARM.70196	Screw, jack	...	...	...	...	1	—	B.	—
95242	ARM.70181	Screw, set	...	...	...	...	1	—	C.	—
95248	—	Screw, countersunk head, $\frac{5}{16}$ " B.S.F. $\times$ $\frac{1}{2}$ " long	...	...	...	...	16	—	C.	—
95290	ARM.70204	Screw	...	...	...	...	1	—	C.	—
95312	ARM.70323	Seat, relief valve	...	...	...	...	1	—	C.	—
95339	—	Seal, "U," $2\frac{3}{4}$ " o/d. $\times$ $2\frac{1}{8}$ " i/d. $\times$ $\frac{3}{16}$ "	...	...	...	...	2	—	C.	—
95346	George Angus EXT. D.E.100	Seal, distributor	...	...	...	...	1	—	C.	—
95355	Dowty PP.45/C	Seal, bonded	...	...	...	...	1	—	C.	—
95341	—	Set-screw, SKT. head, $\frac{1}{4}$ " B.S.F. $\times$ $\frac{5}{16}$ " long	...	...	...	...	2	—	C.	—
95252	ARM.70157	Sleeve	...	...	...	...	2	—	C.	—
95286	—	Sleeve, tubing, No. Z.4	...	...	...	...	18	—	C.	—
95245	ARM.70233	Spring	...	...	...	...	1	—	C.	—
95316	ARM.70325	Spring	...	...	...	...	1	—	C.	—
95331	ARM.70300	Spring	...	...	...	...	1	—	C.	—
95315	ARM.70324	Spindle	...	...	...	...	1	—	C.	—
95320	ARM.70328	Stem, valve	...	...	...	...	1	—	C.	—
95313	ARM.38079	Tank	...	...	...	...	1	—	B.	—
95285	—	Tee, bracketted, $\frac{3}{16}$ " tube	...	...	...	...	1	—	C.	—
95335	ARM.70317	Tie-rod	...	...	...	...	8	—	C.	—
95254	ARM.70175	Tube, torsion	...	...	...	...	4	—	B.	—
95277	—	Tube, copper, $\frac{5}{16}$ " o/d. $\times$ $\frac{1}{4}$ " i/d. $\times$ 18" long	...	...	...	...	1	—	C.	—
95278	—	Tube, copper, $\frac{5}{16}$ " o/d. $\times$ $\frac{1}{4}$ " i/d. $\times$ 22" long	...	...	...	...	1	—	C.	—
95279	—	Tube, copper, $\frac{5}{16}$ " o/d. $\times$ $\frac{1}{4}$ " i/d. $\times$ 8" long...	...	...	...	...	1	—	C.	—
95280	—	Tube, copper, $\frac{5}{16}$ " o/d. $\times$ $\frac{1}{4}$ " i/d. $\times$ 12" long	...	...	...	...	2	—	C.	—
95281	—	Tube, copper, $\frac{5}{16}$ " o/d. $\times$ $\frac{1}{4}$ " i/d. $\times$ 41 $\frac{1}{2}$ " long	...	...	...	...	1	—	C.	—


RESTRICTED


EQUIPMENT—ANCILLARY


Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
95356	Benton & Stone B.1738/12	Tubing, flexible	...	...	...	...	2	—	C.	
95357	—	Tube, copper, $\frac{5}{16}$ " o/cd $\times$ $\frac{1}{4}$ " i/d. $\times$ 11" long	...	...	...	...	1	—	C.	
95358	—	Tube, copper, $\frac{3}{16}$ " o/d. $\times$ $\frac{1}{4}$ " i/d. $\times$ 2" long	...	...	...	...	1	—	C.	
95318	ARM.70310	Valve, poppet	...	...	...	...	1	—	C.	
95325	ARM.70333	Valve, non-return	...	...	...	...	1	—	C.	
95255	ARM.70161	Washer, tab	...	...	...	...	4	—	C.	
95257	ARM.70163	Washer	...	...	...	...	4	—	C.	
95258	ARM.70164	Washer, tab	...	...	...	...	4	—	C.	
95267	ARM.70187	Washer	...	...	...	...	4	—	C.	
95269	ARM.70243	Washer, sealing	...	...	...	...	4	—	C.	
95273	ARM.70304	Yoke, steering	...	...	...	...	1	—	B.	




















This file was downloaded
from the RTFM Library.
Link: www.scottbouch.com/rtfm
Please see site for usage terms,
and more aircraft documents.

