

EQUIPMENT S.O.O.—PYLONS—INBOARD

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
		1 2 3 4 5				
6217	E.206873	PYLON, INBOARD, PORT GROUP (Mod. 9) ... (For aircraft not embodying Mod. 228)	1	—	A.	HB.1
6218	E.206874	PYLON, INBOARD, STARBOARD, GROUP (Mod. 9) (For aircraft not embodying Mod. 228)	1	—	A.	
7993	F.203800	Bolt, special ...	22	S.99.B	C.	HB.1
8006	A.207485	Pipe, fuel and air, group ...	2	—	B.	
	A.207492	Clamp, pipe ...	4	Casting		
	F.202563	Coupling, special, for fuel pipe ...	2	L.65.C		
	F.202564	Coupling, special, for air pipe ...	2	L.65.C		
	A.206315	Coupling, special ...	4	L.65.C		
	A.207486	Fitting, pipe adjustable, for fuel pipe ...	2	L.65.C		
	A.207487	Fitting, pipe adjustable, for air pipe ...	2	L.65.C		
	A.207489	Pipe, air ...	2	—	—	
	A.207488	Pipe, fuel ...	2	—	—	
270A 373-8009	Dowty GD.1309/13	Ring, "O," for air pipe ...	2	—	C.	
270A 380-8040	Dowty GD.1309/23	Ring, "O," for fuel pipe ...	2	—	C.	
—	E.203592	Pylon, inboard, port, group (See page HB.3) ...	1	—	—	
—	E.203593	Pylon, inboard, starboard, group (See page HB.3) ...	1	—	—	
270A 383-5048	Dowty GD.1309/27	Ring, "O" ...	4	—	C.	HB.1
9540	B.224171	Valve, fuel and air, group (Mod. 603) ...	2	—	B.	HB.1
	F.211845	Guide ...	1	S.1.B		
	F.206327	Pin, retaining ...	1	S.80.B		
8005	A.206526	Plug, blanking ...	2	Brass	C.	
	A.206316	Plunger, for valve, group ...	1	—		HB.1
	F.206913	Ring, sealing ...	1	Rubber		
270A 363-3946	Dowty GD.1308/5	Ring, "O" ...	2	—	C.	
	F.206328	Seating, for spring ...	1	L.65.C		
	A.206320	Sleeve ...	2	L.65.C		
	F.206325	Spring ...	1	Sp. Steel		
	F.206326	Spring ...	1	Sp. Steel		
	F.211846	Spring ...	1	Sp. Steel		
	F.220352	Valve (Mod. 603) ...	1	L.65.C		
	F.220353	Valve (Mod. 603) ...	1	L.65.C		

RESTRICTED

Hunter F. Mk. 4
Issued with A.L.16

EQUIPMENT S.O.O.—PYLONS—INBOARD

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Place No.
		1	2	3	4	5				
	E.221167	PYLON, INBOARD, PORT, GROUP ...					1	—		
		(Post Mod. 228, Pre Mod. 463)								
	E.221168	PYLON, INBOARD, STARBOARD, GROUP ...					1	—		
		(Post Mod. 228, Pre Mod. 463)								
7993	F.203800	Bolt, special ...					22	S.99.B	C.	HB.1
8008	A.206497	Pipe, fuel and air, group ...					2	—	B.	
	A.206309	Clamp, pipe ...					2	Casting		
	A.206317	Coupling, special ...					2	L.65.C		
	A.206322	Fitting, adjustable ...					2	L.65.C		
	A.206828	Pipe, air ...					1	—		
	A.206313	Pipe, fuel ...					1	—		
270A 360 3944	Dowty	Ring, "O" ...					2	—	C.	
	GD.1308/1									
—	E.203592	Pylon, inboard, port, group (See page HB.3) ...					1	—	—	
—	E.203593	Pylon, inboard, starboard, group (See page HB.3) ...					1	—	—	
270A 383 5048	Dowty	Ring, "O" ...					4	—	C.	HB.1
	GD.1309/27									
8028	B.206303	Valve, fuel and air, group ...					2	—	B.	
	F.211845	Guide ...					1	S.1.B		
	F.206327	Pin, retaining ...					1	S.80.B		
8005	A.206526	Plug, blanking ...					2	Brass	C.	HB.1
	A.206316	Plunger, for valve, group ...					1	—		
	F.206913	Ring, sealing ...					1	Rubber		
270A 361 3945	Dowty	Ring, "O" ...					2	—	C.	
	GD.1308/2									
270A 363 3946	Dowty	Ring, "O" ...					2	—	C.	HB.1
	GD.1308/5									
	F.206328	Seating, for spring ...					1	L.65.C		
	A.206320	Sleeve ...					2	L.65.C		
	F.206325	Spring ...					1	Sp. Steel		
	F.206326	Spring ...					1	Sp. Steel		
	F.211846	Spring ...					1	Sp. Steel		
	A.206318	Valve ...					1	L.65.C		
	A.206319	Valve ...					1	L.65.C		

RESTRICTED

EQUIPMENT S.O.O.—PYLONS—INBOARD

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
9105	E.221165	PYLON, INBOARD, PORT, GROUP (Mod. 463) (For aircraft with Mod. 228 embodied)					1	—	A.	HB.1
9106	E.221166	PYLON, INBOARD, STARBOARD, GROUP ... (Mod. 463) (For aircraft with Mod. 228 embodied)					1	—	A.	HB.1
7993	F.203800	Bolt , special ...					22	S.99.B	C.	HB.1
9563	B.223230	Pipe , fuel and air, port ...					1	—	B.	HB.1
9537	B.223231	Pipe , fuel and air, starboard ...					1	—	B.	HB.1
	E.203592	Pylon , inboard, port, group ...					1	—		
	E.203593	Pylon , inboard, starboard, group ...					1	—		
	F.224996	Bar , security, for transporting ...					2	S.1.B		
5X/3181	Plessey CZ.23212/1	Block , terminal, 20-way ...					2	—	B.	
5X/2863	Plessey CZ.24285	Block , terminal, 10-way ...					2	—	B.	
8011	F.205519	Bolt , special ...					4	S.99.B	C.	HB.1
	A.225520	Bracket , for forward fusing unit (Mod. 695) ...					2	L.72		
	A.209895	Bracket , for aft fusing unit, port ...					1	L.72		
	A.209896	Bracket , for aft fusing unit, starboard ...					1	L.72		
	A.203226	Bracket , for switch ...					2	L.72		
	A.225464	Bush , spigot locating (Mod. 695) ...					2	—		
	—	Cables , electrical (See Cable Chart) ...					—	—	—	
9522	B.208408	Cable , PY.1, group (See Cable Chart) ...					2	—	B.	
8012	F.208578	Adaptor ...					3	Brass	C.	
7990	A.209704	Ferrule ...					1	—	C.	
	B.208409	Cable , PY.2, group (See Cable Chart) (Pre Mod. 606) ...					2	—		
9545	B.222678	Cable , PY.2, group (See Cable Chart) (Mod. 606) ...					2	—	B.	
8012	F.208578	Adaptor ...					2	Brass	C.	
3736	Std.840/17	Clip , $\frac{7}{16}$ " wide $\times$ 22 S.W.G. $\times$ 1-7" long ...					4	DTD.610	C.	4
	F.209901	Clip , support, for cable ...					3	S.3	L.M.	
	F.208710	Cover ...					2	L.72		
	F.203746	Duct , for PY.6 cable ...					2	L.54		
	B.203846 or A.221508	Fairlead ...					2	S.3		
5K/	Hellerman R2032	Grommet (Alternative to SP.40/B32) ...					2	—	C.	
8015	A.200777	Jettison and reset mechanism , group ...					2	—	B.	HB.1
	B.200778	Bracket ...					1	S.3		
	F.200782	Collar ...					2	T.26		
	F.200779	Lever ...					2	Casting		
	F.200780	Rod , push ...					2	S.1.B		
8016	F.200781	Spring ...					2	Sp. Steel	C.	HB.1

RESTRICTED

Hunter F. Mk. 4
Issued with A.L.16

EQUIPMENT S.O.O.—PYLONS—INBOARD

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
5X/6172	Plessey Z.50212						2	—	C.	
8017	F.205520						4	S.11.B	C.	HB.1
8018	C.202992 or C.221725						1	—	B.	HB.1
8019	C.202993 or C.221726						1	—	B.	HB.1
	A.203044						2	S.3 & S.21.B		
8020	C.202999						1	L.72	B.	HB.1
8021	C.203000						1	L.72	B.	HB.1
	Fairey FS.430D						4	—		
	F.163773						4	Plastic		
9528	Chekaleke No. 10						4	—	C.	
	F.222276						2	S.96.B		
	F.222277						2	S.96.B		
	F.137371						2	Sp. Steel		
	A.203377						2	—		
	E.202765						—	—		
	E.202766						—	—		
	D.205992						—	—		
	D.205993						—	—		
	F.206037						56	S.99.B		
	C.202519						—	—		
	A.223544						2	Stamping		
	F.218649						2	S.1.B		
8022	A.202419						2	Stamping	C.	HB.1
8023	F.202492						4	S.99.B	C.	HB.1
9933	F.203112						4	S.96.B		
9538	B.220515						2	—	B.	
	A.218537						1	—		HB.1
7989	A.209702						1	—	C.	HB.1
	F.218555						1	L.72		HB.1
	A.216578						2	L.72		
4545	Std.841/21						1	DTD.610	C.	4
4556	Std.841/25						1	DTD.610		
	F.214788						2	S.1		
	F.222153						2	Alkathene		
11A/4396	—						2	—	A.	
9551	A.223545						2	DTD.197	C.	HB.1
	F.220016						2	—		
	F.220017						4	L.72		

RESTRICTED

EQUIPMENT S.O.O.—PYLONS—INBOARD

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Score	Plate No.
		1	2	3	4	5				
9552	A.223906					Pawl (Mod. 658)	4	Casting	C.	HB.1
8002	Std.1961/N/135					Pin	2	S.99.B	C.	
	F.216694					Pin, special (Mod. 520)	2	DTD.215		
11A/3669	—					Release, electro-magnetic, No. 1, Mk. 1	2	—	A.	
8569	F.220075					Sleeve (Mod. 606)	2	Alkathene	C.	HB.1
8027	F.204205					Spring	4	Sp. Steel	C.	HB.1
2141	Std.915/J14					Washer (Mod. 520)	2	DTD.610	C.	4
5D/1823	—					Unit, fusing, No. 3, Mk. 1	4	—	A.	
	Std.1335/F.18					Washer, at release housing spigot	2	L.4		
3704 363 5048	Dowty					Ring, "O"	4	—	C.	HB.1
	GD.1309/27									
9107	B.215283					Valve, fuel and air, group	2	—	B.	HB.1
	F.211845					Guide	1	S.1.B		
	A.215381					Nut, barrel	2	S.95		
	B.215283/1					Pin, dowel, $\frac{3}{16}$ " dia. x $\frac{3}{8}$ " long	2	Silver Steel		
	A.215290					Plate, sealing	1	DTD.166 & Rubber		
8005	A.206526					Plug, blanking	2	Brass	C.	HB.1
3704 363 3946	Dowty					Ring, "O"	2	—	C.	HB.1
	GD.1308/5									
	A.215286					Sleeve	2	L.65.C		
	F.219598					Spring	1	Sp. Steel		
	F.215294					Spring	1	Sp. Steel		
9564	A.218673					Valve, flap and sealing plate, assembly	—	—	B.	
	F.215296					Pin, hinge	1	L.65		
	F.225421					Sleeve	1	L.65		
	F.225420					Spring	1	DTD.215		
	A.215287					Valve	1	—		
	A.219054					Valve, group	1	L.65.C		
	F.219592					Spring	1	Sp. Steel		
	F.221179 or F.220472					Valve	1	L.65.C		

RESTRICTED

Hunter F. Mk. 4
Issued with A.L.16

EQUIPMENT S.O.O.—PYLONS—INBOARD

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Place No.	
		1	2	3	4	5					
SUMMARY OF STOCK ITEMS											
28D/12528	A25.1B	Bolt	...	...	...	...	...	...	—	—	—
28D/12512	A25.1C	Bolt	...	...	...	...	...	...	—	—	—
28D/12531	A25.3C	Bolt	...	...	...	...	...	...	—	—	—
28D/12629	A25.8C	Bolt	...	...	...	...	...	...	—	—	—
28D/12516	A25.11C	Bolt	...	...	...	...	...	...	—	—	—
28D/12536	A25.13C	Bolt	...	...	...	...	...	...	—	—	—
28D/8300	AS.1242.1B	Bolt	...	...	...	...	...	...	—	—	—
28D/9294	AS.1242.5B	Bolt	...	...	...	...	...	...	—	—	—
28D/12282	AS.1242.10B	Bolt	...	...	...	...	...	...	—	—	—
28D/8306	AS.1242.1C	Bolt	...	...	...	...	...	...	—	—	—
28D/8307	AS.1242.2C	Bolt	...	...	...	...	...	...	—	—	—
28D/8308	AS.1242.3C	Bolt	...	...	...	...	...	...	—	—	—
28D/8309	AS.1242.4C	Bolt	...	...	...	...	...	...	—	—	—
28D/8311	AS.1242.7C	Bolt	...	...	...	...	...	...	—	—	—
28D/10764	AS.1248.1B	Bolt	...	...	...	...	...	...	—	—	—
28D/9353	AS.1248.1C	Bolt	...	...	...	...	...	...	—	—	—
28N/9796	SP.21	Nipple	...	...	...	...	...	...	—	—	—
28M/12929	A.27.CP	Nut	...	...	...	...	...	...	—	—	—
28L/13124	A.27.CT	Nut	...	...	...	...	...	...	—	—	—
28M/14833	A.58.JS	Nut	...	...	...	...	...	...	—	—	—
28M/10287	AGS.2001.B1	Nut	...	...	...	...	...	...	—	—	—
28M/10288	AGS.2001.C1	Nut	...	...	...	...	...	...	—	—	—
28M/10327	AGS.2002.B1	Nut	...	...	...	...	...	...	—	—	—
28M/10328	AGS.2002.C1	Nut	...	...	...	...	...	...	—	—	—
28M/13279	AGS.2019.C1	Nut	...	...	...	...	...	...	—	—	—
28P/835	SP.4Y.B9	Pin, joint	...	...	...	...	...	...	—	—	—
28P/840	SP.4.Y.B14	Pin, joint	...	...	...	...	...	...	—	—	—
28P/874	SP.4.Y.D16	Pin, joint	...	...	...	...	...	...	—	—	—
28P/12587	SP.9.C4	Pin, split	...	...	...	...	...	...	—	—	—
28P/12349	SP.9.C5	Pin, split	...	...	...	...	...	...	—	—	—
28P/12462	SP.9.C8	Pin, split	...	...	...	...	...	...	—	—	—
28P/12365	SP.9.G16	Pin, split	...	...	...	...	...	...	—	—	—
28S/2888	A32.A32	Screw	...	...	...	...	...	...	—	—	—
28S/6287	A32.B6	Screw	...	...	...	...	...	...	—	—	—
28S/2822	A33.A20	Screw	...	...	...	...	...	...	—	—	—
28S/12828	A33.A24	Screw	...	...	...	...	...	...	—	—	—
28S/14548	A33.C10	Screw	...	...	...	...	...	...	—	—	—
28W/12296	SP.15C	Washer	...	...	...	...	...	...	—	—	—
28W/12525	SP.15N	Washer	...	...	...	...	...	...	—	—	—
5K/2950	SP.40/B/32	Grommet	...	...	...	...	...	...	—	—	—

RESTRICTED

This file was downloaded
from the RTFM Library.
Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

