

RESTRICTED

FUSELAGE—CENTRE PORTION

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
		1 2 3 4 5				
	E.200959 D.179303	CENTRE FUSELAGE STRUCTURE ASSEMBLY ... ATTACHMENT OF STRINGERS FROM NOSE SPAR TO FRAME 20, ASSEMBLY	— —	— —		
960	F.184105	Bolt, special, at stringers "C" and "H" ...	2	S.95.B	C.	JB.3
	Std.1551/3/125	Bolt, special, at stringers "C" and "H" ...	8	S.99.B		
3825	Std.1551/3/105	Bolt, special, at stringers "C" and "H" ...	4	S.99.B	MR/C	JB.4
	A.178936	Fitting, attachment, at stringers "C" and "H" ...	4	S.99.B		
963	F.170740	Nut, special, at stringers "C" and "H" ...	4	S.98.B	C.	JB.3
7262	Std.1718/3	Nut, special ...	12	—	MR/C	
962	A.178929	Spigot, at stringers "C" and "H" ...	4	S.98.B	C.	JB.3
961	F.184104	Tab, locking, at stringers "C" and "H" ...	4	S.3	C.	JB.3
	F.178931	Tube, distance, at stringers "C" and "H" ...	2	DTD.364		
7263	Std.1208/62/24/20	Washer, shim for Std.1551 bolts ...	QR	Shim Steel	MR/C	
	D.179304	ATTACHMENT OF STRINGERS AT FRAME 21, ASSEMBLY	—	—		
2418	F.178919	Angle, fitting, at stringer "K" ...	4	Stamping	MR/C	JB.4
2419	F.178920	Angle, fitting, at stringer "K" ...	4	Stamping	MR/C	JB.4
3832	Std.1553/E/65	Bolt, special, at stringer "K" ...	8	S.99.B	MR/C	JB.4
3833	Std.1553/E/55	Bolt, special, at stringer "K" ...	4	S.99.B	MR/C	JB.4
2420	B.182214	Fitting, for aircraft slinging bolt ...	2	Stamping	MR/C	JB.2
	D.179305	ATTACHMENT OF STRINGERS AT MAIN SPAR, ASSEMBLY	—	—		
4692	F.195546	Angle, attaching hydraulic pipes at stringer "K", port	1	DTD.610	MR/C	
4693	F.195547	Angle, attaching hydraulic pipes at stringer "K", starboard	1	DTD.610	MR/C	
2421	A.179650	Angle, fitting, at stringer "K" ...	4	Stamping	MR/C	JB.4
2422	A.178809	Angle, fitting, at stringer "K" ...	4	Stamping	MR/C	JB.4
4447	Std.1553/J/390	Bolt, at stringer "K" ...	4	S.99.B	MR/C	JB.4
2423	F.179742	Tube, distance, at stringer "K" ...	4	DTD.364	MR/C	JB.4
4691	Std.1547/26/12	Washer, profile, at stringer "J" ...	4	DTD.610	MR/C	4
	D.179307	ATTACHMENT OF STRINGERS AT REAR SPAR, ASSEMBLY	—	—		
3834	Std.1553/L/320	Bolt, at stringer "K" ...	4	S.99.B	MR/C	JB.4
3824	Std.1551/2/85	Bolt, at stringer "K" ...	8	S.99.B	MR/C	JB.4
3825	Std.1551/3/105	Bolt, at stringer "K" ...	8	S.99.B	MR/C	JB.4
3835	Std.1553/J/300	Bolt, at stringer "J" ...	4	S.99.B	MR/C	JB.4
2424	A.178816	Fitting, attachment, at stringer "K" ...	4	Stamping	MR/C	JB.4
2425	A.168436	Fitting, attachment, at stringer "J" ...	4	Stamping	MR/C	JB.4
2427	F.178881	Tube, distance, at stringer "K" ...	4	DTD.364	MR/C	JB.4
2426	F.178865	Tube, distance, at stringer "J" ...	4	DTD.364	MR/C	JB.4
4691	Std.1547/26/12	Washer, profile at stringer "H" ...	6	DTD.610	MR/C	4
	D.183494	ATTACHMENT OF STRINGERS, FRAME 33 AND 36, ASSEMBLY	—	—		
5721	F.197126	Stud, earthing, at stringer "K" frame 35 ...	2	S.94.B	MR/C	
4619	Std.1335/E/18	Washer ...	2	L.4	C.	4
	D.184380	BRACKET, FOR AILERON CONTROL, REAR SPAR TO FRAME 33, ASSEMBLY	—	—		
	B.184389	Bracket, mounting, for air supply valve ...	1	—		

RESTRICTED

RESTRICTED

Hunter F. Mk. 4
Issued with Amendment List No. 18

FUSELAGE—CENTRE PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Place No.
		1	2	3	4	5				
	D.184139	BRACKET, FOR FLYING CONTROLS, FRAMES 27 TO 28, ASSEMBLY					—	—		
	B.184140	Bracket, port, group	...	...	...	...	1	DTD.610		
	B.184141	Bracket, starboard, group	...	...	...	...	1	DTD.610		
2428	F.184144	Plate, nut, port	...	...	...	...	1	DTD.610	MR/C	
2429	F.184145	Plate, nut, starboard	...	...	...	...	1	DTD.610	MR/C	
2430	F.184005	Plate, nut	...	...	...	...	2	DTD.610	MR/C	
	D.184002	BRACKET, FOR FLYING CONTROLS, FRAMES 23 TO 24, ASSEMBLY					—	—		
	B.184003	Bracket, port	...	...	...	...	1	DTD.610		
	B.184004	Bracket, starboard	...	...	...	...	1	DTD.610		
2430	F.184005	Plate, nut	...	...	...	...	2	DTD.610	MR/C	
2431	C.176110	Channel, mounting, for engine, port, group	...	...	...	...	1	—	MR/B	JB.6
2432	C.176111	Channel, mounting, for engine, starboard, group	...	...	...	...	1	—	MR/B	JB.6
985	F.176114	Block	...	...	...	...	2	S.97	C.	JB.6
4025	F.195141	Clamp, half, for wiring ducts	...	...	...	...	4	LFS.21	MR/C	
	D.184861	DOORS, AND ACCESS PANELS, ASSEMBLY					—	—		
4633	F.197909	Bolt, for access panels	...	...	...	...	74	S.95	C.	
7835	Std.1700/4/E	Bolt, attaching fuel system access panel	...	...	...	...	12	—	C.	5
3	D.177203	Door, access, for gear box, group	...	...	...	...	1	—	A.	JB.1
966	A.188142	Hinge	...	...	...	...	1	DTD.166	C.	
965	King Aircraft Corp. C.3099	Toggle, housing	...	...	...	...	2	—	C.	JB.5
9358	D.221695	Door, access, to engine starter, group (Mod. 588)	...	...	...	...	1	—	A.	JB.5
10H/113616	—	Adaptor, bulkhead	...	...	...	...	1	—	C.	
4844	F.203030	Angle, for spring clip	...	...	...	...	1	L.A.	MR/C	JB.5
	F.201721	Channel	...	...	...	...	1	L.72		
3750	Std.842/10	Clip, cable	...	...	...	...	4	S.3	MR/C	4
10HB/1205	E.227265/36	Connector, aerial	...	...	...	...	1	—	B.	
981	A.188500	Hinge	...	...	...	...	1	DTD.166	C.	JB.5
5854	C.202812	Insulator, aerial	...	...	...	...	1	DTD.797	C.	JB.5
9360	C.222422	Lid, aerial box, and stowage for engine starter cartridges (Mod. 588), group	...	...	...	...	1	—	C.	JB.5
4252	C.199786/1	Clip	...	...	...	...	2	DTD.610	C.	JB.5
4253	C.199786/2	Clip	...	...	...	...	4	DTD.610	C.	JB.5
4599	A.201719	Stay, support	...	...	...	...	1	L.72	C.	JB.5
5853	F.202811	Strap, aerial	...	...	...	...	1	DTD.797	C.	JB.5
980	A.188515	Strip, aerial	...	...	...	...	1	L.16	C.	
965	K.A.C. C.3099	Toggle, housing	...	...	...	...	2	—	C.	JB.5
28FP/594	Oddie No. 219	Washer	...	...	...	...	2	—	C.	

RESTRICTED

FUSELAGE—CENTRE PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Place No.
		1	2	3	4	5				
972 or 4646	C.188255 or C.202013					Duct, access, to engine bleed valve, port ... (Pre Mod. 391)	1	L.16	B.	JB.1
973 or 4647	C.188256 or C.202014					Duct, access, to engine bleed valve, starboard ... (Pre Mod. 391)	1	L.16	B.	JB.1
6743	C.208737 or C.208939					Duct, engine bleed valve, port, group (Mod. 391)	1	—	B.	JB.1
6744	C.208738 or C.208940					Duct, engine bleed valve, starboard, group (Mod. 391)	1	—	B.	JB.1
5206	C.206629					Panel, access to cold air unit, port (Pre Mod. 541)	1	—	B.	JB.1
8382	D.213252					Panel, access to cold air unit and outlet duct, group (Mod. 541)	1	—	B.	JB.1
8383	B.213163					Duct, outlet ...	1	T.6	C.	
1874	C.194852					Panel, access to cold air unit, starboard (Pre Mod. 541)	1	—	B.	
8380	C.213241					Panel, access to cold air unit and outlet duct, group (Mod. 541)	1	—	B.	
8381	B.213200					Duct, outlet ...	1	T.6	C.	
4241	A.199308					Panel, access to engine oil filter ...	1	—	C.	JB.5
1	C.177201					Panel, access, for fuel pump ...	1	DTD.610	B.	JB.1
63	C.179791					Panel, access, for fuel system, group ...	1	DTD.610	B.	JB.1
4448	F.199061					Cover, for pitot drain valve ...	2	—	MR/C	JB.1
964	C.179793					Panel, access, for services ...	1	DTD.610	B.	JB.1
967	B.179781					Panel, access to front engine mounting, port ...	1	DTD.610	C.	JB.1
968	B.179782					Panel, access to front engine mounting, starboard ...	1	DTD.610	C.	JB.1
969	B.179779					Panel, access to fuel vent connections ...	2	DTD.610	C.	JB.1
970	B.179777					Panel, access to fuel level switches ...	2	DTD.610	C.	JB.1
974	B.186939					Panel, access to igniter plug, port ...	1	DTD.610	C.	JB.1
975	B.186940					Panel, access to igniter plug, starboard ...	1	DTD.610	C.	JB.1
976	A.186941					Panel, access to hydraulic filter, port only ...	1	DTD.610	C.	JB.1
977	F.187455					Panel, access to suction relief valve ...	2	DTD.546	C.	JB.1
9356	E.221696					Panel, access to engine, group (Mod. 588) ...	1	—	A.	JB.5
10H/113616	—					Adaptor, bulkhead (Mod. 588) ...	1	—	C.	
	F.219432					Clamp, cable, group (Mod. 588) ...	1	—		
	F.219447					Block, clamp ...	2	LFS.21		
	F.219433					Stud, anchor ...	1	—		
28E/10031	Terry 80 x /2					Clip, for handle stowage ...	2	—	C.	
5720	Std.842/11					Clip, cable ...	3	S.3	MR/C	4
10HB/1096	E.227265/37					Connector, aerial (Mod. 588) ...	1	—	B.	
984	B.188540					Hook, securing panel to fuselage ...	2	Stamping	C.	JB.5
9362	B.222506					Lid, for aerial box (Mod. 588) ...	1	DTD.610	C.	JB.5
4737	F.197737					Plate, retaining "Terry" clips ...	2	DTD.610	C.	JB.5
	F.210552					Seal (Mod. 250) ...	1	Neoprene		
5853	F.202811					Strap, aerial ...	1	DTD.797	C.	
980	A.188515					Strip, aerial ...	1	L.16	C.	JB.5
965	K.A.C. C.3099					Toggle, housing ...	2	—	C.	JB.5
4026	Std.1507/23/080					Tube, distance, $\frac{7}{8}$ " o/d x 17 S.W.G. x .8" long (Make from 30A/975)	4	T.26	MR/C	4
4027	Std.1507/23/060					Tube, distance, $\frac{7}{8}$ " o/d x 17 S.W.G. x .6" long (Make from 30A/975)	2	T.26	MR/C	4
5269	Fairey FS.553					Ring, retaining screws ...	40	—	C.	
	D.184913					SPINE, SUB-ASSEMBLY ...	—	—		
2434	C.184973					Landing, forward, port ...	1	DTD.610	MR/C	JB.2
2435	C.184974					Landing, forward, starboard ...	1	DTD.610	MR/C	JB.2
2436	C.184975					Landing, centre, port (Pre Mod. 629) ...	1	DTD.610	MR/C	
	C.225950					Landing, centre, port (Mod. 629) ...	1	—		JB.2
2437	C.184976					Landing, centre, starboard ...	1	DTD.610	MR/C	JB.2
2438	B.184977					Landing, rear, port group ...	1	DTD.610	MR/C	JB.2
2439	B.184978					Landing, rear, starboard group ...	1	DTD.610	MR/C	JB.2
28FP/341	Dzus S5.325					Spring ...	3	—	C.	JB.2

RESTRICTED

Hunter F. Mk. 4
Issued with Amendment List No. 18

FUSELAGE—CENTRE PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Score	Plate No.
		1	2	3	4	5				
1754	B.193293					Panel, access, for flying controls ...	1	DTD.610	C.	JB.1
5269	Fairey FS.553					Ring, retaining screw ...	2	—	C.	
11	D.177331					Spine, forward portion (Pre Mod. 346) ...	1	DTD.610	B.	
6195	D.211692					Spine, forward portion (Mod. 346) Pre Mod. 629)	1	—	B.	
	D.226452					Spine, forward position (Mod. 629) ...	1	—		JB.1
12	C.177332					Spine, 1st intermediate (Pre Mod. 346) ...	1	DTD.610	B.	
6196	C.211693					Spine, 1st intermediate (Mod. 346) ...	1	L.72	B.	JB.1
13	C.177333					Spine, 2nd intermediate (Pre Mod. 346) ...	1	DTD.610	B.	
6197	C.211694					Spine, 2nd intermediate (Mod. 346) ...	1	L.72	B.	JB.1
7845	C.213452					Spine, 3rd intermediate portion, group (0.10" trimming allowance) (Mod. 256)	1	DTD.610	B.	JB.1
28FP/617	Dzus E.F.5.45.B					Fastener ...	12	—	C.	
	C.188170					DUCTS, FOR ENGINE CONTROLS, ASSEMBLY ...	—	—		
3741	Std.840/20					Clip, securing, $\frac{1}{8}$ " wide strip x .22 S.W.G. x 2" long	21	DTD.610	C.	4
2440	C.188170/1					Duct, forward, $\frac{1}{2}$ " o/d x 22 S.W.G. x 31.8" long	3	T.4	MR/C	JB.3
2441	C.188170/2					Duct, centre, $\frac{1}{2}$ " o/d x 22 S.W.G. x 6" long	3	T.4	MR/C	
2442	C.188170/3					Duct, aft, $\frac{1}{2}$ " o/d x 22 S.W.G. x 12" long	3	T.4	MR/C	
	D.203139					DUCTS, SERVICE, BETWEEN FRAMES 37-40, ASSEMBLY	—	—		
1755	B.191117					Duct, for electric cables, port	1	T.26	C.	JB.4
1756	B.191118					Duct, for electric cables, starboard	1	T.26	C.	JB.4
1757	A.191119					Duct, for electric cables	4	T.26	C.	JB.4
1758	B.191592					Duct, for electric cables, port	1	T.26	C.	JB.4
1759	B.191593					Duct, for electric cables, starboard	1	T.26	C.	JB.4
	B.195155/6					DUCT, FOR FUEL LEVEL SWITCH CABLE, ASSEMBLY	—	—		
	F.195157					Duct	2	T.9		
4028	B.195153					Duct, for rear fuel tank gauge wiring, port, group ... (F.194034 Socket to be supplied loose)	1	L.54	MR/C	JB.3
4029	B.195154					Duct, for rear fuel tank gauge wiring, starboard, group ... (F.194035 Socket to be supplied loose)	1	L.54	MR/C	JB.3
	C.204438					FIRE PROTECTION AT FRAME 37, ASSEMBLY (Mod. 118)	—	—		
8238	F.204565					Plate, blanking	1	L.72	MR/C	
	D.202335					Plate, centre	1	DTD.171		
	D.202336					Plate, patch, upper, port	1	S.3		
	D.202337					Plate, patch, upper, starboard	1	S.3		
	D.202338					Plate, patch, lower port	1	S.3		
	D.202339					Plate, patch, lower, starboard	1	S.3		
	D.202340					Plate, side, port	1	DTD.171		
	D.202341					Plate, side, starboard	1	DTD.171		
4460	F.189597					Sealing, at stringer "A"	1	Plastic	MR/C	
4461	F.189598					Sealing, at stringer "B"	1	Plastic	MR/C	
4459	F.199789					Sealing, at stringer "H", starboard	2	Plastic	MR/C	
7100	Std.915/B10					Washer, packing	9	DTD.364	MR/C	4
5785	Std.915/C16					Washer, packing	2	DTD.364	C.	4
3764	Std.915/C10					Washer, packing	2	DTD.364	C.	4

RESTRICTED

FUSELAGE—CENTRE PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	D.176274	Frame 18B, top portion	...	...	...	...	1	DTD.364		
2443	D.176275	Frame 18B, lower portion, port	...	...	...	...	1	DTD.364	MR/B	JB.3
2444	D.176276	Frame 18B, lower portion, starboard	...	...	...	...	1	DTD.364	MR/B	JB.3
	E.179358	Frame 19, nose spar, group	...	...	...	...	1	—		
2446	A.181165	Angle, support, at bottom diaphragm, port	...	...	...	...	1	DTD.610	MR/C	JB.7
2445	A.181166	Angle, support, at bottom diaphragm, starboard	...	...	...	...	1	DTD.610	MR/C	JB.7
7289	A.202682	Angle, support for junction box, group	...	...	...	...	1	—	MR/C	JB.7
	A.181153	Angle, bottom, for skin attachment, port	...	...	...	...	1	DTD.610		
	A.181154	Angle, bottom, for skin attachment, starboard	...	...	...	...	1	DTD.610		
4694	A.195545	Angle, support, at bottom diaphragm	...	...	...	...	1	DTD.610	MR/C	JB.7
	B.181157	Angle, front, at bottom boom attachment, port	...	...	...	...	1	DTD.610		
	B.181158	Angle, front, at bottom boom attachment, starboard	...	...	...	...	1	DTD.610		
2447	C.181163	Angle, lower, for tank skin attachment, port	...	...	...	...	1	DTD.610	MR/C	JB.7
2448	C.181164	Angle, lower, for tank skin attachment, starboard	...	...	...	...	1	DTD.610	MR/C	JB.7
2449	F.182169	Angle, for stringer attachment, port	...	...	...	...	3	DTD.610	MR/C	JB.7
2450	F.182170	Angle, for stringer attachment, starboard	...	...	...	...	3	DTD.610	MR/C	JB.7
4695	F.197436	Angle, bracket, securing gun heating pipe	...	...	...	...	1	DTD.610	MR/C	JB.7
2451	F.182166	Bolt, at bottom boom joint	...	...	...	...	10	S.2	MR/C	JB.3
2452	F.187392	Bracket, at bottom diaphragm	...	...	...	...	1	DTD.610	MR/C	JB.3
2453	F.187393	Bracket, at bottom diaphragm	...	...	...	...	1	DTD.610	MR/C	JB.3
2454	F.187395	Bracket, at bottom stiffener	...	...	...	...	1	DTD.610	MR/C	JB.3
2455	F.187397	Bracket, at bottom diaphragm	...	...	...	...	1	DTD.610	MR/C	JB.3
2456	F.187396	Channel, at bottom stiffener	...	...	...	...	1	DTD.610	MR/C	
2457	A.181119	Channel, at bottom diaphragm	...	...	...	...	1	DTD.610	MR/C	JB.7
2459	A.181145	Channel, reinforcing, bottom, port	...	...	...	...	1	DTD.610	MR/C	JB.7
2460	A.181146	Channel, reinforcing, bottom, starboard	...	...	...	...	1	DTD.610	MR/C	JB.7
2461	B.181112	Channel, cross, at bottom diaphragm	...	...	...	...	1	DTD.610	MR/C	JB.7
2462	A.181120	Channel, at bottom diaphragm	...	...	...	...	1	DTD.610	MR/C	JB.7
2463	B.181115	Channel, lower, inner, port	...	...	...	...	1	DTD.610	MR/C	JB.7
2464	B.181116	Channel, lower, inner, starboard	...	...	...	...	1	DTD.610	MR/C	JB.7
2458	A.181121	Channel, lower, outer	...	...	...	...	2	DTD.610	MR/C	JB.7
8230	D.216907	Diaphragm, bottom, front (Mod. 229)	...	...	...	...	1	DTD.610	MR/C	JB.7
2467	D.181102	Diaphragm, bottom, rear	...	...	...	...	1	DTD.610	MR/C	JB.7
	A.224939	Extractor, air (Mod. 682)	...	...	...	...	1	—		
	B.181141	Finisher, bottom, at tank door landing, port	...	...	...	...	1	DTD.364		
	B.181142	Finisher, bottom, at tank door landing, starboard	...	...	...	...	1	DTD.364		
2468	B.181167	Landing, for fuel pump access door	...	...	...	...	1	DTD.610	MR/C	JB.7
	B.181133	Landing, bottom, for tank door	...	...	...	...	2	DTD.364		
	C.181123	Plate, reinforcing, front, at lower boom joint, port	...	...	...	...	7	DTD.166		
	C.181124	Plate, reinforcing, front, at lower boom joint, starboard	...	...	...	...	1	DTD.166		
	C.181125	Plate, reinforcing, rear, at lower boom joint, port	...	...	...	...	1	DTD.166		
	C.181126	Plate, reinforcing, rear, at lower boom joint, starboard	...	...	...	...	1	DTD.166		
2469	B.181106	Stiffener, bottom	...	...	...	...	1	DTD.610	MR/C	JB.7
	C.181198	Spigot, fitting, port	...	...	...	...	1	Stamping		
	C.181199	Spigot, fitting, starboard	...	...	...	...	1	Stamping		
2470	F.178982	Stud, for fairlead	...	...	...	...	4	S.1 & S.3	MR/C	JB.7
2471	A.182167	Strip, fairing, at bottom boom attachment, port	...	...	...	...	1	DTD.364	MR/C	JB.7
2472	A.182168	Strip, fairing, at bottom boom attachment, starboard	...	...	...	...	1	DTD.364	MR/C	JB.7

RESTRICTED

FUSELAGE—CENTRE PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Score	Place No.
		1	2	3	4	5				
2473	B.181160	Strap, at bottom diaphragm					1	DTD.610	MR/C	JB.7
—	Std.1509/24/098	Tube, distance, $\frac{3}{8}$ " x 17 S.W.G. x .98" long ...					2	T.4	—	
		(Make up from 30B/557)								
—	Std.1509/24/104	Tube, distance, $\frac{3}{8}$ " x 17 S.W.G. x 1.04" long ...					1	T.4	—	
		(Make up from 20B/557)								
	Std.1549/28/10	Washer, packing					2	DTD.610		
	D.178147	Frame 20, group					1	—		
	A.177464	Angle, port					2	DTD.364		
	A.177465	Angle, starboard					2	DTD.364		
2474	F.177466	Block, distance					2	L.F.S.	MR/C	JB.7
2475	D.178147/4	Bottom, portion					1	DTD.610	MR/C	JB.7
2476	D.178147/5	Bottom, portion					1	DTD.610	MR/C	JB.7
2477	D.178147/6	Channel					2	DTD.610	MR/C	JB.7
2478	D.178147/7	Plate, doubling					2	DTD.610	MR/C	JB.7
8216	D.215747	Frame 21, group					1	—	MR/B	JB.7
	D.215747/4	Angle, port (use 26FX/2479)					1	DTD.610		JB.7
	D.215747/5	Angle, starboard (use 26FX/2480)					1	DTD.610		JB.7
	D.215747/7	Angle, bottom (use 26FX/2481)					1	DTD.610		JB.7
	D.215747/8	Angle, (use 26FX/2482)					2	DTD.610		JB.7
	D.215747/2	Diaphragm, bottom, port (use 26FX/2484)					1	DTD.610		JB.7
	D.215747/3	Diaphragm, bottom, starboard (use 26FX/2485)					1	DTD.610		JB.7
4696	C.186837	Plate, reinforcing					1	DTD.610	MR/C	JB.7
2486	B.178914	Stiffener, port					1	DTD.610	MR/C	JB.7
2487	B.178915	Stiffener, starboard					1	DTD.610	MR/C	JB.7
	E.177458	Frame 22, group					1	—		
4699	F.195550	Angle, for attaching hydraulic pipes					1	DTD.610	MR/C	JB.7
4695	F.197436	Bracket, for attaching gun heating pipes					1	DTD.610	MR/C	
4901	B.177902	Channel					2	DTD.610	MR/C	JB.7
	F.206125	Channel (Mod. 138)					1	L.72		
8219	E.177458/9	Diaphragm, bottom portion					1	DTD.610	MR/C	JB.7
	F.206122	Packing (Mod. 138)					1	L.72		
	B.206108	Piece, bridge, aft (Mod. 138)					1	DTD.166		
	B.209407	Piece, bridge, forward (Mod. 138)					1	—		
2489	A.178505	Piece, distance					2	L.F.S.	MR/C	JB.7
8223	C.215748	Plate, reinforcing (Mod. 138)					1	DTD.610	MR/C	JB.7
	E.177459	Frame 23, group					1	—		
4700	F.195241	Angle, for attaching hydraulic pipes					1	DTD.610	MR/C	JB.7
	F.206123	Bracket					1	L.65.C		
2491	B.177903	Channel					2	DTD.610	MR/C	JB.7
8220	E.177459/9	Diaphragm, bottom portion					1	DTD.610	MR/C	JB.7
2493	A.178546	Piece, distance					2	L.F.S.	MR/C	JB.7
8222	C.215749	Plate, reinforcing					1	DTD.610	MR/C	JB.7
	E.177460	Frame 24, group					1	—		
2495	E.177460/4	Diaphragm, bottom portion, port					1	DTD.610	MR/C	JB.7
2496	E.177460/5	Diaphragm, bottom portion, starboard					1	DTD.610	MR/C	JB.7
	D.177175	Frame 25, main spar, group					1	—		
2497	D.177970	Angle, for tank support skin, port					1	DTD.610	MR/C	JB.8
2498	D.177971	Angle, for tank support skin, starboard					1	DTD.610	MR/C	JB.8
	D.177968	Angle, for tank support skin, port					1	DTD.610		
	D.177969	Angle, for tank support skin, starboard					1	DTD.610		

RESTRICTED

FUSELAGE—CENTRE PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
2499	D.177961	Angle, bottom, for tank support skin	...	...	...	...	1	DTD.610	MR/C	JB.8
2500	D.177959	Angle, centre, for tank support skin, port	...	...	...	...	1	DTD.610	MR/C	JB.8
5722	B.177827	Angle, at bottom portion of frame	...	...	...	...	1	DTD.610	MR/C	
2501	D.177960	Angle, centre, for tank support skin, starboard	...	...	...	...	1	DTD.610	MR/C	JB.8
4703	F.195554	Angle, at bottom portion of frame	...	...	...	...	1	DTD.610	MR/C	
2502	D.177182	Boom, bottom, front	...	...	...	...	1	DTD.364	MR/C	JB.8
2503	D.177188	Boom, bottom, rear	...	...	...	...	1	DTD.364	MR/C	
3826	Std.1551/8/315	Bolt, fork fitting	...	...	...	...	4	S.99.B	MR/C	5
7300	Std.1551/8/310	Bolt, fork fitting	...	...	...	...	8	S.99.B	MR/C	
1762	F.190266	Bolt, special, for fire extinguisher mounting	...	...	...	...	2	S.95, S.96	C.	JB.8
3842	Std.1639/7.N	Bolt, for fork fitting	...	...	...	...	8	S.2 or S.11	MR/C	5
1764	B.190273	Bracket, locating, for fire extinguisher mounting	...	...	...	...	1	S.3, T.26	C.	
4697	A.197977	Bracket, mounting, for relay on lower portion of frame	...	...	...	...	1	DTD.610	MR/C	JB.8
4698	A.196361	Bracket, mounting, for relays at lower portion of frame	...	...	...	...	1	DTD.610	MR/C	JB.8
5723	F.177893	Bracket, for attaching stringers	...	...	...	...	4	DTD.610	MR/C	
5724	F.177894	Bracket, for attaching stringers	...	...	...	...	4	DTD.610	MR/C	
2504	A.177433	Channel, centre, at lower portion of frame	...	...	...	...	2	DTD.610	MR/C	
4704	F.193326	Channel, mounting, for J.B.1	...	...	...	...	1	DTD.610	MR/C	JB.8
2505	A.177432	Channel, outer, at lower portion of frame	...	...	...	...	2	DTD.610	MR/C	
4705	F.193327	Channel, mounting, for J.B.1	...	...	...	...	1	DTD.610	MR/C	JB.8
2506	A.177434	Channel, inner, at lower portion of frame	...	...	...	...	2	DTD.610	MR/C	
2507	B.177191	Channel, at bottom centre of frame	...	...	...	...	2	DTD.610	MR/C	JB.8
28E/10031	Terry 80x/2	Clip, centre position of frame	...	...	...	...	2	—	C.	
28E/10036	Terry 80/4	Clip, at centre and upper portion of frame (alternative to AS.2295/8)	...	...	...	...	3	—	C.	
28E/10037	Terry 80/5	Clip, centre portion of frame (alternative to AS.2295/9)	...	...	...	...	1	—	C.	
28E/10027	Terry 80/000	Clip, upper portion of frame (alternative to AS.2295/1)	...	...	...	...	3	—	C.	
	D.177178	Fork, fitting, top port, bottom starboard	...	...	...	...	2	Stamping		
	D.177179	Fork, fitting, top starboard, bottom port	...	...	...	...	2	Stamping		
	E.177177	Member, cross, for hinge fitting attachment	...	...	...	...	2	Stamping		
7302	Std.1718/8	Nut, for fork fitting	...	...	...	...	12	S.1	MR/C	5
4706	F.193436	Packing, at mounting channel, for J.B.1	...	...	...	...	1	DTD.610	MR/C	
	A.177710	Piece, packing, at lower portion of frame	...	...	...	...	2	DTD.610		
4436	B.198017	Plate, reinforcing, at bottom rear of frame	...	...	...	...	1	DTD.610	MR/C	
4437	B.198018	Plate, reinforcing, at bottom rear of frame	...	...	...	...	1	DTD.610	MR/C	
4033	B.177184	Plate, reinforcing, at bottom forward of frame, starboard	...	...	...	...	1	DTD.546	MR/C	JB.8
2509	B.177185	Plate, reinforcing, at bottom forward of frame, port	...	...	...	...	1	DTD.546	MR/C	JB.8
4211	Std.1687/2	Saddle	...	...	...	...	1	—	C.	
4707	Std.915/A/14	Washer, for relay mounting bracket	...	...	...	...	4	DTD.610	MR/C	5
	Std.1208/125/52/20	Washer, shim, for bolts, Std.1551	...	...	...	...	QR	Shim Steel		
2510	D.177180	Web, forward	...	...	...	...	1	DTD.610	MR/C	JB.8
2511	D.177186	Web, rear	...	...	...	...	1	DTD.610	MR/C	
	E.178765	Frame 26, group	...	...	...	...	1	—		
4702	F.195553	Angle, at starboard side of frame, for attaching hydraulic pipes	...	...	...	...	1	DTD.610	MR/C	

RESTRICTED

Hunter F. Mk. 4
Issued with Amendment List No. 18

FUSELAGE—CENTRE PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Score	Plate No.
		1	2	3	4	5				
2512	B.178772	Angle, at bottom diaphragm	...	...	...	...	1	DTD.610	MR/C	JB.8
	C.178766	Angle, for air intake, port	...	...	...	...	1	DTD.610		
	C.178767	Angle, for air intake starboard	...	...	...	...	1	DTD.610		
2513	E.178765/2	Diaphragm, bottom	...	...	...	...	1	DTD.610	MR/C	JB.8
2514	A.178778	Stiffener, at bottom diaphragm, port	...	...	...	...	1	DTD.610	MR/C	JB.8
2515	A.178779	Stiffener, at bottom diaphragm, starboard	...	...	...	...	1	DTD.610	MR/C	JB.8
2470	F.178982	Stud, for fairlead	...	...	...	...	4	S.1 & S.3	MR/C	
	E.179520	Frame 27, group	...	...	...	...	1	—		
2516	B.179527	Angle, for tank support skin, port	...	...	...	...	1	DTD.610	MR/C	JB.8
2517	B.179528	Angle, for tank support skin, starboard	...	...	...	...	1	DTD.610	MR/C	JB.8
2518	A.179531	Angle, for tank support skin, port	...	...	...	...	1	DTD.610	MR/C	
2519	A.179532	Angle, for tank support skin, starboard	...	...	...	...	1	DTD.610	MR/C	
4708	F.194971	Angle, for clipping hydraulic pipes	...	...	...	...	1	DTD.610	MR/C	
4709	F.194972	Angle, for clipping hydraulic pipes	...	...	...	...	1	DTD.610	MR/C	
2520	C.179525	Channel, centre, port	...	...	...	...	1	DTD.610	MR/C	JB.8
2521	C.179526	Channel, centre, starboard	...	...	...	...	1	DTD.610	MR/C	JB.8
	C.179522	Channel, outer, port	...	...	...	...	1	DTD.610		
	C.179523	Channel, outer, starboard	...	...	...	...	1	DTD.610		
2522	E.179520/4	Diaphragm, bottom, port	...	...	...	...	1	DTD.610	MR/C	JB.8
2523	E.179520/5	Diaphragm, bottom, starboard	...	...	...	...	1	DTD.610	MR/C	JB.8
	C.179521	Diaphragm, centre	...	...	...	...	1	DTD.610		
2524	F.179541	Plate, joint	...	...	...	...	1	DTD.610	MR/C	JB.8
2525	F.179543	Spigot, locating air intake and centre tank support- ing skin	...	...	...	...	2	S.3, S.21	MR/C	JB.8
2526	F.179544	Spigot, locating air intake and centre tank support- ing skin	...	...	...	...	2	S.3, S.21	MR/C	JB.8
2527	F.179546	Spigot, locating air intake and centre tank support- ing skin	...	...	...	...	2	S.3, S.21	MR/C	JB.8
2528	A.179533	Stiffener, at bottom diaphragm, port	...	...	...	...	1	DTD.610	MR/C	JB.8
2529	A.179534	Stiffener, at bottom diaphragm, starboard	...	...	...	...	1	DTD.610	MR/C	JB.8
	D.200960	Frame 28, group	...	...	...	...	1	—		
2530	A.177853	Angle	...	...	...	...	2	DTD.610	MR/C	JB.8
6040	A.201621	Angle, joint, port	...	...	...	...	1	L.72	MR/C	
6041	A.201620	Angle, joint, starboard	...	...	...	...	1	L.72	MR/C	
6042	A.200873	Angle, joint, port	...	...	...	...	1	L.72	MR/C	
6043	A.200872	Angle, joint, starboard	...	...	...	...	1	L.72	MR/C	
2532	D.177850/4	Bottom portion	...	...	...	...	1	DTD.610	MR/C	JB.8
2533	B.177852	Channel, reinforcing	...	...	...	...	1	DTD.610	MR/C	JB.8
	D.200961	Frame 29, forward portion, group	...	...	...	...	1	—		
2534	D.177532/4	Bottom portion of frame	...	...	...	...	1	DTD.610	MR/C	JB.8
	D.177533	Frame 29, rear portion, group	...	...	...	...	1	—		
2535	D.177533/4	Bottom portion of frame	...	...	...	...	1	DTD.610	MR/C	JB.8
2536	B.177537	Stiffener, bottom	...	...	...	...	1	DTD.610	MR/C	JB.4
2537	B.177536	Stiffener, bottom	...	...	...	...	1	DTD.610	MR/C	JB.8
	D.177531	Frame 30, group	...	...	...	...	1	—		
2538	D.177531/4	Bottom portion	...	...	...	...	1	DTD.610	MR/C	JB.8
	D.177547	Frame 31, group	...	...	...	...	1	—		
4710	F.177681	Angle	...	...	...	...	2	DTD.610	C.	
2539	D.177547/4	Bottom portion	...	...	...	...	1	DTD.610	MR/C	JB.8
4711	D.177547/5	Stiffener, bottom, port	...	...	...	...	1	DTD.610	MR/C	
4712	D.177547/6	Stiffener, bottom, starboard	...	...	...	...	1	DTD.610	MR/C	

RESTRICTED

FUSELAGE—CENTRE PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	E.178937	Frame 32,	rear spar,	group	...	...	1	—		
2540	A.178974	Angle,	at lower portion of frame	...	...	...	1	DTD.610	MR/C	JB.8
2541	A.178966	Angle,	for attaching tank skin, port	...	...	...	2	DTD.610	MR/C	
2542	A.178967	Angle,	for attaching tank skin, starboard	...	...	...	1	DTD.610	MR/C	
2543	B.179420	Angle,	at lower portion of frame and inner channel	...	...	...	1	DTD.610	MR/C	JB.8
2544	B.178961	Angle,	for attaching tank skin, port	...	...	...	1	DTD.610	MR/C	JB.8
2545	A.179456	Angle,	at bottom portion of frame (port only)	...	...	...	1	DTD.610	MR/C	
2546	F.178976	Angle,	for attaching tank skin, starboard	...	...	...	1	DTD.610	MR/C	JB.8
986	A.180777	Block,	for gear box mounting	...	...	...	1	Stamping	C.	JB.8
987	A.179999	Block,	for gear box mounting	...	...	...	1	Stamping	C.	JB.8
3827	Std.1551/7/265	Bolt,	at top fork fitting	...	...	...	2	S.99.B	MR/C	5
3828	Std.1551/7/270	Bolt,	at top fork fitting	...	...	...	1	S.99.B	MR/C	5
84	Std.1551/7/245	Bolt,	at top fork fitting	...	...	...	1	S.99.B	C.	5
3829	Std.1551/7/215	Bolt,	at top and bottom fork fittings	...	...	...	4	S.99.B	MR/C	5
3830	Std.1551/7/260	Bolt,	at top and bottom fork fittings	...	...	...	3	S.99.B	MR/C	5
3831	Std.1551/7/205	Bolt,	at top and bottom fork fittings	...	...	...	3	S.99.B	MR/C	5
2547	F.180826	Bolt,	special, at bottom fork fitting	...	...	...	2	S.99.B	MR/C	JB.8
2548	B.178955	Boom,	forward, bottom outer	...	...	...	1	DTD.364	MR/C	JB.8
2549	B.178956	Boom,	rear, bottom outer	...	...	...	1	DTD.364	MR/C	JB.8
2550	D.178943	Boom,	rear outer, port	...	...	...	1	DTD.364	MR/C	JB.8
2551	D.178944	Boom,	rear outer, starboard	...	...	...	1	DTD.364	MR/C	JB.8
2552	D.178945	Boom,	forward, outer, port	...	...	...	1	DTD.364	MR/C	JB.8
2553	D.178946	Boom,	forward, outer, starboard	...	...	...	1	DTD.364	MR/C	JB.8
	C.178949	Boom,	forward, inner, port	...	...	...	1	DTD.364		
	C.178950	Boom,	rear, inner, port	...	...	...	1	DTD.364		
	B.178951	Boom,	forward, inner, starboard	...	...	...	1	DTD.364		
	B.178952	Boom,	rear, inner, starboard	...	...	...	1	DTD.364		
988	A.180990	Bracket,	steady, for gear box	...	...	...	1	Stamping	C.	JB.8
2554	A.179994	Channel,	at lower portion of frame	...	...	...	1	DTD.610	MR/C	JB.8
2555	A.179370	Channel,	at lower portion of frame, port	...	...	...	1	DTD.610	MR/C	
2556	A.179373	Channel,	at lower portion of frame, starboard	...	...	...	1	DTD.610	MR/C	
2557	A.179374	Channel,	at lower portion of frame	...	...	...	1	DTD.610	MR/C	
2558	A.179993	Channel,	at lower portion of frame	...	...	...	1	DTD.610	MR/C	
2559	A.179990	Channel,	at lower portion of frame	...	...	...	1	DTD.610	MR/C	JB.8
2560	A.179451	Channel,	at lower portion of frame	...	...	...	1	DTD.610	MR/C	
2561	A.179991	Channel,	at lower portion of frame	...	...	...	1	DTD.610	MR/C	JB.8
	B.178958	Channel,	bottom, inner	...	...	...	1	DTD.364		
2562	A.179376	Channel,	below bottom fork fitting	...	...	...	1	DTD.610	MR/C	JB.8
2563	A.179995	Channel,	for gear box mounting	...	...	...	1	S.3	MR/C	JB.8
2564	A.179996	Channel,	for gear box mounting	...	...	...	1	S.3	MR/C	JB.8
2565	A.179997	Channel,	for gear box mounting	...	...	...	1	S.3	MR/C	JB.8
4206	B.183479	Channel,	for gear box mounting	...	...	...	1	S.3	MR/C	JB.8
4713	A.196973	Channel,	blanking, for sealing at lower portion of frame	...	...	...	1	DTD.610	MR/C	
4714	A.196974	Channel,	blanking, for sealing at lower portion of frame	...	...	...	1	DTD.610	MR/C	
	A.180534	Cover,	for bolts, upper, port	...	...	...	1	DTD.610		
	A.180535	Cover,	for bolts, upper, starboard	...	...	...	1	DTD.610		
	A.180536	Cover,	for bolts, lower, port	...	...	...	1	DTD.610		
	A.180537	Cover,	for bolts, lower, starboard	...	...	...	1	DTD.610		

RESTRICTED

Hunter F. Mk. 4
Issued with Amendment List No. 18

FUSELAGE—CENTRE PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Score	Plate No.
		1	2	3	4	5				
	C.180497					Fork fitting, lower, port	1	Stamping		
	C.180498					Fork fitting, lower, starboard	1	Stamping		
	C.180495					Fork fitting, top, port	1	Stamping		
	C.180496					Fork fitting, top, starboard	1	Stamping		
2566	F.180092					Packing, at bottom joint plates, port only	2	DTD.610	MR/C	JB.8
2567	A.178971					Plate, joint, at lower portion of frame, port	2	DTD.166	MR/C	JB.8
2568	A.178972					Plate, joint, at lower portion of frame, starboard	2	DTD.166	MR/C	JB.8
2569	A.178973					Plate, joint, at lower portion of frame	4	DTD.166	MR/C	
2570	C.180089					Plate, reinforcing, bottom, forward	1	DTD.166	MR/C	JB.8
2571	C.180090					Plate, reinforcing, bottom aft	1	DTD.166	MR/C	JB.8
2572	F.178981					Plate, nut	2	S.3	MR/C	JB.9
	C.197248					SEALING, AT REAR SPAR, ASSEMBLY	—	—		
4634	F.197153					Cleat	1	LFS.21	C.	
4635	F.197154					Cleat	1	LFS.21	C.	
4636	F.197155					Cleat	1	LFS.21	C.	
4637	F.197156					Cleat	1	LFS.21	C.	
4638	F.197157					Cleat	1	LFS.21	C.	
4639	F.197158					Cleat	1	LFS.21	C.	
4640	F.197159					Cleat	1	LFS.21	C.	
4641	F.197160					Cleat	1	LFS.21	C.	
4642	F.197161					Cleat	1	LFS.21	C.	
4643	F.197162					Cleat	2	LFS.21	C.	
4644	F.196784					Plate, clamping	6	DTD.610	C.	
4645	F.197058					Plate, clamping	2	DTD.610	C.	
990	F.180319					Shim, for gear box mounting block	QR	Laminated Sheet	C.	
2470	F.178982					Stud, for fairlead	3	S.1 & S.3	MR/C	
989	F.180664					Washer, special, for gear box steady bracket	1	DTD.364	C.	JB.8
2573	D.178939					Web, forward, port	1	DTD.610	MR/C	JB.8
2574	D.178940					Web, forward, starboard	1	DTD.610	MR/C	
2575	D.178941					Web, rear, port	1	DTD.610	MR/C	JB.8
2576	D.178942					Web, rear, starboard	1	DTD.610	MR/C	JB.8
	B.205513					Frame 33, group	1	—		
4874	F.195549					Angle, supporting hydraulic pipe clipping	4	DTD.610	MR/C	JB.9
	F.196959					Bracket, for electric cables	1	DTD.610	MR/C	
2577	D.176661/2					Diaphragm, port	1	DTD.610	MR/C	JB.9
2578	D.176661/3					Diaphragm, starboard	1	DTD.610	MR/C	JB.9
2579	F.176665					Plate, reinforcing	2	DTD.510	MR/C	JB.9
4211	Std.1687/2					Saddle, securing flame switch cable	2	DTD.610	C.	5
	D.177095					Frame 34, group	1	—		
2589	F.190388					Angle, mounting, port	1	DTD.610	MR/C	JB.9
2590	F.190389					Angle, mounting, starboard	1	DTD.610	MR/C	JB.9
2591	A.190334					Angle, mounting, port	1	DTD.610	MR/C	JB.9
2592	A.190335					Angle, mounting, starboard	1	DTD.610	MR/C	JB.9
4030	A.196370					Bracket, support, for by-pass valve	1	DTD.610	MR/C	
4785	F.196959					Bracket, for attaching electrical cables	1	DTD.610	MR/C	
8227	B.214195					Bracket, mounting, for external supply valves	1	—	MR/C	JB.9
4715	F.197167					Bracket, attaching suppressor cables	1	S.3	MR/C	
2582	A.177104					Butt-strap, outer	2	DTD.546	MR/C	JB.9
2581	A.177105					Butt-strap, inner	2	DTD.546	MR/C	
2583	D.177095/6					Channel, bottom	1	DTD.364	MR/C	JB.9

RESTRICTED

FUSELAGE—CENTRE PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Score	Place No.
		1	2	3	4	5				
2584	D.177095/1	Diaphragm, forward, port	...	...	...	...	1	DTD.610	MR/C	JB.9
2585	D.177095/2	Diaphragm, forward, starboard	...	...	...	...	1	DTD.610	MR/C	JB.9
2586	D.177095/3	Diaphragm, aft, port	...	...	...	...	1	DTD.610	MR/C	JB.9
2587	D.177095/4	Diaphragm, aft, starboard	...	...	...	...	1	DTD.610	MR/C	JB.9
2588	F.177101	Ferrule, at bearing plate	...	...	...	...	4	S.96.B	MR/C	
2593	A.179364	Guide, at bottom frame joint	...	...	...	...	1	S.3	MR/C	
993	F.177106	Nut, at lower portion of frame, for screw jack adjusting detachable engine rail	...	...	...	...	1	S.3	C.	JB.9
2594	C.177096	Plate, reinforcing, forward port, aft starboard	...	...	...	...	2	DTD.610	MR/C	JB.9
2595	C.177097	Plate, reinforcing, forward port, aft starboard	...	...	...	...	2	DTD.610	MR/C	JB.9
2596	A.177100	Plate, joint, at bottom frame joint	...	...	...	...	2	DTD.610	MR/C	JB.9
2597	F.177108	Plate, bearing, for engine mounting attachments	...	...	...	...	4	DTD.610	MR/C	JB.9
	F.196368	Plate, locating frame switch cable	...	...	...	...	2	DTD.610		
—	Std.1509/23/084	Tube, distance, $\frac{5}{8}$ " o/d. x 17 S.W.G. x .84" long (Make from 30B/556)	...	...	...	...	4	T.4		4
4035	Std.1509/23/112	Tube, distance, $\frac{5}{8}$ " o/d x 17 S.W.G. x 1.12" long (Make from 30B/556)	...	...	...	...	1	T.4	MR/C	4
3729	Std.184/11B	Washer, at bearing plate	...	...	...	...	4	S.2	MR/C	4
	D.178028	Frame 35, group	...	...	...	...	1	—		
2598	D.178028/4	Bottom portion of frame, port	...	...	...	...	1	DTD.610	MR/C	JB.9
2599	D.178028/5	Bottom portion of frame, starboard	...	...	...	...	1	DTD.610	MR/C	JB.9
	F.219862	Boss, mounting, lower, for hydraulic reservoir (Mod. 344)	...	...	...	...	1	MS		
	F.219865	Boss, mounting, upper, for hydraulic reservoir (Mod. 344)	...	...	...	...	1	MS		
	F.219861	Plate, nut, upper, for hydraulic reservoir (Mod. 344)	...	...	...	...	1	—		JB.9
	F.219860	Plate, nut, lower, for hydraulic reservoir (Mod. 344)	...	...	...	...	1	—		JB.9
	D.178029	Frame 36, group	...	...	...	...	1	—		
2600	D.178029/4	Bottom portion of frame, port	...	...	...	...	1	DTD.610	MR/C	JB.9
2601	D.178029/5	Bottom portion of frame, starboard	...	...	...	...	1	DTD.610	MR/C	JB.9
	F.219864	Boss, mounting, upper, for hydraulic reservoir (Mod. 344)	...	...	...	...	1	S.3 & S.21		JB.9
	F.219863	Boss, mounting, lower, for hydraulic reservoir (Mod. 344)	...	...	...	...	1	S.3 & S.21		JB.9
4297	Std.843/11	Clip, securing fuel contents cables	...	...	...	...	1	DTD.610	MR/C	4
	F.219861	Plate, nut, upper, for hydraulic reservoir (Mod. 344)	...	...	...	...	1	—		JB.9
	F.219860	Plate, nut, lower, for hydraulic reservoir (Mod. 344)	...	...	...	...	1	—		
2795	F.190690	Strip, rubbing	...	...	...	...	1	Durestos	MR/C	4
4211	Std.1687/2	Saddle	...	...	...	...	1	DTD.610	C.	5
	D.175981	Frame 37, group	...	...	...	...	1	—		
2796	D.175981/4	Angle, stiffener, port	...	...	...	...	1	DTD.610	MR/C	JB.9
2797	D.175981/5	Angle, stiffener, starboard	...	...	...	...	1	DTD.610	MR/C	JB.9
2798	A.175984	Angle, at bottom of frame	...	...	...	...	1	DTD.610	MR/C	JB.9
	A.220498	Bracket, support, for hydraulic oil filter (Mod. 344)	...	...	...	...	1	L.72		JB.9
6044	A.199625	Bracket, for flame switch (Pre-Mod. 118)	...	...	...	...	1	DTD.610	MR/C	JB.9
8237	A.204563	Bracket, for flame switch (Mod. 118)	...	...	...	...	1	L.72	MR/C	JB.9
	B.191742	Bracket, stiffening	...	...	...	...	1	DTD.610		
6045	B.203505	Bracket, stiffening	...	...	...	...	1	S.3	MR/C	

RESTRICTED

Hunter F. Mk. 4
Issued with Amendment List No. 18

FUSELAGE—CENTRE PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
2800	D.175981/3					Diaphragm, bottom	1	DTD.610	MR/C	JB.9
2801	F.175986					Plate, joint	2	DTD.610	MR/C	JB.9
2802	A.175983					Plate, reinforcing, at bottom of frame	1	DTD.166	MR/C	JB.9
2803	C.175982					Plate, reinforcing, at lower portion of frame	1	DTD.166	MR/C	JB.9
	F.196368					Plate, locating flame switch cable (Pre-Mod. 118)	1	DTD.610		
	F.204568					Plate, reinforcing (Mod. 118)	1	L72		
4211	Std.1687/2					Saddle, securing cables	1	DTD.610	C.	5
	D.176012					Frame 38, group	1	—		
2804	D.176012/5					Angle, lower, centre	1	DTD.610	MR/C	JB.9
2805	D.176012/9					Angle, lower, port	1	DTD.610	MR/C	JB.9
4036	D.176012/10					Angle, lower, starboard	1	DTD.610	MR/C	JB.9
4008	F.195286					Angle, port	1	DTD.610	MR/C	JB.9
4009	F.195287					Angle, starboard	1	DTD.610	MR/C	JB.9
2806	D.176012/4					Bottom portion	1	DTD.610	MR/C	JB.9
	D.176255					Frame 39, top portion	1	DTD.610		
	D.176256					Frame 39, bottom portion, group	1	—		
2807	D.176256/2					Angle, lower, port	1	DTD.610	MR/C	JB.9
2808	D.176256/3					Angle, lower, starboard	1	DTD.610	MR/C	JB.9
2809	D.176256/1					Diaphragm, lower	1	DTD.610	MR/C	JB.9
2810	B.176254					Plate, reinforcing	1	DTD.610	MR/C	JB.9
	F.196368					Plate, locating flame switch cable	1	DTD.610		
4211	Std.1687/2					Saddle, securing cables	9	DTD.610	C.	5
	E.175941					Frame 40A, group	1			
	A.175938					Angle, attachment, at engine mounting fitting, port	2	DTD.364		
	A.175939					Angle, attachment, at engine mounting fittings, starboard	2	DTD.364		
1264†	F.163972					Angle, at transport joint fittings	8	DTD.364	C.	
1765	F.191864					Angle, at transport joint fittings	22	DTD.364	C.	JB.3
4716	A.196782					Channel, sealing, at bottom portion of frame, port	1	DTD.610	MR/C	
4717	A.196783					Channel, sealing, at bottom portion of frame, starboard	1	DTD.610	MR/C	
2811	E.175941/3					Diaphragm, forward, starboard	1	DTD.610	MR/C	JB.9
2812	E.175941/4					Diaphragm, rear, starboard	1	DTD.610	MR/C	JB.9
2813	E.175941/5					Diaphragm, forward, port	1	DTD.610	MR/C	JB.9
2814	E.175941/6					Diaphragm, rear, port	1	DTD.610	MR/C	JB.9
1003	B.177308					Fitting, for rear transport joint	4	Stamping	C.	JB.9
1004†	B.177306					Fitting, for rear transport joint	7	Stamping	C.	JB.3
1005†	B.177307					Fitting, for rear transport joint	4	Stamping	C.	JB.9
	B.166524					Fitting, for engine mounting, at centre of frame	2	Stamping		
2815	B.177323					Lug, for engine rail	1	Stamping	MR/C	JB.6
2816	F.175844					Plate, nut, at bottom centre of frame	1	—	MR/C	JB.9
2817	E.175941/9					Strap	1	DTD.610	MR/C	JB.9
—	Std.1509/24/150					Tube, distance, $\frac{3}{8}$ " o/d x 17 s.w.g. x 1.5" long (Make from 30B/557)	60	T.4	—	
	B.196633-4					MOUNTING, FOR SUPPRESSOR, ASSEMBLY	—	—		
4010	F.196834					Angle, support, at stringer "K", port	2	DTD.364	MR/C	JB.3
4011	F.196835					Angle, support, at stringer "K", starboard	2	DTD.364	MR/C	JB.3
4012	F.196644					Angle, support, at stringer "J"	4	DTD.364	MR/C	JB.3
4013	B.196636					Rail, assembly, port, group	1	—	MR/C	JB.3
4014	B.196637					Rail, assembly, starboard, group	1	—	MR/C	JB.3
—	Aerolex F48.7.508					Pin, quick release (Use 28FP/15)	1	—	—	

RESTRICTED

FUSELAGE—CENTRE PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	C.188601	MOUNTING, FOR COLD AIR UNIT, ASSEMBLY ...					—	—		
2822	F.188604	Angle	...	...	...	...	2	DTD.610	MR/C	
2823	F.188605	Angle	...	...	...	...	2	DTD.610	MR/C	
2824	B.188602	Channel, inboard	...	...	...	...	1	DTD.610	MR/C	JB.3
2825	B.188603	Channel, outboard	...	...	...	...	1	DTD.610	MR/C	JB.3
	C.192896	MOUNTING, FOR HIGH ENERGY IGNITION UNITS, ASSEMBLY					—	—		
5812	A.197467	Angle, support, lower	...	...	...	...	1	DTD.610	C.	
5813	A.197466	Angle, support, upper	...	...	...	...	1	DTD.610	C.	
2827	F.192898	Bracket, support, at upper mounting	...	...	...	...	2	DTD.610	MR/C	
2829	A.192897	Bracket, support, at upper mounting	...	...	...	...	1	DTD.610	MR/C	JB.3
	D.191929	Outlet, for starter exhaust	...	...	...	...	—	—		
1766	A.192787	Bracket, attachment	...	...	...	...	1	S.3	C.	JB.5
—	Aerolex F.48.7.411	Pin, quick release (Use 28FP/6)	...	...	...	...	1	—	—	
2736	C.195168	Plate, sealing	...	...	...	...	1	S.3	C.	JB.5
2734	A.195012	Sleeve, flexible, for sealing starter exhaust	...	...	...	...	1	Moulded Silicone	C.	JB.5
2735	F.191935	Strip, retaining	...	...	...	...	1	S.3	MR/C	JB.5
1768	B.191932	Tube, exhaust	...	...	...	...	1	—	B.	JB.5
	E.201817	Panel, support, for centre tank, group	...	...	...	...	1	—	—	
996	F.182738	Bolt, special	...	...	...	...	48	S.95	C.	JB.6
4527†	E.201815*	Panel, support, detachable, for centre tank, port, group (Pre-Mod. 118)	...	...	...	...	1	—	B.	
8107	E.203205	Panel, support, detachable, for centre tank, port, group (Mod. 118) (Pre-Mod. 345)	...	...	...	...	1	—	B.	
8468	E.220789	Panel, support, detachable, for centre tank, port, group (Mod. 345)	...	...	...	...	1	—	A.	JB.6
994	B.184014	Panel, side, port, group	...	...	...	...	1	DTD.610	C.	JB.6
28FP/146	Dzus A4.25	Fastener	...	...	...	...	4	—	C.	
	F.182656	Plate, joint, top	...	...	...	...	1	DTD.610		
	F.182657	Plate, joint, centre	...	...	...	...	1	DTD.610		
	F.182658	Plate, joint, centre	...	...	...	...	1	DTD.610		
	F.182659	Plate, joint, centre	...	...	...	...	2	DTD.610		
28FP/329	Dzus S4.200	Spring	...	...	...	...	10	—	C.	
4528†	E.201816*	Panel, support, detachable, for centre tank, starboard, group (Pre-Mod. 118)	...	...	...	...	1	—	B.	
8108	E.203206	Panel, support, detachable, for centre tank, starboard, group (Mod. 118) (Pre-Mod. 345)	...	...	...	...	1	—	B.	
8469	E.220790	Panel, support, detachable, for centre tank, starboard, group (Mod. 345)	...	...	...	...	1	—	A.	JB.6
995	B.184015	Panel, side, starboard, group	...	...	...	...	1	DTD.610	C.	JB.6
28FP/147	Dzus A4.30	Fastener	...	...	...	...	2	—	C.	
28FP/148	Dzus A4.35	Fastener	...	...	...	...	2	—	C.	
	F.182657	Plate, joint, centre	...	...	...	...	1	DTD.610		
	F.182658	Plate, joint, centre	...	...	...	...	1	DTD.610		
	F.182659	Plate, joint, centre	...	...	...	...	2	DTD.610		
28FP/329	Dzus S4.200	Spring	...	...	...	...	8	—	C.	

RESTRICTED

Hunter F. Mk. 4
Issued with Amendment List No. 18

FUSELAGE—CENTRE PORTION.

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Score	Plate No.
		1	2	3	4	5				
1006	C.183270*					Panel, for centre tank detachable support panels, group (Pre-Mod. 118)	1	DTD.610	B.	
28FP/146	Dzus A4.25					Fastener	4	—	C.	
28FP/329	Dzus S4.200					Spring	3	—	C.	
8109	C.203379					Panel, for centre tank detachable support panel, group (Mod. 118) (Pre-Mod. 345)	1	DTD.610	B.	
8470	C.220791					Panel, for centre tank detachable support panels (Mod. 345)	1	—	B.	JB.6
28FP/147	Dzus A4.30					Fastener	4	—	C.	
28FP/329	Dzus S4.200					Spring	3	—	C.	
1000	A.183303					Panel, top, group	1	DTD.610	C.	JB.6
28FP/146	Dzus A4.25					Fastener	4	—	C.	
997	F.183770					Plate, nut, port	1	S.3	C.	JB.6
998	F.183771					Plate, nut, starboard	1	S.3	C.	JB.6
1001	C.183768					Ring, sealing, at forward end, port, group	1	DTD.610	C.	JB.6
1002	C.183796					Ring, sealing, at forward end, starboard, group	1	DTD.610	C.	JB.6
28FP/147	Dzus A4.30					Fastener	21	—	C.	
1772	A.193585					Ring, sealing, for air intake (Pre-Mod. 345)	1	Rubber	C.	JB.6
8713	D.218049					Panel, access, for main fuel tank, port, group	1	—	A.	JB.1
7836	C.210032					Panel, access, for main fuel tank, starboard, group	1	—	A.	JB.1
	F.200150					Bracket, support, for strap (Mod. H229)	4	L.72		
	F.207759					Guard, cable (port only)	1	—		
	A.200153					Strap	2	DTD.5506		
6046	F.203116					Plate, blanking, port, at frame 37	2	S.3	MR/C	
	F.219953					Plate, blanking, starboard, at frame 37 (Mod. 252) (Make from 30A/546, 3½" x 3")	1	S.510		
	B.176816					RAIL, FOR ENGINE, ASSEMBLY	—	—		
2737	B.166532					Mounting, for engine rail	1	Stamping	MR/C	JB.4
2738	B.176175					Rail	1	DTD.364	MR/C	JB.6
—	Std.1509/23/034					Tube, distance, ⅝" o/d x 17 s.w.g. x 0.34" long (Make from 30B/556)	4	T.4		
3811	Std.1547/32/12					Washer, for rear end joint	2	DTD.610	MR/C	4
2739	A.176169					Web, forward, port	1	DTD.610	MR/C	JB.6
2740	A.176170					Web, forward, starboard	1	DTD.610	MR/C	JB.6
2741	A.176171					Web, centre, port	1	DTD.610	MR/C	JB.6
2742	A.176172					Web, centre, starboard	1	DTD.610	MR/C	JB.6
2743	A.176173					Web, aft, port	1	DTD.610	MR/C	JB.6
2744	A.176174					Web, aft, starboard	1	DTD.610	MR/C	JB.6
	C.189596					SEALING PLATE, FOR STRINGERS AT FRAMES 37, ASSEMBLY	—	—		
4460	F.189597					Sealing, at stringer "A" (Pre-Mod. 118)	1	Plastic	MR/C	
4461	F.189598					Sealing, at stringer "B" (Pre-Mod. 118)	2	Plastic	MR/C	
4462	F.189599					Sealing, at stringer "C"	2	Plastic	MR/C	
4466	F.189684					Sealing, at stringer "D"	2	Plastic	MR/C	JB.9
4465	F.189602					Sealing, at stringer "E"	2	Plastic	MR/C	JB.9
4463	F.189600					Sealing, at stringer "F"	2	Plastic	MR/C	JB.9
4464	F.189601					Sealing, at stringer "F"	2	Plastic	MR/C	JB.9
4455	F.189603					Sealing, at stringer "G"	2	Plastic	MR/C	JB.9
4456	F.189604					Sealing, at stringer "H", port	1	Plastic	MR/C	
4459	F.199789					Sealing, at stringer "H", starboard (Pre-Mod. 118)	1	Plastic	MR/C	
4457	F.189605					Sealing, at stringer "J"	2	Plastic	MR/C	
4458	F.189606					Sealing, at stringer "K"	2	Plastic	MR/C	
4015	F.195812					Shim, at engine mounting channel, frame 40A	2	Brass Laminum	C.	

RESTRICTED

FUSELAGE—CENTRE PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	E.200955	SKIN, COVERING, ASSEMBLY					—	—		
4718	A.196875	Bracket, mounting, for engine pump non-return valve, between frames 33 and 34					1	DTD.610	MR/C	
6047	A.201094	Bracket, mounting, at frame 31					3	L.72	MR/C	
4648	F.192047	Clip, securing hydraulic pipes, between frames 36 and 37					1	S.84	C.	
4649	F.193862	Clip, securing hydraulic pipes, between frames 33 and 34					2	S.84	C.	
	D.179787	DUCT, COOLER EXIT, PORT, SUB-ASSEMBLY					—	—		
	D.179788	DUCT, COOLER EXIT, STARBOARD, SUB-ASSEMBLY					—	—		
	B.180907	Duct, fixed, port					1	L.16		
	B.180908	Duct, fixed, starboard					1	L.14		
	A.180727	Landing, for panel, port					1	DTD.610		
	A.180728	Landing, for panel, starboard					1	DTD.610		
1010	B.180863	Panel, port					1	DTD.610	C.	JB.6
1011	B.180864	Panel, starboard					1	DTD.610	C.	JB.6
1012	C.189378	Panel, louvred, for cooler duct exit					2	S.3 & DTD.610	B.	JB.6
	C.187577	Intake, for cooling air, bottom port group ...					1	—		
	C.187578	Intake, for cooling air, bottom starboard group ...					1	—		
1007	C.188060	Duct					2	S.3	C.	JB.1
2745	C.180542	Landing, for front engine mountings access panel, port					1	DTD.610	MR/C	JB.2
2746	C.180543	Landing, for front engine mountings access panel, starboard					1	DTD.160	MR/C	JB.2
2747	C.186937/1	Landing, for igniter plugs access panel, port ... (Known as C.186937/A)					1	DTD.510	MR/C	JB.2
6048	C.186937/2	Landing, for hydraulic filter access panel, port ... (Known as C.186937/B)					1	DTD.610	MR/C	JB.2
2748	C.186938/1	Landing, for igniter plugs access panel, starboard (Known as C.186938/A)					1	DTD.610	MR/C	JB.2
	B.204979	LEVELLING, POINTS SUB-ASSEMBLY					—	—		
	F.184598	Bearing, aft, levelling point					2	Stamping		
	A.184835	Bracket, bearing, forward levelling point, port					1	S.3 & S.21		
	A.184836	Bracket, bearing, forward levelling point, starboard					1	S.3 & S.21		
2749	A.186459	Mounting, for suction relief valve					2	—	MR/C	JB.3
6049	F.197018	Mounting, for terminal blocks					2	DTD.610	MR/C	
1023	F.173505	Nut, retaining, for fuel tank					16	S.3 & S.21	C.	JB.2
2750	A.187454	Plate, reinforcing, for suction relief valve access door					2	DTD.546	MR/C	JB.2
2751	C.184586	Plate, reinforcing, port					1	DTD.546 & DTD.610	MR/C	JB.2
2752	C.184597	Plate, reinforcing, starboard					1	DTD.546 & DTD.610	MR/C	JB.2
	C.199414	PLATE, REINFORCING, FOR OIL FILLER ACCESS DOOR, ASSEMBLY					—	—		
6050	C.199414/2	Angle					1	DTD.166	MR/C	
4242	Std.1231/7	Lug					1	S.3	C.	4
6051	C.199414/3	Packing					1	L.72	MR/C	
6052	C.199414/1	Plate, reinforcing					1	L.72	MR/C	JB.5
5711	A.197762	Plate, reinforcing, for relief valve support tube ...					4	DTD.610	MR/C	

FUSELAGE—CENTRE PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	F.216515					Platform, mounting, for TB (Mod. 452) ...	1	—		
1009	F.184599					Ring, reinforcing ...	1	DTD.610	C.	JB.2
4211	Std.1678/2					Saddle, for clipping fuel contents cable ...	4	DTD.610	C.	5
1025	King Aircraft Corp. D3060/2					Screw, locking ...	6	—	C.	JB.5
9402	A.221538					Sealing, for hydraulic reservoir access (Mod. 344)	1	Rubber	C.	JB.2
	E.183424					SKIN COVERING, TOP PORTION, SUB-ASSEMBLY	—	—		
2756	A.192906					Bracket, mounting, for tank pressurising connection	1	DTD.610	MR/C	JB.2
2757	B.193594					Bracket, mounting, between frames 39 and 40A	1	DTD.610	MR/C	JB.2
	A.220936					Bracket, mounting, for cable joint (Mod.629)	1	L.72		
	C.188312-3					LANDING, FOR BLEED VALVE EXHAUST, ASSEMBLY	—	—		
2753	B.188314					Landing, port ...	1	DTD.610	MR/C	JB.2
2754	B.188315					Landing, starboard ...	1	DTD.610	MR/C	JB.2
2755	C.181728					Landing, for fuel level switch access panel, port	2	DTD.610	MR/C	JB.2
	F.205515					Sealing, at transport joint frame 18 (Make from 32C/574 Q.R.)	2	Rubber		
	E.183421					SKIN COVERING, BOTTOM PORTION, SUB-ASSEMBLY	—	—		
6053	A.204966					Angle, stiffening ...	1	L.72	MR/C	
	A.215063					Bracket, mounting, for fuel filter de-icing solenoid	1	—		
4719	A.197061					Bracket, for cable C3 and C4, also TS.3 and TS.4	1	DTD.610	MR/C	
4600	F.201722					Catch, for starter access door stay ...	1	L.72	C.	
2758	F.189545					Connection, for centre fuel tank drain pipes	1	L.16 & L.54	MR/C	JB.5
1773	A.192320					Connection, end, for overboard drain and starter exhaust outlet	1	T.35	C.	JB.5
8513	F.216608					Drain, extension aft of frame 37, 38 and 39 (Mod. 543)	6	L.65.C	C.	
8523	F.216520					Drain, extension aft of frame 30 (Mod. 543) ...	1	—		
3370	F.184563					Landing, for fuel pump access panel, port ...	1	DTD.610	MR/C	JB.5
3371	F.184564					Landing, for fuel pump access panel, starboard	1	DTD.610	MR/C	JB.5
	A.182100					Landing, at stringer "M" ...	1	DTD.610		
	A.183429					Landing, for gearbox access door ...	1	DTD.610		
	A.183430					Landing, for gearbox access door ...	1	DTD.610		
2759	A.183418					Landing, for engine access door, frame 34 starboard	1	L.72	MR/C	JB.5
2760	A.183419					Landing, for engine access door, frame 34, port	1	L.72	MR/C	JB.5
2761	A.183428					Landing, for engine access door, frame 37 ...	1	L.72	MR/C	JB.5
4275	B.183416					Landing, for engine access door, frame 34 and 37, port	1	DTD.610	MR/C	
2762	B.183417					Landing, for engine access door, frame 34 and 37, starboard	1	DTD.610	MR/C	JB.5
2763	B.183431					Landing, for engine starter access door ...	1	DTD.610	MR/C	
1774	B.188562/A					Pipe, drain, for combustion chamber and turbine, group	1	—	C.	JB.6
						Consisting of:—				
	B.18862/2					Bracket, support ...	1	DTD.283 or DTD.265		
	B.188562/1					Pipe, 3/8" o/d. x 22 s.w.g. ...	1	DTD.253		
	B.188562/3					Ring ...	1	DTD.283 or DTD.265		

FUSELAGE—CENTRE PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	B.192037					PLATFORM, FOR STARTER EXHAUST, OUTLET, SUB-ASSEMBLY	—	—		
1775	B.191931					Platform	1	S.3	C.	JB.5
1776	A.192798					Ring, guide	1	DTD.571	C.	JB.5
2764	C.182823					Plate, reinforcing, at frames 22 and 24, port	1	DTD.610	MR/C	JB.5
2156	C.182824					Plate, reinforcing, at frames 22 and 24, starboard	1	DTD.610	MR/C	JB.5
2157	C.182692					Plate, reinforcing, at frames 37 and 40, port	1	DTD.546	MR/C	JB.5
2158	C.182693					Plate, reinforcing, at frames 37 and 40, starboard	1	DTD.546	MR/C	JB.5
2765	F.194029					Plate, nut, at main spar	2	S.3	MR/C	
2159	C.183432					Plate, joint, for bottom main skin to rear spar, port	1	DTD.610	MR/C	
2160	C.183433					Plate, joint, for bottom main skin to rear spar, starboard	1	DTD.610	MR/C	
	A.182101					Plate, gusset, at frame 31	1	DTD.610		
2161	F.189753					Ring, reinforcing, between frames 27 and 28	1	DTD.610	MR/C	
1833†	E.183421/1					Skin, bottom, between frame 27 and rear spar	1	DTD.610	B.	JB.1
1834†	E.183421/2					Skin, bottom, between frames 37 and 40A	1	DTD.610	B.	JB.1
2162	E.183421/3					Skin, bottom, at main spar	1	DTD.610	MR/B	JB.1
2163	E.183421/4					Skin, bottom, at frame 34	1	DTD.610	MR/B	JB.1
2164	B.184367					Stringer "L", aft of frame 29, port	1	DTD.610	MR/C	JB.4
2165	B.184268					Stringer "L", aft of frame 29, starboard	1	DTD.610	MR/C	JB.4
2166	B.184366					Stringer "M", frame 29 to rear spar	1	DTD.610	MR/C	JB.4
	F.184369					Stringers, for bottom skin, between frames 27 and 28	3	DTD.610		
	F.184370					Stringers, for bottom skin, between frames 28 and 29	3	DTD.610		
	D.186527					TOGGLE, ATTACHMENTS, AT DOOR OPENINGS, SUB-ASSEMBLY	—	—		
5855	A.205075					Cable, retaining engine access panel	1	—	C.	
3843	K.A.C. C3903/1					Fitting, attachment	3	—	C.	JB.5
3844	K.A.C. C3903/2					Fitting, attachment	1	—	C.	JB.5
3845	K.A.C. C3903/3					Fitting, attachment	1	—	C.	JB.5
	K.A.C. D4483					Fitting, attachment	1	—	—	
2167	A.188887					Fitting, hinge, for engine access door	1	Stamping	MR/C	
2168	A.188888					Fitting, hinge, for engine access door	1	Stamping	MR/C	
1024	K.A.C. C3100/H					Lever and catch pin	6	—	C.	JB.5
2171	A.189447					Stiffener, for gearbox access door	1	L.72	MR/C	
2172	A.189446					Stiffener, for engine starter access door	1	L.72	MR/C	
2147	Std.915/C/20					Washer, at "King Aircraft" attachment fittings	6	DTD.610	C.	4
2173	E.183420/1					Skin, top, nose spar to main spar, port (Identical to 26FX/7558, D.203702/1)	1	DTD.546	MR/B	JB.2
2174	E.183420/2					Skin, top, nose spar to main spar, starboard (Identical to 26FX/7559, D.203702/2)	1	DTD.546	MR/B	JB.2
1825	E.183420/3					Skin, side, nose spar to frame 21, port (Identical to 26FX/7560, D.203702/3)	1	DTD.546	B.	JB.2
1826	E.183420/4					Skin, side, nose spar to frame 21, starboard (Identical to 26FX/7561, D.203702/4)	1	DTD.546	B.	JB.2
1827	E.183420/5					Skin, side, frame 21 to main spar, port (Identical to 26FX/7562, D.203702/5)	1	DTD.546	B.	JB.2
1828	E.183420/6					Skin, side, frame 21 to main spar, starboard	1	DTD.546	B.	JB.2

RESTRICTED

Hunter F. Mk. 4
Issued with Amendment List No. 18

FUSELAGE—CENTRE PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Score	Place No.
		1	2	3	4	5				
4529	E.200955/1					Skin, top, main spar to rear spar, port ...	1	DTD.546	B.	JB.2
4530	E.200955/2					Skin, top, main spar to rear spar, starboard ...	1	DTD.546	B.	JB.2
4531	E.200955/3					Skin, side, main spar to rear spar, port ...	1	DTD.546	B.	JB.2
4532	E.200955/4					Skin, side, main spar to rear spar, starboard ...	1	DTD.546	B.	JB.2
2177	E.183420/13					Skin, top, rear spar to frame 40A, port ... (Identical to 26FX/7541, E.201049/1)	1	DTD.610	MR/B	JB.2
2178	E.183420/14					Skin, top, rear spar to frame 40A, starboard ... (Identical to 26FX/7542, E.201049/2)	1	DTD.610	MR/B	JB.2
1831	E.183420/15					Skin, side, rear spar to frame 40A, port ... (Identical to 26FX/7543, E.201049/3)	1	DTD.610	B.	JB.2
1832	E.183420/16					Skin, side, rear spar to frame 40A, starboard ... (Identical to 26FX/7544, E.201049/4)	1	DTD.610	B.	JB.2
9401	F.221636					Socket, for engine oil filler drain pipe (Mod.344)	1	S.3 & T.26	C.	
	C.205785-6					STOP, FOR UNDERCARRIAGE FAIRING DOOR AND SEQUENCE VALVE MOUNTING, SUB-ASSEMBLY	—	—		
5177	B.201691					Bracket, forward, port (8 morse No.21 holes omitted)	1	L.72	C.	JB.2
5178	B.201692					Bracket, forward, starboard (8 morse No.21 holes omitted)	1	L.72	C.	JB.2
5179	B.201693					Bracket, aft, port (8 morse No. 21 holes omitted)	1	L.72	C.	JB.2
5180	B.201694					Bracket, aft, starboard (8 morse No.21 holes omitted)	1	L.72	C.	JB.2
5815	A.189625					Bracket, mounting, for sequence valve, port ...	1	DTD.610	C.	
5816	A.189626					Bracket, mounting, for sequence valve, starboard ...	1	DTD.610	C.	
5732	A.201677					Bracket, reinforcing, port ...	1	S.3	MR/C	
5733	A.201678					Bracket, reinforcing, starboard ...	1	S.3	MR/C	
5734	C.201673					Bracket, lower, forward, port ...	1	L.72	MR/C	
5735	C.201674					Bracket, lower, forward, starboard ...	1	L.72	MR/C	
5736	C.201675					Bracket, lower, aft, port ...	1	L.72	MR/C	
5737	C.201676					Bracket, lower, aft, starboard ...	1	L.72	MR/C	
5738	A.202891					Bracket, guide, port ...	1	DTD.364 & St. St.	MR/C	
5739	A.202892					Bracket, guide, starboard ...	1	DTD.364 & St. St.	MR/C	
8402	F.209988					Bush, for operating lever (Mod.314) ...	2	BSS.369	C.	
7855	A.209985					Lever, operating sequence valve, port (Mod. 314)	1	Casting	C.	JB.2
7856	A.209987					Lever, operating sequence valve, starboard (Mod.314)	1	Casting	C.	JB.2
1014	F.189628					Rod, operating ...	2	S.95.B	C.	JB.2
1013	F.189627					Screw, special ...	2	S.95.B	C.	JB.2
4650	F.198997					Screw, special, for stop adjustment ...	2	S.95.B	C.	JB.2
1015	F.189629					Stop, at top of operating rod ...	2	S.95.B	C.	JB.2
4651	F.196854					Stud, special ...	2	S.3 & S.21	C.	
1016	F.187086					Trunnion ...	2	S.94.B	C.	JB.2
	C.205785/1					Tube, distance (may be made from 1567/23 '060)	2	T.26		
2179	E.183420/18					Strap, bottom, at frame 34 ...	1	DTD.610	MR/C	JB.4
2180	D.182826					Strap, reinforcing, at frame 21, bottom portion ...	1	DTD.546	MR/C	JB.4
2183	C.182636					Strap, reinforcing, at rear spar, bottom portion ...	1	DTD.546	MR/C	JB.4
2181	C.182631					Strap, reinforcing, at main spar, bottom portion, port	1	DTD.546	MR/C	JB.4
2182	C.182632					Strap, reinforcing, at main spar, bottom portion, starboard	1	DTD.546	MR/C	JB.4

RESTRICTED

FUSELAGE—CENTRE PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	C.197867	TRAY, DRIP, FOR HYDRAULIC RESERVOIR, ASSEMBLY					—	—		
	F.197869	Socket					1	S.3 & T.26		
	B.197868	Tray, drip					1	L.59 & L.54		
	B.199734	Vent-pipe, case breather, group					1	—		
5817	A.193564	Sleeve					1	T.45 & S.3	C.	
1753	A.192205	Spring					1	Sp. St.	C.	
1752	A.192204	Vent-pipe					1	S.3	C.	
	E.182426	SKIN, SUPPORTING, FOR AIR INTAKE AND CENTRE FUEL TANK, ASSEMBLY					—	—		
4720	F.194933	Angle, for attaching hydraulic pipes					1	DTD.610	MR/C	
	D.180948	BREECHES-PIECE, DETAIL SUB-ASSEMBLY					—	—		
2184	B.189308	Ring, retaining sealing rubber at frame 29, aft					1	DTD.610	MR/C	JB.6
6758	B.213115	Ring, sealing, at frame 28, aft					1	Rubber	C.	JB.6
2185	C.178230	Diaphragm, at frame 28, group					1	—	MR/B	
	B.178235	Angle, port					1	DTD.546		
	B.178236	Angle, starboard					1	DTD.546		
	B.178231	Diaphragm					1	DTD.610		
	B.186121	Ring, supporting, port					1	DTD.610		
	B.186122	Ring, supporting, starboard					1	DTD.610		
2186	B.177538	Member, bottom, for frame 29, forward					1	DTD.166	MR/C	
2187	B.177539	Member, bottom, for frame 29, aft					1	DTD.166	MR/C	
6054	A.204325	Packing, at frame 29					1	L.72	MR/C	
2188	B.182435	Stiffener, bottom, for frame 30					1	DTD.610	MR/C	
2189	C.182434	Stiffener, bottom, for frame 31					1	DTD.610	MR/C	
	E.200962	SKINS, FOR CENTRE FUEL TANK, SUB-ASSEMBLY					—	—		
4533	E.200962/3	Skin, forward bottom, port					1	L.72	B.	JB.3
4534	E.200962/4	Skin, forward bottom, starboard					1	L.72	B.	JB.3
2605	E.182428/7	Skin, aft bottom, port					1	L.72	MR/B	JB.3
2606	E.182428/8	Skin, aft bottom, starboard					1	L.72	MR/B	JB.3
	D.182430-1	SKINS, LOWER, FOR CENTRE FUEL TANK AND PILOTS' FLOOR, SUB-ASSEMBLY					—	—		
2607	B.182441	Angle, between frames 28 and 32					1	DTD.610	MR/C	
7086	B.182443	Angle, between frames 28 and 32					1	DTD.610	MR/C	
2608	B.182437	Ceiling, between frames 27 and 28, port					1	DTD.610	MR/C	
2609	B.182438	Ceiling, between frames 27 and 28, starboard					1	DTD.610	MR/C	
2610	D.182430/1	Diaphragm, forward, port					1	DTD.610	MR/C	
2611	D.182430/2	Diaphragm, aft, port					1	DTD.610	MR/C	
7084	D.182431/1	Diaphragm, forward, starboard					1	DTD.610	MR/C	
7085	D.182431/2	Diaphragm, aft, starboard					1	DTD.610	MR/C	
2612	D.182430/3	Floor, forward					1	DTD.610	MR/C	
2613	D.182430/4	Floor, aft					1	DTD.610	MR/C	
2614	B.182439	Trough, port					1	DTD.610	MR/C	
2615	B.182440	Trough, starboard					1	DTD.610	MR/C	
	D.180824-5	SKIN, SUPPORTING, FORWARD FUEL TANK, ASSEMBLY					—	—		
	D.180829	Skin, supporting centre wall, for front fuel tank, port, group					1	—		

RESTRICTED

Hunter F. Mk. 4
Issued with Amendment List No. 18

FUSELAGE—CENTRE PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	D.180830	Skin, supporting centre wall, for front fuel tank, starboard, group					1	—		
4721	F.195551	Angle, attaching hydraulic pipes					1	DTD.610	MR/C	
2616	D.180829/8	Angle, for diaphragm, port					1	DTD.610	MR/C	
2617	D.180830/8	Angle, for diaphragm, starboard					1	DTD.610	MR/C	
4722	F.197468	Bracket, mounting, for transfer pressure switch, balance pipes					1	—	MR/C	
2618	A.180855	Channel, supporting diaphragm					1	Rolled Section	MR/C	
2619	B.180845	Diaphragm, bottom, aft					1	DTD.610	MR/C	
8221	B.215750	Diaphragm, bottom forward, port (Mod. 138)					1	DTD.610	MR/C	
2621	B.180844	Diaphragm, bottom forward, starboard					1	DTD.610	MR/C	
2622	F.182567	Plate, reinforcing, bottom portion					2	DTD.610	MR/C	
2623	A.193269	Plate, reinforcing, bottom portion					1	DTD.610	MR/C	
2624	F.192312	Plate, reinforcing, bottom portion, port					1	DTD.610	MR/C	
2625	F.192313	Plate, reinforcing, bottom portion, starboard					1	DTD.610	MR/C	
4211	Std.1687/2	Saddle, attaching electrical cables (Port only)					3	DTD.610	C.	5
2626	B.178521	Stringer "J", nose spar to frame 21, port					1	DTD.364	MR/C	JB.4
2627	B.178522	Stringer "J", nose spar to frame 21, starboard					1	DTD.364	MR/C	JB.4
2628	C.178523	Stringer "J", frame 21 to main spar, port					1	DTD.364	MR/C	JB.4
2629	C.178524	Stringer "J", frame 21 to main spar, starboard					1	DTD.364	MR/C	JB.4
2630	C.178641	Stringer "J", main spar to rear spar, port					1	DTD.364	MR/C	JB.4
2631	C.178642	Stringer "J", main spar to rear spar, starboard					1	DTD.364	MR/C	JB.4
2632	D.179961	Stringer "J", rear spar to frame 40, port					2	DTD.364	MR/C	JB.4
2634	D.179963	Stringer "K", between rear spar and frame 40A, port					1	DTD.364	MR/C	JB.4
2635	D.179964	Stringer "K", between rear spar and frame 40A, starboard					1	DTD.364	MR/C	JB.4
2636	B.178525	Stringer "K", between nose spar and frame 21, port					1	DTD.364	MR/C	JB.4
2637	B.178526	Stringer "K", between nose spar and frame 21, starboard					1	DTD.364	MR/C	JB.4
2638	C.178527-8	Stringer "K", between frame 21 and main spar, port					2 prs	DTD.364	MR/C	JB.4
2640	C.178643	Stringer "K", main spar to rear spar					2	DTD.364	MR/C	JB.4
2641	D.179965	Stringer "L", between frames 37 and 40A, port					1	DTD.364	MR/C	JB.4
2642	D.179966	Stringer "L", between frames 37 and 40A, starboard					1	DTD.364	MR/C	JB.4
	D.180831	STRUCTURE, SUPPORTING, FOR FUEL TANKS, ASSEMBLY					—	—		
4675	F.180854	Bracket					2	DTD.364	MR/C	JB.10
4676	C.180832	Channel					1	DTD.610	MR/C	JB.10
4677	C.180833	Channel					1	DTD.610	MR/C	JB.10
4678	C.180834	Channel					1	DTD.610	MR/C	JB.10
4679	C.180835	Channel					1	DTD.610	MR/C	JB.10
4680	B.180846	Member, inter-costal, port					1	—	MR/C	JB.10
4681	B.180847	Member, inter-costal, starboard					1	—	MR/C	JB.10
4682	A.180848	Member, inter-costal, frames 21-22, port					1	DTD.610	MR/C	JB.10
4683	A.180849	Member, inter-costal, frames 21-22, starboard					1	DTD.610	MR/C	JB.10
4684	A.180850	Member, inter-costal, frames 22-23, port					1	DTD.610	MR/C	JB.10
4685	A.180851	Member, inter-costal, frames 22-23, starboard					1	DTD.610	MR/C	JB.10

RESTRICTED

FUSELAGE—CENTRE PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
4686	A.180852	Member,	inter-costal,	frames 23-25,	port ...	...	1	DTD.610	MR/C	JB.10
4687	A.180853	Member,	inter-costal,	frames 23-25,	starboard ...	...	1	DTD.610	MR/C	JB.10
4688	C.180840	Plate,	fuel pump mounting	...	...	...	2	DTD.610	MR/C	JB.10
4689	C.180841	Plate,	recuperator mounting,	port ...	...	...	1	DTD.610	MR/C	JB.10
4690	C.180842	Plate,	recuperator mounting,	starboard ...	...	...	1	DTD.610	MR/C	JB.10
8431	Chekaleke	Plug	...	...	...	...	16	—	C.	
or	No. 5 or									
8432	No. 6									
4652	Std.1299/3	Stud,	securing guard and clips	...	...	...	21	S.95.B	C.	4
	E.200963-4	STUB-WING, ASSEMBLY ...					—	—		
	D.182684-5	BOUNDARY LAYER DUCT, SUB-ASSEMBLY ...					—	—		
2643	B.183782	Leading edge section,	forward of nose spar,	port	...	...	1	DTD.364	MR/C	JB.4
2644	B.183783	Leading edge section,	forward of nose spar,	starboard	...	...	1	DTD.364	MR/C	JB.4
5712	A.183784	Spacer,	at forward end of duct	...	...	...	4	DTD.364	MR/C	JB.4
	C.222754-5	DUCT, ASSEMBLY (Mod. 535) ...					—	—		
	F.216328	Angle,	port	...	...	...	1	L.72		
	F.216329	Angle,	starboard	...	...	...	1	L.72		
	A.216330	Bracket,	port	...	...	...	1	L.72		
	A.216331	Bracket,	starboard	...	...	...	1	L.72		
	Std.841/39	Clip,	securing duct	...	...	...	2	DTD.610		
	Std.1188/1	Clip,	securing duct	...	...	...	2	DTD.610		
	F.216332	Duct	...	...	...	...	2	L.67		
	D.179488	Fillet,	for wing aft of rear spar,	port group	...	...	1	—		
	D.179489	Fillet,	for wing aft of rear spar,	starboard group	...	...	1	—		
2645	B.181497	Angle,	for seal retaining,	top port	...	...	1	DTD.610	MR/C	JB.2
2646	B.181498	Angle,	for seal retaining,	top starboard	...	...	1	DTD.610	MR/C	JB.2
2647	B.181499	Angle,	for seal retaining,	bottom port	...	...	1	DTD.610	MR/C	JB.2
2648	B.181500	Angle,	for seal retaining,	bottom starboard	...	...	1	DTD.610	MR/C	JB.2
2649	A.188212	Angle,	for seal retaining,	top forward, port	...	...	1	DTD.610	MR/C	JB.2
2650	A.188313	Angle,	for seal retaining,	top forward, starboard	...	...	1	DTD.610	MR/C	JB.2
2651	A.188214	Angle,	for seal retaining,	bottom forward, port	...	...	1	DTD.610	MR/C	JB.2
2652	A.188215	Angle,	for seal retaining,	bottom forward, starboard	...	...	1	DTD.610	MR/C	JB.2
1027	D.179488/A	Fillet,	top, removable,	port	...	...	1	DTD.610	B.	JB.1
1028	D.179488/B	Fillet,	bottom, forward, removable,	port	...	...	1	DTD.610	B.	JB.1
1029	D.179488/C	Fillet,	bottom, aft, removable,	port	...	...	1	DTD.610	B.	JB.1
1030	D.179489/A	Fillet,	top, removable,	starboard	...	...	1	DTD.610	B.	JB.1
1031	D.179489/B	Fillet,	bottom, forward, removable,	starboard	...	...	1	DTD.610	B.	JB.1
1032	D.179489/C	Fillet,	bottom, aft, removable,	starboard	...	...	1	DTD.610	B.	JB.1
	C.190330	PANEL, ACCESS FOR HYDRAULIC RESERVOIR, SUB-ASSEMBLY					—	—		
	B.190332	Landing,	group	...	...	...	1	DTD.610		
28FP/341	Dzus S.5.325	Spring	...	...	...	...	1	—	C.	
3762	Std.915/A/18	Washer	...	...	...	...	1	DTD.610	MR/C	4
1033	B.190331	Panel,	group	...	...	...	1	DTD.610	C.	JB.1
28FP/617	Dzus EF5/45B	Fastener	...	...	...	...	3	—	C.	

RESTRICTED

Hunter F. Mk. 4
Issued with Amendment List No. 18

FUSELAGE—CENTRE PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Score	Plate No.
		1	2	3	4	5				
2653	F.181992					Plate, nut, at rear spar	2	S.3	MR/C	
	C.181538					Plate, for rubber seal retaining, port ...	1	DTD.610		
	C.181539					Plate, for rubber seal retaining, starboard ...	1	DTD.610		
1706	Std.1703/6C					Screw	130	S.95.B.	C.	5
6752	Std.1703/9C					Screw	2	S.95.B.	C.	5
2654	A.182036					Trailing edge	2	L.33, L.51 or L.1	MR/C	JB.1
2655	C.180004					Member, top, at leading edge, port	1	DTD.610	MR/C	JB.2
2656	C.180005					Member, top, at leading edge, starboard ...	1	DTD.610	MR/C	JB.2
2657	C.180006					Member, bottom, at leading edge, port ...	1	DTD.610	MR/C	JB.2
2658	C.180007					Member, bottom, at leading edge, starboard ...	1	DTD.610	MR/C	JB.2
2659	C.178820					Mounting, for undercarriage wheel door hinge, port	1	—	MR/C	JB.2
2660	C.178821					Mounting, for undercarriage wheel door hinge, starboard	1	—	MR/C	JB.2
2661	C.180008					Rib, No. 1, at leading edge, top, port	1	DTD.610	MR/B	JB.2
2662	C.180009					Rib, No. 1, at leading edge, top, starboard ...	1	DTD.610	MR/B	JB.2
2663	B.180010					Rib, No. 2, at leading edge, top, port (Pre-Mod. 535)	1	DTD.610	MR/B	
	B.222750					Rib, No. 2, at leading edge, top, port (Mod. 535)	1	DTD.610	—	JB.2
2664	B.180011					Rib, No. 2, at leading edge, top, starboard (Pre-Mod. 535)	1	DTD.610	MR/B	
	B.222751					Rib, No. 2, at leading edge, top, starboard (Mod. 535)	1	DTD.610	—	JB.2
2665	B.180012					Rib, No. 3, at leading edge, top, port	1	DTD.610	MR/B	JB.2
2666	B.180013					Rib, No. 3, at leading edge, top, starboard ...	1	DTD.610	MR/B	JB.2
2667	B.180014					Rib, No. 1, at leading edge, bottom, port ...	1	DTD.610	MR/B	JB.2
2668	B.180015					Rib, No. 1, at leading edge, bottom, starboard ...	1	DTD.610	MR/B	JB.2
2669	B.180016					Rib, No. 2, at leading edge, bottom, port ...	1	DTD.610	MR/B	JB.2
2670	B.180017					Rib, No. 2, at leading edge, bottom, starboard ...	1	DTD.610	MR/B	JB.2
2671	B.180018					Rib, No. 3, at leading edge, bottom, port ...	1	DTD.610	MR/B	
2672	B.180019					Rib, No. 3, at leading edge, bottom, starboard ...	1	DTD.610	MR/B	
2673	B.180020					Rib, outboard, at leading edge	1	DTD.610	MR/B	JB.2
2674	B.180021					Rib, outboard, at leading edge	1	DTD.610	MR/B	JB.2
	D.196440-1					SEALING, BETWEEN STUB-WING AND WING SUB-ASSEMBLY	—	—		
3847	A.196439					Pad, sealing, at trailing edge	2	Volcrepe T.L.S.	C.	JB.2
3848	A.196438					Strip, sealing, at leading edge	2	Volcrepe T.L.S.	C.	JB.2
—	—					Strip, sealing, 1" wide x $\frac{3}{16}$ " thick (D.196440/1 to 5, and D.196441/1) (Make from 32C/660)	30'	Volcrepe	—	
4023	Std.1509/12/018					Tube, distance, $\frac{1}{4}$ " o/d x 20 s.w.g. x 0.18" long (Make from 30B/619)	6	T.4	MR/C	4
	D.200965-6					SKIN, COVERING, ASSEMBLY	—	—		
3852	A.195904					Door, access, to hydraulic connections	2	DTD.610	C.	JB.1
7875	C.216760					Fairing, outboard, port (undrilled)	1	DTD.610	B.	JB.1
7876	C.216761					Fairing, outboard, starboard (undrilled) ...	1	DTD.610	B.	JB.1
2676	B.192636					Landing, forward, for stub-wing access panel, port	1	DTD.610	MR/C	JB.4
2677	B.192637					Landing, forward, for stub-wing access panel, starboard	1	DTD.610	MR/C	JB.4
2678	B.192640					Landing, aft, for stub-wing access panel, port	1	DTD.610	MR/C	JB.4
2679	B.192641					Landing, aft, for stub-wing access panel, starboard	1	DTD.610	MR/C	JB.4
2680	B.192638					Landing, inboard, for stub-wing access panel, port	1	DTD.610	MR/C	JB.4
2681	B.192639					Landing, inboard, for stub-wing access panel, starboard	1	DTD.610	MR/C	JB.4

RESTRICTED

FUSELAGE—CENTRE PORTION

Ref. No.	Part No.	Description					No. Off.	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
4016	A.195903					Landing, for hydraulic connection access door	2	DTD.610	MR/C	JB.4
1821	C.182596					Nosing, top, port	1	—	B.	JB.1
1822	C.182597					Nosing, top, starboard	1	—	B.	JB.1
1823	C.182598					Nosing, bottom, port	1	—	B.	JB.1
1824	C.182599					Nosing, bottom, starboard	1	—	B.	JB.1
1038	D.188722					Panel, access, for pin joint at main spar, top, port	1	DTD.610	B.	JB.1
1039	D.188723					Panel, access, for pin joint at main spar, top, starboard	1	DTD.610	B.	JB.1
5818	C.200861					Panel, access to pressure relief valve, port	1	L.72	C.	
5819	C.200862					Panel, access to pressure relief valve, starboard	1	L.72	C.	
4723	F.199630					Panel, access to undercarriage hydraulic connection	2	—	MR/C	
1040	D.188724					Panel, access, for pin joint at main spar, bottom, port	1	DTD.610	B.	JB.1
1041	D.188725					Panel, access, for pin joint at main spar, bottom, starboard	1	DTD.610	B.	JB.1
7839	D.211964					Panel, access, on underside of stub-wing, port, group (Mod. 229)	1	DTD.610	B.	JB.1
7988	B.211962					Door, access to armament safety plug, group	1	—	C.	JB.1
	Fairey FS430/E					Fastener, type 3	1	—		
	F.211961					Packing	2	L.72		
	C.222752-3					PANEL, ACCESS TO STUB-WING, ASSEMBLY (Mod. 535)	—	—		
9418	B.216139					Panel, access, port	1	—	C.	
9419	B.216140					Panel, access, starboard	1	—	C.	
1781	D.192980					Panel, access, on underside of stub-wing, starboard, group	1	DTD.610	B.	JB.5
4724	A.199629					Plate, reinforcing, for undercarriage hydraulic connections	2	DTD.610	MR/C	
4725	F.196550					Retainer, for sealing, port	2	DTD.610	MR/C	
4726	F.196551					Retainer, for sealing, starboard	2	DTD.610	MR/C	
1807	D.182688/1					Skin, top, nose spar to main spar, inboard, port (supplied flat)	1	DTD.610	B.	JB.1
1808†	D.182688/2					Skin, top, nose spar to main spar, outboard, port (Pre-Mod. 508)	1	DTD.610	B.	
	D.182688/22					Skin, top, nose spar to main spar, outboard, port (Mod. 508)	1	DTD.610	—	JB.1
1809	D.182688/3					Skin, forward of nose spar, top, port	1	DTD.610	B.	JB.1
1810	D.182688/4					Skin, forward of nose spar, top, port (Pre-Mod. 535)	1	DTD.610	B.	
	D.200965/2					Skin, top, port (Mod. 535)	1	L.72	—	JB.1
1811	D.182688/5					Skin, forward of nose spar, top, port	1	DTD.610	B.	JB.1
1812†	D.182688/6					Skin, top, aft of main spar, port	1	DTD.610	B.	JB.1
2682	D.182688/9					Skin, forward of nose spar, bottom port	1	DTD.610	MR/B	JB.1
2683	D.182688/10					Skin, forward of nose spar, bottom port	1	DTD.610	MR/B	JB.1
2684	D.182688/11					Skin, forward of nose spar, bottom port	1	DTD.610	MR/B	JB.1
1813†	D.182688/15					Skin, bottom, inboard of wheel door, port	1	DTD.610	B.	JB.1
	D.182688/23					Skin, bottom, outboard, rear of nose spar, port (Mod. 508)	1	DTD.610		
	D.182689/1					Skin, top, nose spar to main spar, inboard, starboard (Use 26FX/1807)	1	DTD.610	—	JB.1

RESTRICTED

Hunter F. Mk. 4
Issued with Amendment List No. 18

FUSELAGE—CENTRE PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
1815	D.182689/2					Skin, top, nose spar to main spar, outboard, starboard (Pre-Mod. 508)	1	DTD.610	B.	
	D.182689/22					Skin, top, nose spar to main spar (Mod. 508)	1	DTD.610	—	JB.1
1816	D.182689/3					Skin, forward of nose spar, top, starboard ...	1	DTD.610	B.	JB.1
1817	D.182689/4					Skin, forward of nose spar, top, starboard (Pre-Mod. 535)	1	DTD.610	B.	JB.1
	D.200966/2					Skin, top, starboard (Mod. 535) ...	1	L.72		
1818	D.182689/5					Skin, forward of nose spar, top, starboard ...	1	DTD.610	B.	JB.1
1819	D.182689/6					Skin, top, aft of main spar, starboard ...	1	DTD.610	B.	
2685	D.182689/9					Skin, forward of nose spar, bottom, starboard	1	DTD.610	MR/B	JB.1
2686	D.182689/10					Skin, forward of nose spar, bottom, starboard	1	DTD.610	MR/B	JB.1
2687	D.182689/11					Skin, forward of nose spar, bottom, starboard	1	DTD.610	MR/B	JB.1
1820	D.182689/15					Skin, bottom, inboard of wheel door, starboard	1	DTD.610	B.	JB.1
	D.182689/23					Skin, bottom, outboard, rear of nose spar, starboard (Mod. 508)	1	DTD.610		
	D.185971-2					SLOTS, FOR AIR INTAKE AT NOSE SPAR, PORT, SUB-ASSEMBLY (Pre-Mod. 508)	—	—		
1034	C.187061					Door, top, group (Pre-Mod. 508) ...	2	DTD.610	B.	JB.1
	—					Pin, for hinge (AS.1880) ...	1	—		
1035	A.187071					Spring ...	2	Sp. St.	C.	
1036	C.187063					Door, bottom, port, group (Pre-Mod. 508)	1	DTD.610	B.	JB.1
	—					Pin, for hinge (AS.1880) ...	1	—		
1035	A.187071					Spring ...	2	Sp. St.	C.	
1037	C.187064					Door, bottom, starboard, group (Pre-Mod. 508)	1	DTD.610	B.	JB.1
	—					Pin, for hinge (AS.1880) ...	1	—		
1035	A.187071					Spring ...	2	Sp. St.	C.	
	E.182686-7					SKIN COVERING, AIR INTAKE ASSEMBLY ...	—	—		
	C.222756-7					MOUNTING, FOR DME AERIAL, ASSEMBLY (Mod. 535)	—	—		
	F.216141					Bracket, for eye bolt ...	4	S.96.B		
	F.217474					Bracket ...	2	L.72		
	F.216142					Eyebolt ...	4	S.96.B		

RESTRICTED

FUSELAGE—CENTRE PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
SUMMARY OF STOCK ITEMS										
28D/13868	A25.1.B	Bolt	...	...	...	...	...	—	—	—
28D/12528	A25.1.B	Bolt, 4 B.A.	...	...	...	...	...	—	—	—
28D/14194	A25.1.C	Bolt	...	...	...	...	...	—	—	—
28D/12512	A25.1.C	Bolt, 2 B.A.	...	...	...	...	...	—	—	—
28D/12513	A25.2.C	Bolt, 2 B.A.	...	...	...	...	...	—	—	—
28D/12531	A25.3.C	Bolt, 2 B.A.	...	...	...	...	...	—	—	—
28D/12532	A25.4.C	Bolt, 2 B.A.	...	...	...	...	...	—	—	—
28D/12566	A25.6.C	Bolt, 2 B.A.	...	...	...	...	...	—	—	—
28D/12514	A25.7.C	Bolt, 2 B.A.	...	...	...	...	...	—	—	—
28D/12629	A25.8.C	Bolt, 2 B.A.	...	...	...	...	...	—	—	—
28D/12536	A25.13.C	Bolt, 2 B.A.	...	...	...	...	...	—	—	—
28D/12537	A25.14.C	Bolt, 2 B.A.	...	...	...	...	...	—	—	—
28D/12538	A25.15.C	Bolt, 2 B.A.	...	...	...	...	...	—	—	—
28D/12630	A25.19.C	Bolt, 2 B.A.	...	...	...	...	...	—	—	—
28D/12519	A25.3.E	Bolt, 1/4" B.S.F.	...	...	...	...	...	—	—	—
28D/12633	A25.7.E	Bolt, 1/4" B.S.F.	...	...	...	...	...	—	—	—
28D/12716	A25.16.E	Bolt, 1/4" B.S.F.	...	...	...	...	...	—	—	—
28D/12548	A25.17.E	Bolt, 1/4" B.S.F.	...	...	...	...	...	—	—	—
28D/12634	A25.18.E	Bolt, 1/4" B.S.F.	...	...	...	...	...	—	—	—
28D/13100	A30.5.E	Bolt, 1/4" B.S.F.	...	...	...	...	...	—	—	—
28D/13046	A25.19.E	Bolt, 1/4" B.S.F.	...	...	...	...	...	—	—	—
28D/13262	A30.6.E	Bolt, 1/4" B.S.F.	...	...	...	...	...	—	—	—
28D/14434	A25.31.G	Bolt, 3/8" B.S.F.	...	...	...	...	...	—	—	—
28D/13473	A30.8.J	Bolt, 3/8" B.S.F.	...	...	...	...	...	—	—	—
28D/13070	A25.38.G	Bolt, 3/8" B.S.F.	...	...	...	...	...	—	—	—
28D/13369	A30.9.J	Bolt, 3/8" B.S.F.	...	...	...	...	...	—	—	—
28D/15068	A57.2.E	Bolt, 3/8" B.S.F.	...	...	...	...	...	—	—	—
28D/13445	A30.11.J	Bolt, 3/8" B.S.F.	...	...	...	...	...	—	—	—
28D/12179	AGS.571/505	Bolt, 3/8" B.S.F.	...	...	...	...	...	—	—	—
28D/13101	A30.12.J	Bolt, 3/8" B.S.F.	...	...	...	...	...	—	—	—
28D/15069	A57.18.G	Bolt, 3/8" B.S.F.	...	...	...	...	...	—	—	—
28D/15070	A57.25.G	Bolt, 3/8" B.S.F.	...	...	...	...	...	—	—	—
28D/8300	AS.1242.1B	Bolt	...	...	...	...	...	—	—	—
28D/8303	AS.1242.4B	Bolt, 4 B.A.	...	...	...	...	...	—	—	—
28D/8304	AS.1242.6B	Bolt	...	...	...	...	...	—	—	—
28D/8306	AS.1242.1C	Bolt, 2 B.A.	...	...	...	...	...	—	—	—
28D/8307	AS.1242.2C	Bolt, 2 B.A.	...	...	...	...	...	—	—	—
28D/8308	AS.1242.3C	Bolt, 2 B.A.	...	...	...	...	...	—	—	—
28D/8311	AS.1242.7C	Bolt, 2 B.A.	...	...	...	...	...	—	—	—
28D/8324	AS.1242.3E	Bolt, 1/4" B.S.F.	...	...	...	...	...	—	—	—
28D/12124	AS.1242.19E	Bolt, 1/4" B.S.F.	...	...	...	...	...	—	—	—
28D/12052	AS.1242.20E	Bolt, 1/4" B.S.F.	...	...	...	...	...	—	—	—
28D/10764	AS.1248.1B	Bolt, 4 B.A.	...	...	...	...	...	—	—	—
28D/9353	AS.1248.1C	Bolt, 2 B.A.	...	...	...	...	...	—	—	—
28D/8341	AS.1248.1C	Bolt, 2 B.A.	...	...	...	...	...	—	—	—
28D/8342	AS.1248.2C	Bolt, 2 B.A.	...	...	...	...	...	—	—	—
28D/12478	AS.1248.19C	Bolt, 2 B.A.	...	...	...	...	...	—	—	—
28E/10027	AS.2295/1	Clip	...	...	...	...	...	—	—	—
28M/13271	A24.E.P.	Nut, 1/4" B.S.F.	...	...	...	...	...	—	—	—
28M/13273	A24.J.P.	Nut, 3/8" B.S.F.	...	...	...	...	...	—	—	—
28M/14438	A24.L.P.	Nut, 3/8" B.S.F.	...	...	...	...	...	—	—	—
28L/13140	A27.B.T.	Nut, 4 B.A.	...	...	...	...	...	—	—	—
28M/12929	A27.C.P.	Nut, 2 B.A.	...	...	...	...	...	—	—	—
28L/13124	A27.C.T.	Nut, 2 B.A.	...	...	...	...	...	—	—	—
28M/12928	A27.E.P.	Nut, 1/4" B.S.F.	...	...	...	...	...	—	—	—
28L/12931	A27.E.T.	Nut, 1/4" B.S.F.	...	...	...	...	...	—	—	—

RESTRICTED


Hunter F. Mk. 4
Issued with Amendment List No. 18

FUSELAGE—CENTRE PORTION


Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Score	Plate No.
		1	2	3	4	5				
28M/13375	A27.G.P.	Nut,	$\frac{3}{8}$ "	B.S.F.	...	...	—	—	—	
28M/13827	A27.N.P.	Nut,	$\frac{3}{8}$ "	B.S.F.	...	...	—	—	—	
28L/13244	A27.P.T.	Nut,	$\frac{3}{8}$ "	B.S.F.	...	...	—	—	—	
28M/13403	AGS.572.A.P.	Nut,	$\frac{3}{8}$ "	B.S.F.	...	...	—	—	—	
28M/13439	AGS.572.C.P.	Nut,	$\frac{3}{8}$ "	B.S.F.	...	...	—	—	—	
28M/14440	A58.J.T.	Nut,	$\frac{3}{8}$ "	B.S.F.	...	...	—	—	—	
28M/10287	AGS.2001/B1	Nut,	4 B.A.	...	...	...	—	—	—	
28M/10288	AGS.2001/C1	Nut,	2 B.A.	...	...	...	—	—	—	
28M/11957	AGS.2007/C1	Nut,	2 B.A.	...	...	...	—	—	—	
28M/9999	AGS.2012/C11	Nut,	2 B.A.	...	...	...	—	—	—	
28M/10327	AGS.2002.B1	Nut	...	...	...	...	—	—	—	
28M/10240	AGS.2013/C11	Nut,	2 B.A.	...	...	...	—	—	—	
28M/10328	AGS.2002.C1	Nut	...	...	...	...	—	—	—	
28M/12421	AGS.2018/C1	Nut,	2 B.A.	...	...	...	—	—	—	
28M/802	AGS.113C	Nut,	wing	...	...	...	—	—	—	
28M/13279	AGS.2019/C1	Nut,	2 B.A.	...	...	...	—	—	—	
28P/818	SP.4Y.A8	Pin	...	...	...	...	—	—	—	
28P/830	SP.4Y.B4	Pin	...	...	...	...	—	—	—	
28S/13887	A32.B10	Screw,	4 B.A.	...	...	...	—	—	—	
28S/2857	A32.B12	Screw,	4 B.A.	...	...	...	—	—	—	
28W/9419402	SP.13.C	Washer,	2 B.A.	...	...	...	—	—	—	
28W/9419474	SP.15.B	Washer,	4 B.A.	...	...	...	—	—	—	
28W/9419475	SP.15.C	Washer,	2 B.A.	...	...	...	—	—	—	
28W/9419405	SP.15.E	Washer,	$\frac{1}{8}$ " dia.	...	...	...	—	—	—	
28W/9419476	SP.15.G	Washer,	$\frac{3}{16}$ " dia.	...	...	...	—	—	—	
28W/9419477	SP.15.J	Washer,	$\frac{1}{8}$ " dia.	...	...	...	—	—	—	
28W/9419478	SP.15.L	Washer,	$\frac{3}{16}$ " dia.	...	...	...	—	—	—	
28W/9419479	SP.15.N	Washer,	$\frac{1}{8}$ " dia.	...	...	...	—	—	—	
28W/9419404	SP.16.C	Washer,	2 B.A.	...	...	...	—	—	—	
28W/9419487	SP.16.E	Washer,	$\frac{1}{8}$ " dia.	...	...	...	—	—	—	
28W/9419488	SP.16.G	Washer,	$\frac{3}{16}$ " dia.	...	...	...	—	—	—	
28W/9419489	SP.16.J	Washer,	$\frac{3}{8}$ " dia.	...	...	...	—	—	—	
28W/9419493	SP.16.Q	Washer,	$\frac{3}{8}$ " dia.	...	...	...	—	—	—	
28W/3097	AGS.162/B	Washer,	4 B.A.	...	...	...	—	—	—	


RESTRICTED


PRE-MOD. 508





CENTRE FUSELAGE























This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

