



FUSELAGE-PITÔT INSTALLATION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Place No.
		1	2	3	4	5				
	C.187563	PITÔT INSTALLATION IN FRONT FUSELAGE ASSEMBLY					-	-		
	F.220412	Clamp, port side frame 16 (Mod. 417)					1	LFS.21		
2690	F.195016	Cleat, top, at frame 8 ...					6	LFS.21	C.	JJ 1
2691	F.195017	Cleat, bottom, at frame 8 ...					1	LFS.21	C.	JJ.1
3734	Std.840/14	Clip, earthing connection ... (Make from 30B/1433)					22	DTD.610	MR/C	4
2149	F.133671	Pipe, drain ...					2	T.9	C.	JJ.1
†	B.187565/5	Pipe, pressure, joint to joint ...					1	L.54		
†	B.187565/6	Pipe, static, joint to joint ...					1	L.54	—	
†	B.187565/7	Pipe, pressure, joint to bulkhead connection ...					1	L.54	—	
†	B.187565/8	Pipe, static, joint to tee-piece ...					1	L.54	—	
†	B.187565/9	Pipe, static, tee-piece to elbow union ...					1	L.54	—	
†	B.187565/10	Pipe, static, tee-piece to bulkhead connection ...					1	L.54	—	
†	B.187565/11	Pipe, pressure, bulkhead connection to joint ... (Pre Mod. 417)					1	L.54	—	
†	B.187565/12	Pipe, static, bulkhead connection to joint (Pre Mod. 417)					1	L.54	—	
†	B.187565/13	Pipe, pressure, tee-piece to joint ...					1	L.54	—	
†	B.187565/14	Pipe, static, tee-piece to joint ...					1	L.54	—	
†	B.187565/15	Pipe, pressure, flexible pipe to tee-piece ...					1	L.54	—	
†	B.187565/16	Pipe, static, flexible pipe to tee-piece ...					1	L.54	—	
	B.187565/17	Pipe, pressure, bulkhead connection to tee-piece ... (Mod. 417)					1	L.54		
	B.187565/18	Pipe, static, bulkhead connection to tee-piece ... (Mod. 417)					1	L.54	—	
	B.187565/19	Pipe, pressure, tee-piece to union (Mod. 417)					1	L.54	—	
	B.187565/20	Pipe, static, tee-piece to union (Mod. 417)					1	L.54	—	
	B.187565/21	Pipe, pressure, tee-piece to union (Mod. 417)					1	L.54	—	
	B.187565/22	Pipe, static, tee-piece to union (Mod. 417)					1	L.54	—	
	B.187565/25	Pipe, pressure, union to rubber tubing (Mod. 417)					1	L.54	—	
	B.187565/26	Pipe, static, union to rubber tubing (Mod. 417)					1	L.54	—	
5767	Std.1509/12/030	Tube, distance, 1/2" o/d x 22 s.w.g. x 3" long ... (Make from 30B/619)					1	T.4	MR/C	4
32C/477 679	—	Tubing, flexible, 1/2" o/d x 1/4" i/d (MORICAN TYPE II) (FOR MANUFACTURE OF C187563/3 AND 4) (AS.860/8)					QR	—	C.	
† For details see Piping Chart										

FUSELAGE-PITÔT INSTALLATION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.	
		1	2	3	4	5					
		SUMMARY OF STOCK ITEMS									
28V/5104	AGS.838/1	Body, union	...	...	...	...	...	...	-	-	-
28D/12528	A25.1B	Bolt, 4 B.A.	...	...	...	...	...	...	-	-	-
28D/12622	A25.3B	Bolt, 4 B.A.	...	...	...	...	...	...	-	-	-
28D/12530	A.25-6B	Bolt, 4 B.A.	...	...	...	...	...	...	-	-	-
28D/12624	A.25-7B	Bolt, 4 B.A.	...	...	...	...	...	...	-	-	-
28D/12625	A25.9B	Bolt, 4 B.A.	...	...	...	...	...	...	-	-	-
28D/16312	AS.1248.15B	Bolt, 4 B.A.	...	...	...	...	...	...	-	-	-
28V/13603	AGS.838/8	Bush	...	...	...	...	...	...	-	-	-
28E/3321	AGS.606.D	Clip	...	...	...	...	...	...	-	-	-
28E/3322	AGS.606.E	Clip	...	...	...	...	...	...	-	-	-
28V/5107	AGS.838/3	Elbow	...	...	...	...	...	...	-	-	-
5K/3390	AS.3360.B.3.B	Lead, bonding	...	...	...	...	...	...	-	-	-
5K/3355	AS.3360.B.4.B	Lead, bonding	...	...	...	...	...	...	-	-	-
28V/5108	AGS.838/4	Nut, union	...	...	...	...	...	...	-	-	-
28M/10327	AGS.2002/B1	Nut, 4 B.A.	...	...	...	...	...	...	-	-	-
28V/6105	AGS.838/2	Tee	...	...	...	...	...	...	-	-	-
941 9474 28V/12506 12306	SP.15.B	Washer	...	...	...	...	...	...	-	-	-





This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

