

RESTRICTED

MAIN PLANES—LANDING FLAP

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
		1 2 3 4 5				
60	E.180473	<b>FLAP, LANDING, PORT, GROUP</b> ... ..	1	—	A.	KC.1
61	E.180474	<b>FLAP, LANDING, STARBOARD, GROUP</b> ... ..	1	—	A.	KC.1
4056	C.181447	Angle, for leading edge, between ribs 1 and 6, port	1	DTD.364	MR/C	KC.1
4057	C.181448	Angle, for leading edge, between ribs 1 and 6, starboard	1	DTD.364	MR/C	KC.1
4058	C.181449	Angle, for leading edge, between ribs 6 and 9, port	1	DTD.364	MR/C	KC.1
4059	C.181450	Angle, for leading edge, between ribs 6 and 9, starboard	1	DTD.364	MR/C	KC.1
4060	C.181451	Angle, for leading edge, between ribs 9 and 14, port	1	DTD.364	MR/C	KC.1
4061	C.181452	Angle, for leading edge, between ribs 9 and 14, starboard	1	DTD.364	MR/C	KC.1
4062	C.181453	Angle, for leading edge, between ribs 14 and 15, port	1	DTD.364	MR/C	KC.1
4063	C.181454	Angle, for leading edge, between ribs 14 and 15, starboard	1	DTD.364	MR/C	KC.1
4064	A.184425	Bolt, special, for spools at rib 9	12	S.99.B	MR/C	KC.1
4065	A.184426	Bolt, special, for spool at ribs 8 and 10	8	S.99.B	MR/C	KC.1
4066	A.193411	Bracket, sealing cutaway at lever	1	DTD.610	MR/C	
	D.181473	<b>FILLET, INBOARD END, PORT, ASSEMBLY</b>	—	—		
	D.181474	<b>FILLET, INBOARD END, STARBOARD, ASSEMBLY</b>	—	—		
	C.178804	Lever, operating, group	2	Stamping		
	F.178805	Bush	4	S.1		
4067	F.181439	Lug, for leading edge angle	2	DTD.610	MR/C	KC.1
4068	F.181440	Lug, for leading edge angle	2	DTD.610	MR/C	KC.1
4069	F.181441	Lug, for leading edge angle	4	DTD.610	MR/C	KC.1
4070	F.181442	Lug, for leading edge angle	4	DTD.610	MR/C	KC.1
4071	F.181443	Lug, for leading edge angle	1	DTD.610	MR/C	KC.1
4072	F.181444	Lug, for leading edge angle	1	DTD.610	MR/C	KC.1
4073	F.181445	Lug, for leading edge angle	18	DTD.610	MR/C	KC.1
4074	F.181446	Lug, for leading edge angle	4	DTD.610	MR/C	KC.1
4075	C.181346	Plates, reinforcing, port	1	DTD.610	MR/C	KC.1
4076	C.181347	Plates, reinforcing, starboard	1	DTD.610	MR/C	KC.1
4077	C.181350	Rib, No. 1, port	1	DTD.610	MR/C	KC.1
4078	C.181351	Rib, No. 1, starboard	1	DTD.610	MR/C	KC.1
4079	C.180570	Rib, Nos. 2 to 14	26	DTD.610	MR/C	KC.1
4080	C.180571	Rib, No. 15, port	1	DTD.610	MR/C	KC.1
4081	C.180572	Rib, No. 15, starboard	1	DTD.610	MR/C	KC.1
4082	E.180473/1	Skin, port	1	DTD.610	MR/C	KC.1
4083	E.180474/1	Skin, starboard	1	DTD.610	MR/C	KC.1
	C.181344	Spar, port	1	T.60		KC.1
	C.181345	Spar, starboard	1	T.60		KC.1
	C.180717	Spool, for inner bearing port, group	1	—		KC.1
	C.180718	Spool, for inner bearing starboard, group	1	—		KC.1
	F.181472	Bush	4	S.1		
	B.180716	Spool, bearing, group	4	—		
	F.181471	Bush	4	S.1		
	B.181353	Spool, at rib No. 8 and 10	4	Stamping		
	B.182836	Spool, at ribs Nos. 2 to 5, 7, 11, to 13, and 15	18	Stamping		
4581	F.201407	Tappet	2	S.95B.	C.	KC.1
4084	C.181348	Trailing-edge stiffener, port	1	DTD.610	MR/C	KC.1
4085	C.181349	Trailing-edge stiffener, starboard	1	DTD.610	MR/C	KC.1

RESTRICTED

[illegible]


**RESTRICTED**

RESTRICTED

MAIN PLANES—LANDING FLAP

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
		SUMMARY OF STOCK ITEMS								
28H/6324	AGS.934/G/M	Ferrule, screwed	...	...	...	...	...	—	—	—
28R/6328	AGS.935/C	Rod, screwed, 2-75" long	...	...	...	...	...	—	—	—
28H/6325	AGS.934/J/M	Ferrule, screwed	...	...	...	...	...	—	—	—
28R/6329	AGS.935D	Rod, screwed, 2-85" long	...	...	...	...	...	—	—	—
28W/12321	S.P.15.J	Washer	...	...	...	...	...	—	—	—
28W/12322	S.P.16.J	Washer	...	...	...	...	...	—	—	—

RESTRICTED



This file was downloaded  
from the RTFM Library.

Link: [www.scottbouch.com/rtfm](http://www.scottbouch.com/rtfm)

Please see site for usage terms,  
and more aircraft documents.

**TELEBRIEF  
CONNECTIONS**

**E**