

POWER INSTALLATION GEARBOX AND ACCESSORIES

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	D.187592	ACCESSORY DRIVE FOR GEARBOX AND EQUIPMENT, ASSEMBLY					—	—		
412	F.187588	Block, clamp (in halves)					1	DTD.364	C.	LB.1
414	F.187781	Bolt, special, for securing hydraulic pump					4	S.94.B	C.	LB.1
415	F.187782	Bolt, special					2	S.94.B	C.	LB.1
420	F.188684	Bolt, "U", supporting driving shaft at frame 34					1	S.1	C.	LB.1
6395	F.188685	Channel, stop					1	DTD.610	C.	
37L/175	—	Gearbox, accessories drive type TG.5/3 (Pre Mod. 160)					1	—	A.	
37L/5007	—	Gearbox, accessories drive, type T.G.5/8 (Mod. 160)					1	—	A.	
416	A.187589	Eye-end, supporting generators					1	Stamping	C.	LB.1
417	A.187590	Fork-end, at stringer "K," supporting generators					1	S.94.B	C.	LB.1
5UA/6273	—	Generator, type 515A					2	—	A.	
418	F.188834	Nut, lock, for generator support, at stringer "K"					1	S.1	C.	LB.1
6104	F.209992	Piece, distance, between gear box and spar (Mod. 357)					1	DTD.610	C.	
37J/8006	Dowty	Pump, hydraulic, type A8003.Y/R.H./3000					1	—	A.	
37L/364	—	Shaft, drive, GD.9/44					1	—	A.	
1877	B.193774	Spout, air, for generator (Pre Mod. 250)					2	—	C.	LB.1
3807	Std. 1509/23/075	Tube, distance, $\frac{3}{8}$ " o/d $\times$ 17 s.w.g. $\times$ 0.75" long					2	T.4	MR/C	4
5781	Std. 915/E/20	Washer					2	DTD.610	C.	4
3953	Std. 915/E/22	Washer, shim					1	DTD.610	MR/C	4
	Std. 914/J/14	Washer, at generator lug					1	S.1		4

RESTRICTED

Hunter F. Mk. 4
Issued with Amendment List No. 14

POWER INSTALLATION—GEARBOX AND ACCESSORIES

Ref. No.	Part No.	Description								No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5							
SUMMARY OF STOCK ITEMS													
28D/12570	A25.11.E	Bolt, $\frac{1}{4}$ " B.S.F.	...	...	...	...	...	...	...	-	---	---	
28D/12812	A25.12.E	Bolt, $\frac{1}{4}$ " B.S.F.	...	...	...	...	...	...	...	-	---	---	
28D/12818	A25.9.G	Bolt, $\frac{5}{16}$ " B.S.F.	...	...	...	...	...	...	...	-	---	---	
28M/12930	A27.E.S.	Nut, $\frac{1}{4}$ " B.S.F.	...	...	...	...	...	...	...	-	---	---	
28M/13122	A27.G.S.	Nut, $\frac{5}{16}$ " B.S.F.	...	...	...	...	...	...	...	-	---	---	
28M/10288	AGS.2001.C.1	Nut, 2 B.A.	...	...	...	...	...	...	...	-	---	---	
28W/12496	SP.15.E	Washer, $\frac{1}{4}$ " dia.	...	...	...	...	...	...	...	-	---	---	
28W/12324	SP.15.G	Washer, $\frac{5}{16}$ " dia.	...	...	...	...	...	...	...	-	---	---	
28W/12355	SP.16.C	Washer, ...	...	...	...	...	...	...	...	-	---	---	
28W/12347	SP.16.G	Washer, $\frac{5}{16}$ " dia.	...	...	...	...	...	...	...	-	---	---	
28W/12322	SP.16.J	Washer, $\frac{3}{8}$ " dia.	...	...	...	...	...	...	...	-	---	---	
28L/14535	SP.41.L	Washer, tab	...	...	...	...	...	...	...	-	---	---	

RESTRICTED



This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

