

RADIO-RADAR RANGING INSTALLATION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	D.225310	RADAR RANGING INSTALLATION, ASSEMBLY (Mod. 414)					-	-		
10D/18533	—	Box, junction					1	—	A.	
10D/19679	—	Box, junction (Mod. 414)					1	—	A.	
	F.221149	Bracket, switch (Mod. 414)					1	L.72	—	
	—	Cable, electrical (see cable chart)					1	—	—	
1587	F.191915	Clamp, cable, at frame 3					2	LFS.21	C.	MA.1
10H/19445	—	Connector, bulkhead, 3-way					1	—	B.	
10H/19439	—	Connector, bulkhead, 2-way					1	—	B.	
10H/19451	—	Connector, bulkhead, 4-way					1	—	B.	
10H/19457	—	Connector, bulkhead, 6-way					1	—	B.	
10HA/12719	—	Connector, type B6/20B/2					1	—	B.	
10HA/12720	—	Connector, type B12/40F/2					1	—	B.	
10HA/12709	—	Connector, type B18/20C/3					1	—	B.	
10HA/12716	—	Connector, type B18/40F/1					1	—	B.	
10HA/12710	—	Connector, type B18/20C/2					1	—	B.	
10HA/12711	—	Connector, type B8/10C/1					1	—	B.	
10HA/12712	—	Connector, type B4/11C/1					1	—	B.	
10HA/12714	—	Connector, type B22/10C/1					1	—	B.	
10HA/12718	—	Connector, type B6/21C/1					1	—	B.	
10HA/16658	—	Connector, (Mod. 359)					1	—	B.	
10HA/12715	—	Connector, type B22/50E/12					1	—	B.	
10HA/12713	—	Connector, type B4/50F/7					1	—	B.	
10HA/16657	—	Connector, (Mod. 359)					1	—	B.	
10HB/1175	—	Connector, (Mod. 414)					1	—	B.	
10HB/1176	—	Connector, (Mod. 414)					1	—	B.	
	C.196025	COOLING SYSTEM, ASSEMBLY					-	-		
3410	A.192388	Bracket, duct support					1	DTD.610	MR/C	MA.1
924	Std.1682/12	Clip, pipe coupling					4	S.3	C.	5
1680	Std.1166/4	Clip, half, attachment of cooling pipe at air intake					1	S.3	C.	4
5699	Std.1188/10	Clip, pipe coupling					1	DTD.610	MR/C	4
—	C.196025/1	Connection, at cooling pipes, 1.0" i/d x 1 1/8" o/d x 4.30" long (Make from 32C/376)					1	Petrol & Oil Resisting Rubber	—	
27KD/12	Normalair 504300	Coupling, ground cooling					1	—	C.	
10B/16395	—	Coupling, R.H., at flexible pipe connection					2	—	B.	
3772	Std.1306/G25	Hose, pipe connection to ground cooling coupling					1	DTD.625	MR/C	4
676	A.187146	Pipe, 4-way piece to flexible connection					1	T.9	C.	MA.1
678	A.185957	Pipe, 4-way piece to ground cooling coupling					1	T.9	C.	MA.1
1592	A.191858	Pipe, cooling, rubber connection to air intake					1	—	C.	MA.1
5696	B.205329	Pipe, junction, 4-way piece					1	—	C.	MA.1
4123	A.198927	Pipe, cooling, rubber connection to inverter					1	—	C.	MA.1
1715	Std.1744/12	Sleeve, at pipe coupling					2	Silicone Rubber	C.	5
680	F.185654	Support, for pipe at frame 3					2	LFS.21	C.	MA.1

RADIO-RADAR RANGING INSTALLATION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
5697	B.205318	Valve, non-return, group	...	...	...	...	1	—	MR/B	MA.1
	F.194329	Packing	...	...	...	...	1	DTD.610		
7069	F.212314	Plate, valve group	...	...	...	...	1	—		MA.1
	F.212314/1	Seating	...	...	...	...	1	Rubber		
	F.205324	Stud	...	...	...	...	1	—		MA.1
5785	Std.915/C.16	Washer	...	...	...	...	1	DTD.610	C.	4
669	F.185406	Pin, pivot	...	...	...	...	1	DTD.364	C.	MA.1
	A.205319	Shroud	...	...	...	...	1	—		MA.1
671	F.185336	Spring	...	...	...	...	1	Bronze Wire	C.	MA.1
	Std.821/15	Washer, at attachment of cooling pipe to inverter	...	...	...	...	1	L.4 or L.34	MR/C	4
5L/X951273	—	Filament, lamp, 28v. 3-5w.	...	...	...	...	1	—	B.	
5CZ/880	—	Fuse, 5 amp (Mod. 359)	...	...	...	...	1	—	C.	
8197	A.210733	Fuseholder, screen, group (Mod. 359)	...	...	...	...	1	—	MR/C	MA.1
	A.210735	Box	...	...	...	...	1	L.59		
5CZ/3741	—	Fuseholder, type A	...	...	...	...	1	—	B.	
7015	A.210734	Lid	...	...	...	...	1	L.59	C.	MA.1
10H/Z.560230	Plessey	Socket, panel	...	...	...	...	2	—	C.	
	CZ.49217		...	...	...	...				
10H/Z.970049	Plessey	Washer, panel mounting	...	...	...	...	2	—	C.	
	Z.54105		...	...	...	...				
	F.223942	Guard, switch (Mod. 414)	...	...	...	...	1	Nylon		
4121	F.200057	Handle, target rejector switch	...	...	...	...	1	Rubber	C.	MA.1
5UB/5083	—	Inverter, type 200	...	...	...	...	1	—	A.	
	F.211197	Label, fuse (Mod. 359)	...	...	...	...	1	L.59		
5CX/1644	—	Light, indicating	...	...	...	...	1	—	A.	
	C.223028	MOUNTING, RADAR UNITS, ASSEMBLY	...	...	...	...	—	—		
		(Mod. 624)	...	...	...	...				
1588	F.181900	Angle, bracing strut attachment to side beam	...	...	...	...	2	DTD.610	C.	MA.1
	F.200945	Angle, for cross member	...	...	...	...	1	L.72		
	F.200946	Angle, for cross member	...	...	...	...	1	L.72		
	F.200947	Angle, for cross member	...	...	...	...	1	L.72		
	F.200948	Angle, for cross member	...	...	...	...	1	L.72		
6789	C.181894	Beam, mounting, port	...	...	...	...	1	DTD.610	MR/C	MA.1
6790	C.181895	Beam, mounting, starboard	...	...	...	...	1	DTD.610	MR/C	MA.1
660	F.183841	Bolt, pivot, for mounting tray	...	...	...	...	2	S.61.B	C.	MA.1
661	A.183664	Bracket, stop, port	...	...	...	...	1	S.3	C.	MA.1
658	A.183665	Bracket, stop, starboard	...	...	...	...	1	S.3	C.	MA.1
1589	A.181898	Bracket, channel, bracing strut attachment to side beam, port	...	...	...	...	1	DTD.610	C.	MA.1
	B.213059	Bracket, at front cross member (Mod. 413)	...	...	...	...	1	L.72		
1590	A.181899	Bracket, channel, bracing strut attachment to side beam, starboard	...	...	...	...	1	DTD.610	C.	MA.1
9101	—	Catch, radar head, unit attachment, group (C.221872, C.223028)	...	...	...	...	2	—	B.	
		Consisting of:—	...	...	...	...				
	A.222846	Button	...	...	...	...	1	—		
	RID.1004/3	Nut	...	...	...	...	1	—		
	RID.1004/4	Spring	...	...	...	...	1	—		
	RID.1004/1	Stud	...	...	...	...	1	—		
	RID.1004/2	Washer	...	...	...	...	1	—		

RADAR-RADIO RANGING INSTALLATION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	B.183311					Channel, mounting of camera gun	1	DTD.610		
	A.213097					Channel, for diagonal strut (Mod. 413)	1	—		
752	Std.1166/8					Clip, half, for support clip at 4-way piece	1	S.3	C.	4
656	A.185955					Clip, support, at 4-way piece	1	S.3	C.	MA.1
	B.200943					Cross member	1	L.72		
	B.200944					Cross member	1	L.72		
6791	B.181896					Cross member	1	DTD.610	MR/C	MA.1
14A/1042	—					Mounting, for camera, type 27	1	—	A.	
2703	F.183512					Packing, bracing strut attachment to side beam, port	1	DTD.610	MR/C	MA.1
2704	F.183513					Packing, bracing strut attachment to side beam, starboard	1	DTD.610	MR/C	MA.1
9102	F.220373					Plug, end (Mod. 624)	2	L.65.C	C.	MA.1
2705	F.181902					Shim, at attachment of channel, frame 3	2	DTD.610	MR/C	MA.1
9100	A.221873					Strut, bracing (Mod. 624)	2	L.62	C.	MA.1
	A.213102					Strut, diagonal (Mod. 413)	1	—		
9099	C.221872					Tray, mounting, group (Mod. 624)	1	—	B.	MA.1
	A.183662					Bracket, latch, port	1	DTD.610		
	A.183663					Bracket, latch, starboard	1	DTD.610		
9101	—					Catch, mounting, group (C.221872, C.223028)	2	—	B.	
						Consisting of :—				
	A.222846					Button	1	—		
	RID.1004/3					Nut	1	—		
	RID.1004/4					Spring	1	—		
	RID.1004/1					Stud	1	—		
	RID.1004/2					Washer	1	—		
663	F.183670					Collar, catch pin retaining	2	S.1	C.	MA.1
664	F.183668					Pin, catch	2	S.62.B	C.	MA.1
	F.220374					Plate, spigot (Mod. 624)	2	—	MR/C	MA.1
1327	Std.1547/24/12					Packing, at spigot plate attachment	4	DTD.610	C.	4
665	F.186750					Spring, catch pin	2	Sp. St.	C.	MA.1
3804	Std.1509/2/068					Tube, distance, $\frac{1}{4}$ " o/d $\times$ 22 S.W.G. $\times$ 0-68" long	4	T.4	MR/C	4
	Std.1510/2/038					Tube, distance at diagonal strut (Mod. 413)	2	T.4		4
1327	Std.1547/24/12					Washer, packing	4	DTD.610	C.	4
673	Std.1547/28/10					Washer, profile	8	DTD.610	C.	4
675	F.186124					Washer, at attachment of support clip to side beam	2	DTD.610	C.	
2789	Std.914/G/20					Washer, at attachment of channel, frame 3	2	DTD.610	C.	4
5244	F.206012					Plate, mounting, for "locked on" light	1	L.72	C.	MA.1
3411	A.188919					Plate, adaptor, at inverter	1	—	MR/C	MA.1
8548	F.219178					Plate, nut (Mod. 572)	2	—	C.	MA.1
10H/18893	—					Plug, shorting, Mk. 4, 18-way	1	—	B.	
10H/18892	—					Plug, shorting, Mk. 4, 12-way	1	—	B.	
10D/18554	—					Radar-Head, type 2	1	—	A.	
3838	Std.1606/44/B8					Screw	2	Brass	C.	
3413	F.192842					Spacer, at inverter	10	DTD.610	MR/C	MA.1
5F/2282	Hellermann NY.3342					Stud, at cable strapping	QR	—	C.	
5F/2280	Hellerman HV.3255					Stud, at cable strapping	QR	—	C.	
5F/2301	Hellerman NY.18007					Strapping, cable $\frac{1}{2}$ " wide	QR	—	C.	
5F/2279	Hellerman HV.3254					Strapping, cable $\frac{1}{8}$ " wide	QR	—	C.	

RESTRICTED

Hunter F. Mk. 4
Issued with Amendment List No. 15

RADIO-RADAR RANGING INSTALLATION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
5CW/4178	—	Switch,	target	rejection	...	...	1	—	B.	
5CW/5043	N.S.F. Ltd. 8372/B.3	Switch,	3 amp.	D.P.S.T. (Mod. 414)	...	...	1	—	A.	
5CW/4346	—	Transfer,	"In"	...	...	...	1	—	C.	
5CW/4347	—	Transfer,	"Out"	...	...	...	1	—	C.	
	Std.1509/23/024	Tube,	distance,	$\frac{1}{8}$ " o/d	× 17 S.W.G.	× 0.24" long	1	T.4		
10Q/16076	—	Unit,	radar	ranging	...	...	1	—	A.	
10A/17930	—	Washer,	check,	at inverter	...	...	4	—	C.	
10H/Z.970050	—	Washer,	for panel	mounting at frame 3	...	...	1	—	—	
10H/Z.970051	—	Washer,	for panel	mounting at frame 3	...	...	1	—	C.	


RESTRICTED

RADIO-RADAR RANGING INSTALLATION

Ref. No.	Part No.	Description										No. Off	Material Specification	M.R. Class of Store	Plate No.	
		1	2	3	4	5										
SUMMARY OF STOCK ITEMS																
28D/13868	A25.1B	Bolt, 4 B.A.	...	...	...	...	...	...	...	...	...	-	—	—		
28D/12512	A25.1C	Bolt, 2 B.A.	...	...	...	...	...	...	...	...	...	-	—	—		
28D/12513	A25.2C	Bolt, 2 B.A.	...	...	...	...	...	...	...	...	...	-	—	—		
28D/12531	A25.3C	Bolt, 2 B.A.	...	...	...	...	...	...	...	...	...	-	—	—		
28D/12533	A25.5C	Bolt, 2 B.A.	...	...	...	...	...	...	...	...	...	-	—	—		
28D/12566	A25.6C	Bolt, 2 B.A.	...	...	...	...	...	...	...	...	...	-	—	—		
28D/12629	A25.8C	Bolt, 2 B.A.	...	...	...	...	...	...	...	...	...	-	—	—		
28D/12515	A25.10C	Bolt, 2 B.A.	...	...	...	...	...	...	...	...	...	-	—	—		
28D/12516	A25.11C	Bolt, 2 B.A.	...	...	...	...	...	...	...	...	...	-	—	—		
28D/8306	AS.1242/1C	Bolt, 2 B.A.	...	...	...	...	...	...	...	...	...	-	—	—		
28D/8308	AS.1242/3C	Bolt, 2 B.A.	...	...	...	...	...	...	...	...	...	-	—	—		
28D/12707	A25.1E	Bolt, 1/4" B.S.F.	...	...	...	...	...	...	...	...	...	-	—	—		
28D/12519	A25.3E	Bolt, 1/4" B.S.F.	...	...	...	...	...	...	...	...	...	-	—	—		
27E/8185	AGS.605/Mk. 3	Clip, jubilee	...	...	...	...	...	...	...	...	...	-	—	—		
28E/8183	AGS.1000/1	Clip, hose	...	...	...	...	...	...	...	...	...	-	—	—		
5K/119	AGS.1661/H	Clip, bonding	...	...	...	...	...	...	...	...	...	-	—	—		
5K/121	AGS.1661/K	Clip, bonding	...	...	...	...	...	...	...	...	...	-	—	—		
5K/3355	AS.3360.B4B	Lead, bonding	...	...	...	...	...	...	...	...	...	-	—	—		
5K/3371	AS.3360.B4C	Lead, bonding	...	...	...	...	...	...	...	...	...	-	—	—		
5K/3373	AS.3360.B5B	Lead, bonding	...	...	...	...	...	...	...	...	...	-	—	—		
5K/3372	AS.3360.B5C	Lead, bonding	...	...	...	...	...	...	...	...	...	-	—	—		
5K/3394	AS.3360.B6B	Lead, bonding	...	...	...	...	...	...	...	...	...	-	—	—		
28M/12929	A27.C.P.	Nut, 2 B.A.	...	...	...	...	...	...	...	...	...	-	—	—		
28M/10328	AGS.2002/C1	Nut, 2 B.A.	...	...	...	...	...	...	...	...	...	-	—	—		
28M/12930	A27.E.S.	Nut, 1/4" B.S.F.	...	...	...	...	...	...	...	...	...	-	—	—		
28M/10290	AGS.2001/E1	Nut, 1/4" B.S.F.	...	...	...	...	...	...	...	...	...	-	—	—		
28M/10288	AGS.2001/C1	Nut, 2 B.A.	...	...	...	...	...	...	...	...	...	-	—	—		
28M/10328	AGS.2002.C1	Nut, 2 B.A.	...	...	...	...	...	...	...	...	...	-	—	—		
28M/10330	AGS.2002.E1	Nut, 1/4" B.S.F.	...	...	...	...	...	...	...	...	...	-	—	—		
28W/12305	SP.13B	Washer, 4 B.A.	...	...	...	...	...	...	...	...	...	-	—	—		
28W/12296	SP.15C	Washer, 2 B.A.	...	...	...	...	...	...	...	...	...	-	—	—		
28W/12355	SP.16C	Washer, 2 B.A.	...	...	...	...	...	...	...	...	...	-	—	—		
28W/12496	SP.15E	Washer, 1/4" B.S.F.	...	...	...	...	...	...	...	...	...	-	—	—		
28W/12297	SP.16E	Washer, 1/4" B.S.F.	...	...	...	...	...	...	...	...	...	-	—	—		

RESTRICTED

PLATE NO MAI
(ISSUE 4)



RADAR INSTALLATION

This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

