

SERVICES—FUEL SYSTEM IN WINGS

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R.	Plate No.
					1	
					2	
					3	
					4	
					5	
—	D.207216-7	FUEL SYSTEM IN WINGS, ASSEMBLY ... (Pre Mod. 228)	—	—	—	
—	—	Cables, electrical (See cable chart)	—	—	—	
1136	A.186450	Clamp, pipe connection, group	4	—	C.	NC.1
2723	F.184931	Bolt, eye	1	S.94.B	MR/C	
2724	F.185592	Washer	1	DTD.364	MR/C	
6526	F.213079	Nut, special	1	S.95		
4992	F.200275	Clamp, pipe connection, group	2	—	C.	NC.1
2723	F.184931	Bolt, eye	1	S.94.B	MR/C	
2724	F.185592	Washer	1	DTD.364	MR/C	
6526	F.213079	Nut, special	1	S.95	C.	
5414	Std. 851/68	Clip, support, for vent pipe at rib "G" ... (Make from 30B/1433)	2	DTD.610	C.	4
—	Std. 843/38	Clip, support, $\frac{3}{8}$" x 22 S.W.G. x 3.8 long ...	2	S.3		
—	Std.851/30	Clip, support, for vent pipe at rib No. 2 ... (Make from 30B/1433)	2	DTD.610	—	4
4165	Std.850/35	Clip, support, for earthing connectors ...	2	DTD.610	MR/C	4
27F/2352	Flight Refuelling FRS.132.F	Connector	2	—	C.	
4105	Std.1285/8CC	Connection, earthing	1	—	C.	4
4993	F.205032	Packing, for vent pipe clip at rib "G" ...	2	LFS.21	C.	
4994	Std.1939/1	Packing, for vent pipe clip at rib No. 2 ...	2	LFS.21	C.	
6987	A.207209/4	Pipe, air, inboard tank to connections (Mod. 265) ...	2	DTD.253	C.	NC.1
4996	B.198928/2	Pipe, connection to connection, port ...	1	DTD.253	C.	NC.1
4997	B.198928/3	Pipe, air, connection to connection, starboard ...	1	DTD.253	C.	NC.1
4998	B.198928/4	Pipe, air, connection to by-pass valve, port ...	1	DTD.253	C.	NC.1
4999	B.198928/5	Pipe, air, connection to by-pass valve, starboard ...	1	DTD.253	C.	NC.1
5000	B.198928/6	Pipe, fuel, transfer, connection to tank, port... ...	1	DTD.253	C.	NC.1
5001	B.198928/7	Pipe, fuel transfer, connection to tank, starboard ...	1	DTD.253	C.	NC.1
5002	C.200137	Pipe, fuel transfer, by-pass valve to connection, port ...	1	DTD.253	C.	NC.1
5003	C.200138	Pipe, fuel transfer, by-pass valve to connection, starboard ...	1	DTD.253	C.	NC.1
5004	Dowty G.D.1309/16	Ring, sealing, at suction relief valve	2	—	C.	
5005	Dowty GD.1309/17	Ring, sealing, at air pipe connection	2	—	C.	
3948	Dowty GD.1309/25	Ring, sealing, at transfer pipe couplings	6	—	C.	
5006	Std.1703/7C	Screw, special, for suction relief valve	4	S.95.B	C.	5
	E.206941-2	TANK, INSTALLATION, ASSEMBLY ...	—	—		
5023	F.202080	Adaptor, union for air pipe	2	L.65	C.	NC.1
6777	F.210001	Bolt, special, for tank interconnection ...	6	S.95B.		
7066	F.211844	Bolt, special, for tank interconnection ...	36	S.95B.		NC.1
	Smiths J.M.14	Box, terminal	2	—		
	Smiths J.U.6	Box, terminal	8	—		
5024	Std.1178/4	Clip, support, for air pipe in No. 1 tank ...	2	S.3 & T.26	C.	4
5025	C.198341	Duct, transfer, in No. 1 tank, port ...	1	L.54 & L.59	C.	NC.1
5026	C.198342	Duct, transfer, in No. 1 tank, starboard ...	1	L.54 & L.59	C.	NC.1
5027	C.198530	Duct, transfer, inner, in No. 2 tank, port ...	1	L.54 & L.59	C.	NC.1
5028	C.198531	Duct, transfer, inner, in No. 2 tank, starboard ...	1	L.54 & L.59	C.	NC.1
5029	C.198343	Duct, transfer, outer, in No. 2 tank, port ...	1	L.54 & L.59	C.	NC.1

RESTRICTED

Page NC.2

Hunter F. Mk. 4, 5, 52

Issued with Amendment List No. 10

SERVICES—FUEL SYSTEM IN WINGS

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
5030	C.198344	Duct, transfer, outer, in No. 2 tank, starboard ...	1	L.54 & L.59	C.	NC.1
6991	C.209795	Duct, transfer, inner, in No. 3 tank, port ...	1	L.54 & L.59	C.	NC.1
6992	C.209796	Duct, transfer, inner, in No. 3 tank, starboard ...	1	L.54 & L.59	C.	NC.1
5033	C.198345	Duct, transfer, outer, in No. 3 tank, port ...	1	L.54 & L.59	C.	NC.1
5034	C.198346	Duct, transfer, outer, in No. 3 tank, starboard ...	1	L.54 & L.59	C.	NC.1
5035	C.198526	Duct, transfer, in No. 4 tank, port ...	1	L.54 & L.59	C.	NC.1
5036	C.198527	Duct, transfer, in No. 4 tank, starboard ...	1	L.54 & L.59	C.	NC.1
6095	B.208097	Duct, outlet, Port in No. 1 tank, group (Mod. 328)	1	—	B.	NC.1
6096	B.208098	Duct, outlet, starboard in No. 1 tank, group (Mod. 328)	1	—	B.	NC.1
	A.199074	Plate, mounting	2	DTD.610		
5038	Dowty GD.1308/4	Ring, sealing, "O" type	2	—	C.	
5CW/5254	Flight Refuelling D.3504100/1	Float, switch, in No. 1 tank	2	—	A.	NC.1
5CW/5255	Flight Refuelling D.3504100/2	Float, switch, in No. 4 tank	2	—	A.	NC.1
2144	Std.1231/3	Lug, locking	2	S.3	C.	4
6988	B.207013	Plate, mounting, at leading edge spar for No. 1 tank (Mod. 265)	2	DTD.610	C.	NC.1
6990	B.207014	Plate, mounting, at leading edge spar for Nos. 2 and 3 tanks (Mod. 265)	4	DTD.610	C.	NC.1
6989	B.207015	Plate, mounting, at leading edge spar for No. 4 tank (Mod. 265)	2	DTD.610	C.	NC.1
5042	B.202091	Pipe, air flexible, in No. 1 tank	2	—	C.	NC.1
5043	B.202075	Pipe, air, in No. 1 tank, port	1	DTD.253	C.	NC.1
5044	B.202076	Pipe, air, in No. 1 tank, starboard	1	DTD.253	C.	NC.1
5045	C.198514	Pipe, fuel transfer, in No. 4 tank, port ...	1	L.54 & L.59	C.	NC.1
5046	C.198515	Pipe, fuel transfer, in No. 4 tank, starboard ...	1	L.54 & L.59	C.	NC.1
5047	A.199113	Ring, clamping transfer ducts to ribs ...	12	DTD.364	C.	NC.1
3945	Dowty GD.1308/2	Ring, sealing, "O" type, at transfer ducts connections	12	—	C.	NC.1
6208	F.210208	Ring, sealing, at bulkhead connection on front spar	2	—	C.	
3932	Dowty GD.1307/3	Seal, bonded	64	—	C.	NC.1
5786	Dowty GD.1307/4	Seal, bonded, at transfer duct connections	24	—	C.	NC.1
3941	Dowty GD.1307/G	Seal, bonded, at bulkhead connection on leading edge spar	2	—	C.	NC.1
		Tanks (See Section "Q")	—	—		
5049	F.198318	Washer, sealing, at No. 4 tank transfer pipe flange	2	DTD.762	C.	NC.1
5050	F.199218	Washer, sealing, at float switch in No. 1 tank	2	DTD.762	C.	NC.1
5051	F.199217	Washer, sealing, at No. 1 tank air pipe flange	2	DTD.762	C.	NC.1
5052	A.199216	Washer, sealing, at outlet duct in No. 1 tank	2	DTD.762	C.	
5053	F.199096	Seal, "U," at float switch in No. 4 tank	2	Rubber	C.	NC.1
8429	A.217430	Valve, suction relief, port group (Mod. 567)	1	—	B.	NC.1
8430	A.217431	Valve, suction relief, starboard group (Mod. 567)	1	—	B.	NC.1
6200	F.209640	Collar	1	—	C.	NC.1
	A.200240	Pipe, port	1	—		
	A.200241	Pipe, starboard	1	—		
6199	F.209155	Spring	1	Steel	C.	NC.1
7050	F.215727	Valve	1	—	C.	NC.1

RESTRICTED

SERVICES-FUEL SYSTEM IN WINGS

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
SUMMARY OF STOCK ITEMS										
28D/12528	A25.1B	Bolt, 4 B.A.	—
28D/12512	A25.1C	Bolt, 2 B.A.	—
28D/12513	A25.2C	Bolt, 2 B.A.	—
28D/12531	A25.3C	Bolt, 2 B.A.	—
28D/12532	A25.4C	Bolt, 2 B.A.	—
28D/12629	A25.8C	Bolt, 2 B.A.	—
28D/12517	A25.17C	Bolt, 2 B.A.	—
28D/12635	A25.24E	Bolt, 1/4" B.S.F.	—
	AS.3360/B6C	Connection, earthing	—
28F/8280	AGS.1142.H	Nipple	—
27F/11905	AGS.1170.H	Nipple	—
28M/13121	A27.CS	Nut, 2 B.A.	—
28M/10327	AGS.2002.B1	Nut, 4 B.A.	—
28M/10328	AGS.2002.C1	Nut, 2 B.A.	—
28M/13264	AGS.2021.C1	Nut, 2 B.A.	—
28M/13721	AGS.2021.E1	Nut, 2 B.A.	—
28P/12462	SP.9.C8	Pin	—
28R/6341	AGS.566.B	Plug	—
28S/14301	A33.C14	Screw	—
28S/6611	A37.C20	Screw	—
28S/2821	A33.B20	Screw	—
28F/12048	AGS.1186.B	Seal, 1/2"	—
28F/14252	AGS.1186.3	Seal, 2 B.A.	—
28W/12306	SP.15.B	Washer	—
28W/12296	SP.15.C	Washer	—
28W/12355	SP.16.C	Washer	—

RESTRICTED

Page NC.4

Hunter F. Mk. 4, 5, 52
Issued with Amendment List No. 10

SERVICES—FUEL SYSTEM IN WINGS

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				

RESTRICTED

SERVICES—FUEL SYSTEM IN WINGS

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R.	Class of Store	Plate No.
					1		
	E.206680-1	FUEL SYSTEM IN WINGS, ASSEMBLY (Mod. 228)					
1136	A.186450	Cables , electrical (See cable chart)	—	—			
2723	F.184931	Clamp , pipe connection, group	4	—	C.	MR/C	NC.1
6526	F.213079	Bolt , eye	1	S.94.B	C.		
2724	F.185592	Nut , special	1	S.95			
4992	F.200275	Washer	1	DTD.364	MR/C		
2723	F.184931	Clamp , pipe connection, group	2	—	C.	MR/C	NC.1
6526	F.213079	Bolt , eye	1	S.94			
2724	F.185592	Nut , special	1	S.95	C.		
421	A.185593	Washer	1	DTD.364	MR/C		
2723	F.184931	Clamp , pipe connection, group	4	—	C.	MR/C	
2724	F.185592	Bolt , eye	1	S.94.B			
5059	A.186451	Washer	1	DTD.364	MR/C		
2723	F.184931	Clamp , pipe connection, group	4	—	C.		
2724	F.185592	Bolt , eye	1	S.94.B	MR/C		
5414	Std.851/68	Washer	1	DTD.364	MR/C		
	Std.851/30	Clip , support, for vent pipe at rib "G" ...	2	DTD.610	C.		4
		Clip , support for vent pipe at rib No. 2 ...	2	DTD.610	—		
		(Make from 30B/1433)					
4165	Std.850/35	Clip , support for earthing connector ...	2	DTD.610	C.		4
27F/2352	Flight Refuelling FRS.132.F.	Connector	2	—	B.		
4105	Std.1285.8.C.C.	Connector , earth at rib "A" ...	2	—	C.		4
4993	F.205032	Packing , for vent pipe clip at rib "G" ...	2	LFS.21	C.		
4994	Std.1939/1	Packing , for vent pipe clip at rib No. 2 ...	2	LFS.21	C.		
6987	A.207209/4	Pipe , air, inboard tank to connection ...	2	DTD.253	C.		NC.1
4996	B.198928/2	Pipe , connection to connection, port ...	1	DTD.253	C.		NC.1
4997	B.198928/3	Pipe , air connection to connection, starboard ...	1	DTD.253	C.		NC.1
5000	B.198928/6	Pipe , fuel, transfer, connection to tank, port ...	1	DTD.253	C.		NC.1
5001	B.198928/7	Pipe , fuel, transfer, connection to tank, starboard ...	1	DTD.253	C.		NC.1
7902	A.206783	Pipe , fuel, inboard to outboard pylon, port (Mod. 228)	1	BSS.265	C.		
7903	A.206784	Pipe , fuel, inboard to outboard pylon, starboard (Mod. 228)	1	BSS.265	C.		
7898	C.206676	Pipe , fuel, by-pass valve to connection, port (Mod. 228)	1	DTD.253	C.		NC.1
7899	C.206677	Pipe , fuel, by-pass valve to connection starboard (Mod. 228)	1	DTD.253	C.		NC.1
7900	C.206678	Pipe , air, Flight Refuelling coupling to connection, port (Mod. 228)	1	DTD.253	C.		NC.1
7901	C.206679	Pipe , air, Flight Refuelling coupling to connection, starboard (Mod. 228)	1	DTD.253	C.		NC.1
7892	B.206682	Pipe , fuel, between pylons (Mod. 228) ...	2	DTD.253	C.		NC.1
7893	B.206683	Pipe , air, between pylons (Mod. 228) ...	2	DTD.253	C.		NC.1
7894	C.206684	Pipe , fuel, outboard by-pass valve to connection, port (Mod. 228)	1	DTD.253	C.		NC.1
7895	C.206685	Pipe , fuel, outboard by-pass valve to connection, starboard (Mod. 228)	1	DTD.253	C.		NC.1
7896	C.206686	Pipe , air, outboard by-pass valve to connection, port (Mod. 228)	1	DTD.253	C.		NC.1
7897	C.206687	Pipe , air, outboard by-pass valve to connection, starboard (Mod. 228)	1	DTD.253	C.		NC.1
5004	Dowty GD.1309/16	Ring , sealing, at suction relief valve ...	2	—	C.		
3948	Dowty GD.1309/25	Ring , sealing, at transfer pipe couplings ...	4	—	C.		

RESTRICTED

Hunter Mk. 4, 5

Issued with Amendment List No. 10

SERVICES—FUEL SYSTEM IN WINGS

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R.	Place No.
					1	
3945	Dowty GD.1308/2	Ring, sealing, at fuel pipe connections	10	—	C.	NC.1
8010	Dowty GD.1309/23	Ring, sealing, at fuel pipe connection outboard by-pass valve	2	—	C.	
5100	Dowty GD.1309/21	Ring, sealing at air pipe connections	4	—	C.	
5006	Std.1703/7C	Screw, special, for suction relief valve	4	S.95.B	C.	5
7906	A.206273	Support, for fuel and air pipes between pylons (Mod. 228)	4	LFS.21	C.	NC.1
7907	A.206274	Support, for fuel and air pipes between by-pass valves (Mod. 228)	4	LFS.21	C.	NC.1
7908	A.206275	Support, for fuel and air pipes between by-pass valves (Mod. 228)	4	LFS.21	C.	NC.1
	E.206941-2	TANK, INSTALLATION, ASSEMBLY	—	—	—	
5023	F.202080	Adaptor, union for air pipe	2	L.56	C.	NC.1
7066	F.211844	Bolt, special, for tank interconnection	36	S.95.B	C.	NC.1
6A/4315	Smiths JM.14	Box, terminal	2	—	A.	
6A/4316	Smiths JU.6	Box, terminal	8	—	A.	
5024	Std.1178/4	Clip, support, for air pipe in No. 1 tank	2	S.3 & T.26	C.	4
5025	C.198341	Duct, transfer, in No. 1 tank, port	1	L.54 & L.59	C.	NC.1
5026	C.198342	Duct, transfer, in No. 1 tank, starboard	1	L.54 & L.59	C.	NC.1
5027	C.198530	Duct, transfer, inner, in No. 2 tank, port ...	1	L.54 & L.59	C.	NC.1
5028	C.198531	Duct, transfer, inner, in No. 2 tank, starboard ...	1	L.54 & L.59	C.	NC.1
5029	C.198343	Duct, transfer, outer, in No. 2 tank, port ...	1	L.54 & L.59	C.	NC.1
5030	C.198344	Duct, transfer, outer, in No. 2 tank, starboard ...	1	L.54 & L.59	C.	NC.1
6991	C.209795	Duct, transfer, inner, in No. 3 tank, port ...	1	L.54 & L.59	C.	NC.1
6992	C.209796	Duct, transfer, inner, in No. 3 tank, starboard ...	1	L.54 & L.59	C.	NC.1
5033	C.198345	Duct, transfer, outer, in No. 3 tank, port ...	1	L.54 & L.59	C.	NC.1
5034	C.198346	Duct, transfer, outer, in No. 3 tank, starboard ...	1	L.54 & L.59	C.	NC.1
5035	C.198526	Duct, transfer, in No. 4 tank, port	1	L.54 & L.59	C.	NC.1
5036	C.198527	Duct, transfer, in No. 4 tank, starboard	1	L.54 & L.59	C.	NC.1
6095	B.208097	Duct, outlet port in No. 1 tank, group	1	—	B.	NC.1
6096	B.208098	Duct, outlet, starboard, in No. 1 tank, group ...	1	—	B.	NC.1
	A.199074	Plate, mounting	2	DTD.610	—	
5038	Dowty GD.1308/4	Ring, sealing "O" type	2	—	C.	
5CW/5254	Flight Refuelling D.3504100/1	Float, switch, in No. 1 tank	2	—	A.	NC.1
5CW/5255	Flight Refuelling D.3504100/2	Float, switch in No. 4 tank	2	—	A.	NC.1
2144	Std.1231/3	Lug, locking	2	S.3	C.	4
6988	B.207013	Plate, mounting, at leading edge spar for No. 1 tank	2	DTD.610	C.	NC.1
6990	B.207014	Plate, mounting, at leading edge spar for Nos. 2 and 3 tanks	4	DTD.610	C.	NC.1
6989	B.207015	Plate, mounting at leading edge spar for No. 4 tank	2	DTD.610	C.	NC.1
5042	B.202091	Pipe, air flexible in No. 1 tank	2	—	C.	NC.1
5043	B.202075	Pipe, air, in No. 1 tank, port	1	DTD.253	C.	NC.1
5044	B.202076	Pipe, air, in No. 1 tank, starboard	1	DTD.253	C.	NC.1
5045	C.198514	Pipe, fuel transfer, in No. 4 tank, port	1	L.54 & L.59	C.	NC.1
5046	C.198515	Pipe, fuel transfer in No. 4 tank, starboard	1	L.54 & L.59	C.	NC.1
5047	A.199113	Ring, clamping transfer ducts to ribs	12	DTD.364	C.	NC.1
3945	Dowty GD.1308/2	Ring, sealing "O" type, at transfer ducts connections	12	—	C.	NC.1

RESTRICTED

SERVICES—FUEL SYSTEM IN WINGS

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R.	Plate No.
					Class of Store	
6208	F.210208	Ring, sealing at bulkhead connection on front spar	2	—	C.	
3932	Dowty GD.1307/3	Seal, bonded	64	—	C.	NC.1
5786	Dowty GD.1307/4	Seal, bonded, at transfer duct connections ...	24	—	C.	NC.1
3941	Dowty GD.1307/G	Seal, bonded at bulkhead connection on leading edge spar	2	—	C.	NC.1
—		Tanks (See Section "Q")	—	—	—	
5049	F.198318	Washer, sealing at No. 4 tank transfer pipe flange	2	DTD.762	C.	NC.1
5050	F.199218	Washer, sealing, at float switch in No. 1 tank ...	2	DTD.762	C.	NC.1
5051	F.199217	Washer, sealing at No. 1 tank air pipe flange ...	2	DTD.762	C.	NC.1
5052	A.199216	Washer, sealing at outlet duct in No. 1 tank ...	2	DTD.762	C.	
5053	F.199096	Seal, "U" at float switch in No. 4 tank ...	2	Rubber	C.	NC.1
4042	Std.1509/23/030	Tube, distance, at fuel pipe support $\frac{1}{8}$ " o/d. \times 17 S.W.G. \times 0-30" long (Make from 30B/556)	4	T.4	MR/C	4
8190-7904	A.240441-A.218021	Valve, suction relief port, group (Mod. 220 567) ...	1	—	B.	NC.1
8191-7905	A.240442-A.218023	Valve, suction relief, starboard, group (Mod. 220 561) ...	1	—	B.	NC.1
6200	F.209640	Collar	1	—	C.	NC.1
	A.210450	Pipe, port	1	—	—	
	A.210451	Pipe, starboard	1	—	—	
6199	F.209155	Spring	1	Steel	C.	NC.1
7050	F.215727	Valve	1	—	C.	NC.1

RESTRICTEDHunter Mks. 4, 5
Issued with Amendment List No. 10**SERVICES—FUEL SYSTEM IN WINGS**

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Place No.
		1	2	3	4	5				


RESTRICTED

SERVICES—FUEL SYSTEM IN WINGS

Ref. No.	Part No.		Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
			1	2	3	4	5				
SUMMARY OF STOCK ITEMS											
28D/12528	A25.1B	Bolt, 4 B.A.	—	—	—
28D/12512	A25.1C	Bolt, 2 B.A.	—	—	—
28D/12513	A25.2C	Bolt, 2 B.A.	—	—	—
28D/12531	A15.3C	Bolt, 2 B.A.	—	—	—
28D/12532	A25.4C	Bolt, 2 B.A.	—	—	—
28D/12566	A25.6C	Bolt, 2 B.A.	—	—	—
28D/12629	A25.8C	Bolt, 2 B.A.	—	—	—
28D/12517	A25.17C	Bolt, 2 B.A.	—	—	—
28D/12635	A25.24E	Bolt, 1/2" B.S.F.	—	—	—
5K/3405	AS.3360 B.3.C	Connector, earthing	—	—	—
5K/3408	AS.3360 B.6.C	Connector, earthing	—	—	—
28F/8280	AGS.1142.H	Nipple	—	—	—
28F/11905	AGS.1170.H	Nipple	—	—	—
28M/13121	A27.CS	Nut, 2 B.A.	—	—	—
28M/10327	AGS.2002. B1	Nut	—	—	—
28M/10328	AGS.2002.C1	Nut, 2 B.A.	—	—	—
28M/13264	AGS.2021.C1	Nut, 2 B.A.	—	—	—
28M/13721	AGS.2021.E1	Nut, 2 B.A.	—	—	—
28P/12587	SP.9.C4	Pin	—	—	—
28P/12462	SP.9.C8	Pin	—	—	—
28R/6341	AGS.566.B	Plug	—	—	—
28S/14301	A33.C14	Screw	—	—	—
28S/6611	A37.C20	Screw	—	—	—
28S/2821	A33.B20	Screw	—	—	—
28F/12048	AGS.1186.B	Seal, 1/2"	—	—	—
28F/12084	AGS.1186.G	Seal	—	—	—
28F/14252	AGS.1186.3	Seal, 2 B.A.	—	—	—
28W/12306	SP.15.B	Washer	—	—	—
28W/12296	SP.15.C	Washer	—	—	—
28F/9652	AGS.1138.E	Washer	—	—	—

RESTRICTED

PLATE NO NC.1—
(ISSUE 4)



This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

