

SERVICES—PRESSURISATION FRONT FUSELAGE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
		1 2 3 4 5				
	C.184829	CABIN PRESSURISING AIR CONDITIONING, FRONT FUSELAGE, ASSEMBLY	—	—		
	E.182797	CABIN PRESSURISING EQUIPMENT, FORWARD OF FRAME 7, ASSEMBLY	—	—		
1370	F.187763	Cap, special, for cabin pressure static pipe union and gauge	2	DTD.364	C.	NM.2
	E.182797/1	Chain, for securing pipe connection caps, 4" long	3	Brass		
924	Std.1682/12	Clip, securing ram air pipe and non-return valve guard	2	S.3 & T.26	C.	5
752	Std.1166/8	Clip, supporting ram air pipe	1	S.3 & T.26	C.	4
2793	A.185675	Clip, supporting ram air pipe	1	S.3	MR/C	NM.1
27KD/510	Normalair Ltd. 505930	Controller, pressure, type A	1	—	A.	
27KD/10	Normalair Ltd. 504600	Connection, for ground pressurising	1	—	C.	
4137	Std.1285/4BC	Connector, earthing	2	—	C.	4
4839	Std.1285/3CC	Connector, earthing	1	—	MR/C	
1380†	C.182798	Duct, for ground pressurising, between frames 3 and 6, group	1	DTD.213 and T.9	C.	NM.2
2790	F.179155	Nut-plate (supplied in halves)	2	S.3	MR/C	NM.2
1379	F.185407	Guard, for non-return valve	1	B.11 and Brass Gauze	C.	NM.2
1375	A.182801	Guard, for ground pressurising duct	1	BSS.265 and Brass Gauze	C.	NM.2
	A.183593	Guard, for cabin pressure static pipe	1	DTD.610		
	F.187482	Label, for cabin pressure static pipe	1	L.59		
2144	Std.1231/3	Lug, locking, for studs on frame 6 and ground pressure duct mounting, at frame 3	7	S.3	C.	4
	B.187402	Plate, locking, for hood seal and cabin pressure gauge connections	1	DTD.610		
2791	F.187586	Plate, clamp, for ram air pipe at frame 3 ...	1	DTD.610	MR/C	NM.2
1378	F.187764	Pipe, between locking plate and pressure controller	1	DTD.253	C.	NM.1
2788	B.186838	Pipe, ram air, between frame 3 and non-return valve	1	L.54	MR/C	NM.1
2792	F.187585	Ring, packing	1	Felt	MR/C	NM.2
	E.182797/2	Ring, "S" type	1	Brass		
3932	Dowty GD.1307/3	Seal, bonded	8	—	C.	
3936	Dowty GD.1307/A	Seal, bonded	1	—	C.	
3937	Dowty GD.1307/B	Seal, bonded	3	—	C.	
3943	Dowty GD.1307/K	Seal, bonded	1	—	C.	
1715	Std.1744/12	Sleeve, sealing	2	Silicone Rubber	C.	5
1371	F.182800	Stud, at frame 6, securing guard and locking plate	8	S.95.B	C.	NM.2
1377	F.187120	Stud, for 2/15 combined valve unit	2	S.95.B	C.	NM.2
1369	A.187762	Union, flanged type, at cabin pressure static pipe	1	DTD.364	C.	NM.2

SERVICES—PRESSURISATION FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Place No.
		1	2	3	4	5				
666	B.185327	Valve, non-return, at frame 6, group ...					1	—	A.	NM.2
1940	Std.1231/1	Lug, locking ...					2	S.3	C.	4
669	F.185406	Pin, pivot ...					1	DTD.364	C.	NM.2
668	F.185333	Plate, valve, assembly ...					1	—	C.	NM.2
670	F.177073	Seating, for valve ...					1	Rubber	C.	NM.2
3942	Dowty	Seal, bonded ...					1	—	C.	
	G.D.1307/J									
2708	A.185331	Shroud ...					1	L.16 or DTD.212	C.	NM.2
671	F.185336	Spring ...					1	Bronze Wire	C.	NM.2
672	F.185335	Washer, joint ...					1	DTD.378	C.	NM.2
27KD/S ₁₄	Normalair Ltd. 510250	Valve unit, 2/15 combined type, complete with shroud, No. 550662					1	—	A.	
1372	F.179156	Washer, tapered, at ground pressurising duct mounting					6	—	C.	NM.2
1373	F.179157	Washer, tapered, at ground pressurising duct mounting					2	LFS.21	C.	NM.2
1374	F.174892	Washer, sealing, at ground pressurising duct mounting					1	DTD.378A	C.	NM.2
1376	F.174891	Washer, sealing, at ground pressurising guard ...					1	DTD.378A	C.	NM.2
	D.184831	CABIN PRESSURISING EQUIPMENT, BETWEEN FRAMES 7 AND 13, ASSEMBLY					—	—		
4133	A.198221	Adaptor, elbow ...					1	L.34	C.	NM.2
	F.202881	Angle bracket, for hood seal connections ...					1	L.72		
2732	A.193578	Clip, securing feed pipe, at forward hood de-misting duct					2	DTD.610	MR/C	NM.2
4164	Std.850/50	Clip, earthing, $\frac{3}{16}$ " wide $\times$ 22 S.W.G. $\times$ 5" long (Make up from 30B/1433)					8	DTD.610	C.	4
2733	A.193577	Clip, securing feed at pipe, rear hood de-misting duct					2	DTD.610	MR/C	NM.2
1336	Std.1681/8	Clip, securing supply pipe to hood de-misting feed pipe					2	S.3 & T.26	C.	5
924	Std.1682/12	Clip, securing feed pipes ...					5	S.3 & T.26	C.	5
1538	Std.1285/3BB	Connector, earthing ...					4	—	C.	4
1331	C.186312	Duct, for windscreen de-misting ...					1	L.54 and DTD.213	C.	NM.1
1332	C.186544	Duct, for windscreen side panels de-misting, port					1	BSS.265	C.	NM.1
1333	C.186545	Duct, for windscreen side panels de-misting, starboard					1	BSS.265	C.	NM.1
1337	C.186603	Duct, feed, for hood de-misting, port ...					1	L.59 or DTD.213	C.	NM.1
1338	C.186604	Duct, feed, for hood de-misting, starboard ...					1	L.59 or DTD.213	C.	NM.1
	A.198867	Holder, card, pilot's, port, group ...					1	—		
	A.198868	Holder, card, pilot's, starboard, group ...					1	—		
1346	C.187240	Piece, 4-way, non-return valve to cabin feed pipes					1	L.54 or L.59	C.	NM.2
1342	C.186798	Pipe, supply, for windscreen side panel spray, port					1	L.59 or DTD.213	C.	NM.1

SERVICES—PRESSURISATION FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Score	Plate No.
		1	2	3	4	5				
1343	C.186799	Pipe,	supply,	for	windscreen	side panel spray,	1	L.59 or DTD.213	C.	NM.1
1345	B.187238	Pipe,	supply,	4-way	piece to	hood de-misting feed pipe, port	1	L.54 or T.9	C.	NM.1
1344	C.187239	Pipe,	supply,	4-way	piece to	hood de-misting feed pipe, starboard	1	L.54 or T.9	C.	NM.1
1340	C.186627	Plate,	diffuser,	for	hood de-misting,	port ...	1	DTD.610	C.	NM.1
1341	C.186628	Plate,	diffuser,	for	hood de-misting,	starboard ...	1	DTD.610	C.	NM.1
	C.193579	Plate,	guard,	for	de-misting	duct feed pipe, port	1	DTD.213		
	C.193580	Plate,	guard,	for	de-misting	duct feed pipe, starboard	1	DTD.213		
	B.197280	Plate,	mounting,	between	frames 7	and 8 ...	1	L.72		
3934	Dowty	Seal,	bonding,	for	supply	pipe to windscreen side panel spray	2	—	C.	
	GD.1307/14									
3939	Dowty	Seal,	bonding				2	—	C.	
	GD.1307/C									
1334	C.186832	Shroud,	for	windscreen	side panel	duct, port ...	1	DTD.213 or L.59	C.	NM.1
1335	C.186833	Shroud,	for	windscreen	side panel	duct, starboard	1	DTD.213 or L.59	C.	NM.1
1885	Std.1744/8	Sleeve,	sealing				2	Silicone Rubber	C.	5
1715	Std.1744/12	Sleeve,	sealing				5	Silicone Rubber	C.	5
	F.199884	Stowage					1	DTD.610		
	D.184832	CABIN PRESSURISING EQUIPMENT, BETWEEN FRAMES 13 AND 19, ASSEMBLY					—	—		
1390	F.173561	Block,	securing	actuator	for	temperature control valve	1	LFS.23	C.	NM.1
	A.189270	Bracket,	mounting,	for	electric	magnetic valve ...	1	DTD.610		
1356	B.185404	Chamber,	mixing,	forward	of	frame 16 ...	1	DTD.213 and L.54	C.	NM.1
1359	B.187401	Clamp,	half,	for	pipe	coupling at	4	Stamping	C.	NM.1
2767	F.173562	Clip,	securing	actuator	for	temperature control valve	1	DTD.610	MR/C	NM.1
2768	F.189595	Clip,	special,	securing	hood	seal pipes at	2	DTD.610	MR/C	NM.2
						pressure diaphragm, frame 14				
1364	F.187147	Clip,	supporting	mixing	chamber		1	S.3	C.	NM.2
752	Std.1166/8	Clip,	supporting	mixing	chamber		1	S.3 & T.26	C.	4
924	Std.1682/12	Clip,	securing,	for	air	supply pipes	8	S.3 & T.26	C.	5
1366	Std.1682/10	Clip,	securing,	for	air	supply pipes	2	S.3 & T.26	C.	5
3732	Std.840/10	Clip,	securing	drain	vent	pipe, $\frac{1}{16}$ " wide $\times$ 22 S.W.G. $\times$ 1" long (Make from 30B/1433)	1	DTD.610	MR/C	4
3735	Std.840/16	Clip,	securing	hood	seal	and air extraction valve pipes	1	DTD.610	C.	4
3751	Std.842/12	Clip,	securing	hood	seal	and air extraction valve pipes, $\frac{1}{16}$ " wide $\times$ 22 S.W.G. $\times$ 1-2" long (Make from 30A/1284)	2	S.3	MR/C	4
4841	Std.850/11	Clip,	for	earthing	connection,	$\frac{1}{16}$ " wide $\times$ 22 S.W.G. $\times$ 1-1" long (Make from 30B/1433)	1	DTD.610	MR/C	4

SERVICES—PRESSURISATION FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Place No.
		1	2	3	4	5				
4135	Std.1285/2BC	Connector, earthing, air pipes to frame 18 ...					2	—	C.	4
4134	Std.1285/4BB	Connector, earthing, air pipes to frame 16 ...					2	—	C.	4
400	Std.1285/2BB	Connector, earthing, air pipes to frame 18 ...					2	—	MR/C	4
4137	Std.1285/4BC	Connector, earthing, for water extractor ...					1	—	C.	4
4840	Std.1285/5BC	Connector, earthing, for water extractor ...					1	—	MR/C	4
1358	A.186831	Coupling, special cone type, at non-return valve					1	DTD.364	C.	NM.2
1360	A.185338	Coupling, at pressure diaphragm, for reducing valve					1	DTD.364	C.	NM.2
3776	Std.1306/J/20	Coupling, flexible, for hood seal pipe connection (Make from 32C/447)					1	DTD.625A Type 3	C.	
27UA/515	Sir George Godfrey Ltd. 23782	Coupling, drain vent ...					1	—	C.	
27UA/385	Sir George Godfrey Ltd. W.E.15	Extractor, water ...					1	—	A.	
1940	Std.1231/1	Lug, locking, for wire locking of pipe ...					1	S.3	C.	4
2144	Std.1231/3	Lug, locking, for wire locking of pipe ...					2	S.3	C.	4
1355	F.183339	Pin, special, for connecting rod at temperature control valve					1	S.11 or S.95.B	C.	NM.1
2769†	C.185819/1	Pipe, from connection at frame 18, to non-return valve at pressure diaphragm					1	DTD.253	MR/C	
2770†	C.185829/2	Pipe, from banjo at reducing valve, to connection at pressure diaphragm					1	DTD.253	MR/C	
2771†	C.185829/3	Pipe, from connection at diaphragm, to electro-magnetic valve inlet					1	DTD.253	MR/C	
2772†	C.185829/4	Pipe, from electro-magnetic valve atmosphere connection, to air extractor duct					1	DTD.253	MR/C	
2773†	C.185829/5	Pipe, from electro-magnetic valve, to outlet connection at pressure diaphragm					1	DTD.253	MR/C	
2775†	C.185829/7	Pipe, from connection at pressure diaphragm, to hood seat connection					1	DTD.253	MR/C	
2776†	C.185829/8	Pipe, from banjo at reducing valve, to electro-magnetic valve inlet					1	DTD.253	MR/C	
2777†	C.185829/9	Pipe, from electro-magnetic valve atmosphere connection, to connection at pressure diaphragm					1	DTD.253	MR/C	
2778†	C.185829/10	Pipe, from connection at diaphragm, to air extractor duct					1	DTD.253	MR/C	
2779†	C.185829/11	Pipe, from electro-magnetic valve outlet connection, to air extractor valve					1	DTD.253	MR/C	
2782†	C.185829/14	Pipe, from connection to connection ...					1	DTD.253	MR/C	
2783†	C.185829/15	Pipe, from connection to banjo at reducing valve					1	DTD.253	MR/C	
2784†	C.185829/16	Pipe, from combined valve unit, to connection at frame 6					1	DTD.253	MR/C	
2785†	C.185829/17	Pipe, from connection at frame 6, to pressure controller discharge connection					1	DTD.253	MR/C	
2786†	C.185829/18	Pipe, from guard at frame 6, to connection at same frame					1	DTD.253	MR/C	
2787†	C.185829/19	Pipe, from water extractor to drainage vent ...					1	DTD.253	MR/C	
4860†	C.185829/20	Pipe, from connection to connection ...					1	DTD.253	MR/C	

† For details see Piping Chart

SERVICES—PRESSURISATION FRONT FUSELAGE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
		1 2 3 4 5				
4861†	C.185829/21	Pipe, from seal test connection at frame 6, to connection	1	DTD.253	MR/C	
1367	B.186249	Pipe, hot air, between frames 16 and 18, complete with lagging	1	L.54	C.	NM.1
1368	B.186250	Pipe, cold air, between frames 16 and 18, complete with lagging	1	L.54	C.	NM.1
5CZ/4901	Teddington Controls Ltd. FLJ/A/2	Resistor, follow-up type	1	—	B.	
1357	F.185498	Rod, connecting, group	1	—	C.	NM.1
	F.152671	Eye-end	2	S.1		
3935	Dowty Ltd. G.D.1307/23	Seal, bonded	1	—	C.	
3937	Dowty Ltd. G.D.1307/B	Seal, bonded	1	—	C.	
3940	Dowty Ltd. G.D.1307/D	Seal, bonded	1	—	C.	
3943	Dowty Ltd. G.D.1307/K	Seal, bonded	1	—	C.	
1659	Std.1744/10	Sleeve, sealing, for pipe connection	1	Silicone Rubber	C.	5
1715	Std.1744/12	Sleeve, sealing, for pipe connection	1	Silicone Rubber	C.	5
3806	Std.1509/23/032	Tube, distance, for electro-magnetic valve mounting bracket, $\frac{1}{16}$ " o/d $\times$ 17 S.W.G. $\times$ -32" long (Make from 30B/556)	3	T.4	MR/C	4
3940	Dowty Ltd. G.D.1307/D	Seal, bonded	1	—	C.	
3943	Dowty Ltd. G.D.1307/K	Seal, bonded	1	—	C.	
1659	Std.1744/10	Sleeve, sealing, for pipe connection	1	Silicone Rubber	C.	
1715	Std.1744/12	Sleeve, sealing, for pipe connection	1	Silicone Rubber	C.	
3806	Std.1509/23/032	Tube, distance, for electro-magnetic valve mounting bracket, $\frac{1}{16}$ " o/d $\times$ 17 S.W.G. $\times$ -32" long (Make from 30B/556)	3	T.4	MR/C	
	B.184967	Valve, temperature control, and actuator, group	1	—		
	A.184969	Lever, quadrant, group	1	—		
5W/307	Plessey CZ.54709/10/A	Actuator... ..	1	—	A.	
2766	A.183331	Block, mounting	1	DTD.364	MR/C	NM.1
1354	F.183338	Bolt, shoulder	1	S.11 or S.95.B	C.	NM.1
1353	A.183332	Lever, quadrant	1	DTD.124 or S.95.B	C.	NM.1
1355	F.183339	Pin, special	1	S.11 or S.95.B	C.	NM.1

† For details see Piping Charts.

SERVICES—PRESSURISATION FRONT FUSELAGE


Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
1347	B.184968	Valve, group	...	...	...	...	1	—	B.	NM.1
1662	F.184647	Bearing, at inlet connection	...	...	...	...	1	St. St. and Phos. Bronze	C.	NM.1
	—	Body and sleeve, group (B.184968)	...	...	...	...	—	—		
	B.184971	Consisting of :—								
	A.173149	Body	...	...	...	...	1	Stamping		
	A.173147	Sleeve	...	...	...	...	1	DTD.364 Aluminium		
	F.196870	Connection, inlet	...	...	...	...	1	—		NM.1
	A.184970	Plate, serial number	...	...	...	...	1	—		NM.1
1350	F.172947	Spindle, group	...	...	...	...	1	Casting	C.	NM.1
1349	F.183333	Lever, operating	...	...	...	...	1	S.11 or S.95.B	C.	NM.1
		Pinion	...	...	...	...	1	S.62.B	C.	NM.1
1351	F.184869	Shaft, top coupling	...	...	...	...	1	Sp. St.	C.	NM.1
1348	F.172951	Spring	...	...	...	...	1	—	C.	NM.1
1352	F.179471	Washer, sealing	...	...	...	...	2	—	C.	NM.1
666	B.185327	Valve, non-return, at frame 14, group	...	...	...	...	1	—	B.	NM.2
1940	Std.1231/1	Lug, locking	...	...	...	...	2	S.3	C.	NM.2
669	F.185406	Pin, pivot	...	...	...	...	1	DTD.364	C.	NM.2
668	F.185333	Plate, valve, assembly	...	...	...	...	1	—	C.	NM.2
3942	Dowty	Seal, bonded	...	...	...	...	1	—	C.	NM.2
	G.D.1307/J									
670	F.177073	Seating, for valve	...	...	...	...	1	Rubber	C.	NM.2
2708	A.185331	Shroud	...	...	...	...	1	L.16 or DTD.212	MR/C	NM.2
671	F.185336	Spring	...	...	...	...	1	Bronze Wire	C.	NM.2
672	F.185335	Washer, joint	...	...	...	...	1	DTD.378	C.	NM.2
1361	B.185213	Valve, air extractor, group	...	...	...	...	1	—	B.	NM.2
1362	A.185216	Diaphragm, assembly	...	...	...	...	1	—	C.	NM.2
2144	Std.1231/3	Lug, locking	...	...	...	...	3	S.3	C.	NM.2
3937	Dowty	Seal, bonded	...	...	...	...	1	—	C.	NM.2
	G.D.1307/B									
1363	F.172452	Spring	...	...	...	...	1	Phos. Br. Wire	C.	NM.2
27VB/3455	Hymatic Eng. Co. NR.9 Mk. 6	Valve, non-return	...	...	...	...	1	—	A.	
27VB/3454	Hymatic Eng. Co. PS.29/4	Valve, reducing	...	...	...	...	1	—	A.	
27V/4135	Teddington Controls Ltd.	Valve, electro-magnetic, for air extraction	...	...	...	...	1	—	A.	
27V/3453	Teddington Controls Ltd.	Valve, electro-magnetic, for air extraction	...	...	...	...	1	—	A.	
	ES/A/390									
1365	Std.1695/7	Washer, sealing, 2 1/4" i/d, at water extractor	...	...	...	...	2	DTD.378	C.	
3812	Std.1547/22/14	Washer, packing, for block securing actuator	...	...	...	...	2	DTD.610	MR/C	


SERVICES—PRESSURISATION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
SUMMARY OF STOCK ITEMS										
28F/9708	AGS.1104/B	Adaptor, cone type	...	...	...	...	...	—	—	—
28F/10410	AGS.1104/C	Adaptor, cone type	...	...	...	...	...	—	—	—
28D/12528	A25.1.B.	Bolt, 4 B.A.	...	...	...	...	...	—	—	—
28D/12511	A25.2.B.	Bolt, 4 B.A.	...	...	...	...	...	—	—	—
28D/12622	A25.3.B.	Bolt, 4 B.A.	...	...	...	...	...	—	—	—
28D/12529	A25.4.B.	Bolt, 4 B.A.	...	...	...	...	...	—	—	—
28D/12512	A25.1.C.	Bolt, 2 B.A.	...	...	...	...	...	—	—	—
28D/12513	A25.2.C.	Bolt, 2 B.A.	...	...	...	...	...	—	—	—
28D/12531	A25.3.C.	Bolt, 2 B.A.	...	...	...	...	...	—	—	—
28D/12532	A25.4.C.	Bolt, 2 B.A.	...	...	...	...	...	—	—	—
28D/12533	A25.5.C.	Bolt, 2 B.A.	...	...	...	...	...	—	—	—
28D/12566	A25.6.C.	Bolt, 2 B.A.	...	...	...	...	...	—	—	—
28D/12514	A25.7.C.	Bolt, 2 B.A.	...	...	...	...	...	—	—	—
28D/12629	A25.8.C.	Bolt, 2 B.A.	...	...	...	...	...	—	—	—
28D/12535	A25.12.C.	Bolt, 2 B.A.	...	...	...	...	...	—	—	—
28D/12536	A25.13.C.	Bolt, 2 B.A.	...	...	...	...	...	—	—	—
28D/12567	A25.20.C.	Bolt, 2 B.A.	...	...	...	...	...	—	—	—
28D/12520	A25.4.F.	Bolt, 1" B.S.F.	...	...	...	...	...	—	—	—
28D/12569	A25.10.E.	Bolt, 1" B.S.F.	...	...	...	...	...	—	—	—
28D/8321	AS.1242.30.C	Bolt, 2 B.A.	...	...	...	...	...	—	—	—
28D/14523	AS.1242.33.C	Bolt, 2 B.A.	...	...	...	...	...	—	—	—
28D/8342	AS.1248.2.C.	Bolt, 2 B.A.	...	...	...	...	...	—	—	—
28F/10018	AGS.1135/B	Bolt, banjo	...	...	...	...	...	—	—	—
28F/11017	AGS.1136/B	Bolt, banjo	...	...	...	...	...	—	—	—
28F/10798	AGS.1129/B	Body, banjo	...	...	...	...	...	—	—	—
28F/10381	AGS.1130/B	Body, banjo	...	...	...	...	...	—	—	—
28F/11268	AGS.1111/B	Body, union	...	...	...	...	...	—	—	—
28F/9533	AGS.1145/B	Body, union	...	...	...	...	...	—	—	—
28E/10154	AGS.605-00	Clip	...	...	...	...	...	—	—	—
5K/119	AGS.1661.H.	Clip	...	...	...	...	...	—	—	—
5K/116	AGS.1661.E.	Clip	...	...	...	...	...	—	—	—
28F/9501	AGS.1142/B	Nipple	...	...	...	...	...	—	—	—
28F/8280	AGS.1142/H	Nipple	...	...	...	...	...	—	—	—
28F/14123	AGS.1170/B	Nipple	...	...	...	...	...	—	—	—
28M/12929	A27.C.P.	Nut, 2 B.A.	...	...	...	...	...	—	—	—
28L/13124	A27.C.T.	Nut, 2 B.A.	...	...	...	...	...	—	—	—
28M/13121	A27.C.S.	Nut, 2 B.A.	...	...	...	...	...	—	—	—
28M/12930	A27.E.S.	Nut, 1/4" B.S.F.	...	...	...	...	...	—	—	—
28L/13326	A27.G.T.	Nut, 5/16" B.S.F.	...	...	...	...	...	—	—	—
28F/10491	AGS.1148/A	Nut, thin	...	...	...	...	...	—	—	—
28F/9584	AGS.1148/B	Nut, thin	...	...	...	...	...	—	—	—
28F/9879	AGS.1148/D	Nut, thin	...	...	...	...	...	—	—	—
28F/14527	AGS.1148/K	Nut, thin	...	...	...	...	...	—	—	—
28M/10287	AGS.2001.B1	Nut, 4 B.A.	...	...	...	...	...	—	—	—
28M/10288	AGS.2001.C1	Nut, 2 B.A.	...	...	...	...	...	—	—	—
28M/10327	AGS.2002.B1	Nut, 4 B.A.	...	...	...	...	...	—	—	—

SERVICES—PRESSURISATION

Ref. No.	Part No.	Description								No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5							
28M/10328	AGS.2002.C1	Nut, 2 B.A.	...	...	...	...	...	...	...	—	—	—	
28M/10330	AGS.2002.E1	Nut, 1" B.S.F.	...	...	...	...	...	...	...	—	—	—	
28M/10216	AGS.2008.C1	Nut, 2 B.A.	...	...	...	...	...	...	...	—	—	—	
28P/12587	SP.9.C4	Pin, split type	...	...	...	...	...	...	...	—	—	—	
28P/12349	SP.9.C5	Pin, split type	...	...	...	...	...	...	...	—	—	—	
28P/12431	SP.9.C6	Pin, split type	...	...	...	...	...	...	...	—	—	—	
28P/12462	SP.9.C8	Pin, split type	...	...	...	...	...	...	...	—	—	—	
28P/5325	AGS.859/12	Pin, tapered	...	...	...	...	...	...	...	—	—	—	
28P/5327	AGS.859/22	Pin, tapered	...	...	...	...	...	...	...	—	—	—	
28F/10482	AGS.1140/A	Plug	...	...	...	...	...	...	...	—	—	—	
28F/8212	AGS.1140/B	Plug	...	...	...	...	...	...	...	—	—	—	
28F/10801	AGS.1143/C	Plug, cone type	...	...	...	...	...	...	...	—	—	—	
28S/14005	A32.B.14	Screw, 4 B.A.	...	...	...	...	...	...	...	—	—	—	
28W/12245	SP.10.C	Shim, 2 B.A.	...	...	...	...	...	...	...	—	—	—	
28F/5721	AGS.904/A	Sleeve, outer	...	...	...	...	...	...	...	—	—	—	
28F/5722	AGS.904/B	Sleeve, outer	...	...	...	...	...	...	...	—	—	—	
28F/11931	AGS.904/K	Sleeve, outer	...	...	...	...	...	...	...	—	—	—	
28F/9533	AGS.1145.B	Union	...	...	...	...	...	...	...	—	—	—	
28F/10510	AGS.1146.A	Union	...	...	...	...	...	...	...	—	—	—	
28F/9737	AGS.1146.B	Union	...	...	...	...	...	...	...	—	—	—	
28W/12306	SP.15.B	Washer, 4 B.A....	...	...	...	...	...	...	...	—	—	—	
28W/12296	SP.15.C	Washer, 2 B.A....	...	...	...	...	...	...	...	—	—	—	
28W/12496	SP.15.E	Washer, 1" dia.	...	...	...	...	...	...	...	—	—	—	
28W/12355	SP.16.C	Washer, 2 B.A....	...	...	...	...	...	...	...	—	—	—	
28W/6659	AGS.568/B	Washer, jointing	...	...	...	...	...	...	...	—	—	—	
28W/9625	AGS.568/D	Washer, jointing	...	...	...	...	...	...	...	—	—	—	
28W/8072	AGS.568/H	Washer, jointing	...	...	...	...	...	...	...	—	—	—	
28F/8215	AGS.1138/B	Washer, jointing	...	...	...	...	...	...	...	—	—	—	
28F/10500	AGS.1138/K	Washer, jointing	...	...	...	...	...	...	...	—	—	—	





This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

