

TAIL UNIT—FIN

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Place No.
		1	2	3	4	5				
67	D.183036	FIN, GROUP (Complementary parts e.g., Inter component attachments are listed on page PE.1 and will not be supplied with the assembly spare)					1	—	A.	PB.1
	C.193160	AERIAL, IFF Mk. 3, ASSEMBLY Consisting of:—					—	—		
4142	A.197535	Aerial, stub					1	—	C.	ME.1
4048	A.193159	Blade, aerial					1	L.59	MR/C	ME.1
28D/12528	A.25.1.B	Bolt, 4 B.A.					2	—	C.	
28D/12511	A.25.2.B	Bolt, 6 B.A.					3	—	C.	
10AB/153	—	Bracket,					1	—	A.	
3894	A.193158	Bracket					1	Bakelite	C.	ME.1
3971	Std.840/19	Clip, cable, $\frac{1}{16}$ " wide $\times$ 22 S.W.G. $\times$ 1.9" long (make from 30B/1433)					1	DTD.610	MR/C	4
3750	Std.842/10	Clip, cable, $\frac{1}{16}$ " wide $\times$ 22 S.W.G. $\times$ 1" long (make from 30A/549)					2	S.3	MR/C	4
10HA/12451	—	Connector					1	—	B.	
28M/10287	AGS.2001/B1	Nut					1	—	C.	
28M/10286	AGS.2001/A1	Nut					3	—	C.	
28M/10327	AGS.2002/B1	Nut					2	—	C.	
28S/2773	A31.B.20	Screw					1	—	C.	
28S/3510	A44.B.8	Screw					2	—	C.	
28VV/12306	SP.15.B	Washer					4	—	C.	
28VV/12441	SP.15.A	Washer					3	—	C.	
28W/3097	AGS.162.B	Washer					2	—	C.	
	F.202220	Angle, for spring anchorage					1	L.72		
2945	F.193205	Angle					2	DTD.610	MR/C	PB.1
2930	A.185164	Angle, skin support, at lower diaphragm, port					1	DTD.610	MR/C	PB.2
2931	A.185165	Angle, skin support, at lower diaphragm, starboard					1	DTD.610	MR/C	PB.2
2932	F.183048	Angle, shroud attachment to rib G					1	DTD.610	MR/C	PB.1
2933	F.183050	Angle, shroud attachment to rib H					1	DTD.610	MR/C	PB.1
2934	B.186835	Angle, support, at detachable tip, port					1	DTD.610	MR/C	PB.2
2935	B.186836	Angle, support, at detachable tip, starboard					1	DTD.610	MR/C	PB.2
27S/323	B.A.M.1	Bearing, lower hinge					1	—	B.	
27S/143	BAA. $\frac{5}{16}$ " B	Bearing, upper hinge					1	—	B.	
1602	F.192389	Bolt, lower hinge bearing					1	S.94.B	C.	PB.1
1603	Std.1700/1C	Bolt, attachment of rear end detachable portion					16	S.95.B	C.	5
2946	F.193206	Bracket, mounting					1	DTD.610	MR/C	PB.1
	A.184161	BRACKET, RUDDER CONTROL, UPPER ASSEMBLY					—	—		
2936	B.184158	Bracket, starboard					1	DTD.610	MR/C	PB.2
2937	B.184159	Bracket, port					1	DTD.610	MR/C	PB.2
2938	F.184160	Stiffener					1	DTD.610	MR/C	PB.2
2939	A.183547	Bracket, rudder control, lower port					1	S.3	MR/C	PB.2
2940	A.183548	Bracket, rudder control, lower starboard					1	S.3	MR/C	PB.2
3741	Std.840/20	Clip, duct attachment, $\frac{1}{16}$ " wide $\times$ 22 S.W.G. $\times$ 2" long					1	DTD.610	C.	4
3738	Std.840/29	Clip, for duct, upper, $\frac{1}{16}$ " wide $\times$ 22 S.W.G. $\times$ 2.9" long (Make from 30B/1433)					1	DTD.610	MR/C	4
3742	Std.840/37	Clip, for duct, lower, $\frac{1}{16}$ " wide $\times$ 22 S.W.G. $\times$ 3.7" long (Make from 30B/1433)					1	DTD.610	MR/C	4
—	C.171698	CONTROLS, FLYING (See section 'D')					—	—	—	
	A.185944	Duct, electrical cable					1	L.54		
	F.193403	Duct, for aerial connection, upper					1	L.54		
	A.193404	Duct, for aerial connection, lower					1	L.54		
2941	A.185201	Diaphragm, at tall rib 'D'					1	DTD.610	MR/C	PB.2

RESTRICTED

Hunter F. Mk. 4

TAIL UNIT—FIN

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
2942	A.188102	Diaphragm, at detachable portion	...	...	...	...	1	DTD.610	MR/C	PB.2
2943	B.186111	Diaphragm, at rear access panel	...	...	...	...	1	DTD.610	MR/C	PB.2
	D.195638	ELECTRICAL INSTALLATION ...					—	—	—	
		(For details see section E)								
	A.184946	Diaphragm, lower	...	...	...	...	1	DTD.610		
2944	A.186895	End, tip	...	...	...	...	1	L.53	MR/C	PB.2
	B.183103	Extension, rear spar	...	...	...	...	1	DTD.610		
193	C.186356	Fin, detachable portion	...	...	...	...	1	DTD.610	B.	PB.1
	C.172170	Former, front	...	...	...	...	1	DTD.610		
	F.183345	HINGE, TOP, ASSEMBLY ...					—	—		
2948	B.183142	Bracket, upper	...	...	...	...	1	DTD.610	MR/C	PB.2
2949	B.183143	Bracket, lower	...	...	...	...	1	DTD.610	MR/C	PB.2
2950	A.177845	Hinge	...	...	...	...	1	—	MR/C	PB.1
	F.183358	HINGE, BOTTOM, ASSEMBLY ...					—	—		
2951	F.182991	Angle, bottom	...	...	...	...	1	DTD.610	MR/C	PB.1
2952	A.172196	Fitting, hinge	...	...	...	...	1	—	MR/C	PB.1
2953	F.182992	Stop	...	...	...	...	1	LFS.21	MR/C	PB.1
2954	B.182990	Rib, tail D.1	...	...	...	...	1	DTD.610	MR/C	PB.2
2955	B.183260	Rib	...	...	...	...	1	DTD.610	MR/C	PB.2
3815	Std.1547/20/14	Washer, profile	...	...	...	...	2	DTD.610	MR/C	4
	B.184334	PANEL, ACCESS, ASSEMBLY ...					—	—		
2956	B.184094	Landing, port	...	...	...	...	1	DTD.610	MR/C	PB.1
2957	B.184095	Landing, starboard	...	...	...	...	1	DTD.610	MR/C	PB.1
191	B.183993	Panel, access to rudder controls, port	...	...	...	...	1	DTD.610	C.	PB.1
192	B.183994	Panel, access to rudder controls, starboard	...	...	...	...	1	DTD.610	C.	PB.1
	C.186441	PANEL, REAR ACCESS, ASSEMBLY ...					—	—		
1603	Std.1700/1C	Bolt, (Referenced 26AQ/3161 for Admiralty)	...	...	...	...	15	S.95.B	C.	5
2958	C.186293	Landing	...	...	...	...	1	DTD.610	MR/C	PB.1
190	B.186322	Panel, access	...	...	...	...	1	DTD.610	C.	PB.1
2959	A.183897	Plate, cover, rib 'A'	...	...	...	...	1	DTD.610	MR/C	PB.2
2947	F.193204	Plate, stud	...	...	...	...	1	S.3	MR/C	PB.1
2960	D.184098	Rib, interspar, 'A' group	...	...	...	...	1	—	MR/B	PB.2
	F.183929	Angle, forward and intermediate	...	...	...	...	1	DTD.364		
	F.183930	Angle, rear	...	...	...	...	2	DTD.364		
	D.184098/2	Boom, port	...	...	...	...	1	DTD.364		
	D.184098/3	Boom, starboard	...	...	...	...	1	DTD.364		
	B.172194	Fitting, attachment, rear, port	...	...	...	...	1	Stpg.		
	B.172195	Fitting, attachment, rear, starboard	...	...	...	...	1	Stpg.		
	B.172193	Fitting, attachment, forward	...	...	...	...	2	Stpg.		
	A.172211	Fitting, tie, aft	...	...	...	...	1	DTD.364		
	A.172208	Fitting, tie, forward	...	...	...	...	2	DTD.364		

RESTRICTED

TAIL UNIT-FIN


Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
2961	B.183362	Rib, interspar	'B'	...	...	...	1	DTD.610	MR/C	PB.2
2962	B.183363	Rib, interspar	'C'	...	...	...	1	DTD.610	MR/C	PB.2
2963	B.183364	Rib, interspar	'D'	...	...	...	1	DTD.610	MR/C	PB.2
2964	B.183365	Rib, interspar	'D1'	...	...	...	1	DTD.610	MR/C	PB.2
2965	B.183366	Rib, interspar	'E'	...	...	...	1	DTD.610	MR/C	PB.2
2966	B.184543	Rib, interspar	'E1'	...	...	...	1	—	MR/C	PB.2
2967	B.183368	Rib, interspar	'F'	...	...	...	1	DTD.610	MR/C	PB.2
2968	B.183369	Rib, interspar	'G'	...	...	...	1	DTD.610	MR/C	PB.2
2969	B.183370	Rib, interspar	'H'	...	...	...	1	DTD.610	MR/C	PB.2
2970	B.183035	Rib, top, interspar		...	...	...	1	DTD.610	MR/C	PB.2
2971	B.183579	Rib, nose	'B'	...	...	...	1	DTD.610	MR/C	PB.2
2972	B.183580	Rib, nose	'C'	...	...	...	1	DTD.610	MR/C	PB.2
2973	B.183581	Rib, nose	'D'	...	...	...	1	DTD.610	MR/C	PB.2
2974	B.183582	Rib, nose	'E'	...	...	...	1	DTD.610	MR/C	PB.2
2975	B.183583	Rib, nose	'F'	...	...	...	1	DTD.610	MR/C	PB.2
2976	B.183584	Rib, nose	'G'	...	...	...	1	DTD.610	MR/C	PB.2
2977	B.183148	Rib, nose	'H'	...	...	...	1	—	MR/C	PB.2
2978	C.183034	Rib, top, at detachable tip		...	...	...	1	DTD.610	MR/C	PB.2
2979	C.185845	Rib, bottom		...	...	...	1	DTD.610	MR/C	PB.2
2980	B.182978	Rib, tail	'D'	...	...	...	1	DTD.610	MR/C	PB.2
2981	B.183283	Rib, tail	'E1'	...	...	...	1	DTD.610	MR/C	PB.2
2982	B.182995	Rib, tail	'F'	...	...	...	1	DTD.610	MR/C	PB.2
2983	B.182998	Rib, tail	'G'	...	...	...	1	DTD.610	MR/C	PB.2
2984	B.182999	Rib, tail	'H'	...	...	...	1	DTD.610	MR/C	PB.2
2985	A.183037	Rib, tail	'J'	...	...	...	1	DTD.610	MR/C	PB.2
2986	B.185416	Rib, lower, between rear spar and diaphragm		...	...	...	1	DTD.610	MR/C	PB.2
3779	Std.1356/15	Shim, lower hinge bearing		...	...	...	2	Laminated Aluminium	MR/C	
		(Referenced 26AQ/864 for Admiralty)								
3778	Std.1356/13	Shim, upper hinge bearing		...	...	...	2	Laminated Aluminium	MR/C	
		(Referenced 26AQ/1690 for Admiralty)								
2987	B.183216	Shroud, below, rib D		...	...	...	1	DTD.610	MR/C	PB.2
2988	B.183040	Shroud, between tail ribs D and D1		...	...	...	1	DTD.610	MR/C	PB.2
2989	B.183042	Shroud, between tail ribs F and G		...	...	...	1	DTD.610	MR/C	PB.2
2990	B.183043	Shroud, between tail ribs G and H		...	...	...	1	DTD.610	MR/C	PB.2
2991	B.183044	Shroud, between tail ribs H and top rib		...	...	...	1	DTD.610	MR/C	PB.2
2992	B.183045	Shroud, between top rib and tail rib J		...	...	...	1	DTD.610	MR/C	PB.2
2993	B.183229	Shroud, top		...	...	...	1	DTD.610	MR/C	PB.2
	D.183316	Spar, front		...	...	...	1	DTD.610		
	D.183317	Spar, rear		...	...	...	1	DTD.610		
2994	F.183820	Stiffener, between tail ribs D and D.1		...	...	...	1	DTD.610	MR/C	PB.2
2995	A.183822	Stiffener, port		...	...	...	1	DTD.364	MR/C	PB.2
2996	A.183823	Stiffener, starboard		...	...	...	1	DTD.364	MR/C	PB.2
2997	F.183835	Stiffener, ...		...	...	...	2	DTD.364	MR/C	PB.2
2998	F.183821	Stiffener, skin, tip portion		...	...	...	1	DTD.364	MR/C	PB.2
2999	D.183036/2	Skin, main, port		...	...	...	1	DTD.610	MR/B	PB.1
3000	D.183036/3	Skin, main, starboard		...	...	...	1	DTD.610	MR/B	PB.1
1865	D.183036/1	Skin, nose		...	...	...	1	DTD.610	B.	PB.1
3001	D.183036/4	Skin, tip, port		...	...	...	1	DTD.610	MR/B	PB.1
3002	D.183036/5	Skin, tip, starboard		...	...	...	1	DTD.610	MR/B	PB.1
1604	D.188854*	Tip, detachable (Pre Mod. 158)		...	...	...	1	Lam. Paper	B.	PB.1
4892	D.204063	Tip, detachable (Mod. 158)		...	...	...	1	Lam. Paper	B.	
	B.186592	Tube, slinging		...	...	...	1	—		
	Std.915/N10	Washer, lower hinge bearing		...	...	...	2	DTD.610		
3769	Std.915/G12	Washer, upper hinge bearing		...	...	...	2	DTD.610	MR/C	4


TAIL UNIT-FIN

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
26AD3804	F195139.									

TAIL UNIT-FIN

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
		SUMMARY OF STOCK ITEMS								
28D/12528	A25.1.B	Bolt, 4 B.A.	...	...	...	...	...	—	—	—
28D/12512	A25.1.C	Bolt, 2 B.A.	...	...	...	...	...	—	—	—
28D/12513	A25.2.C	Bolt, 2 B.A.	...	...	...	...	...	—	—	—
28D/12533	A25.5.C	Bolt, 2 B.A.	...	...	...	...	...	—	—	—
28D/12539	A25.16.C	Bolt, 2 B.A.	...	...	...	...	...	—	—	—
28D/12633	A25.7.E	Bolt, 1/4" B.S.F.	...	...	...	...	...	—	—	—
28D/12544	A25.8.E	Bolt, 1/4" B.S.F.	...	...	...	...	...	—	—	—
28D/8306	AS.1242/1C	Bolt, 2 B.A.	...	...	...	...	...	—	—	—
28D/11453	AS.2504/12G	Bolt, 5/8" B.S.F.	...	...	...	...	...	—	—	—
28M/10327	AGS.2002/B1	Nut, 4 B.A.	...	...	...	...	...	—	—	—
28M/10328	AGS.2002/C1	Nut, 2 B.A.	...	...	...	...	...	—	—	—
28M/10216	AGS.2008/C1	Nut, 2 B.A.	...	...	...	...	...	—	—	—
28L/753	A.16Y/CT	Nut, 2 B.A.	...	...	...	...	...	—	—	—
28L/776	A.16Y/ET	Nut, 1/4" B.S.F.	...	...	...	...	...	—	—	—
28M/12929	A27.CP	Nut, 2 B.A.	...	...	...	...	...	—	—	—
28M/13122	A27.G.S.	Nut, 5/16" B.S.F.	...	...	...	...	...	—	—	—
28M/7727	AGS.572/E	Nut, 1/4" B.S.F.	...	...	...	...	...	—	—	—
28S/2832	A33.C.28	Screw, 2 B.A.	...	...	...	...	...	—	—	—
28W/12306	SP.15B	Washer	...	...	...	...	...	—	—	—
28W/12296	SP.15C	Washer	...	...	...	...	...	—	—	—
28W/12324	SP.15G	Washer	...	...	...	...	...	—	—	—
28W/12321	SP.15J	Washer	...	...	...	...	...	—	—	—
28W/12355	SP.16C	Washer	...	...	...	...	...	—	—	—
28W/12297	SP.16E	Washer	...	...	...	...	...	—	—	—







This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.