

RESTRICTED

UNDERCARRIAGE—MAIN FAIRING

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Score	Plate No.
		1 2 3 4 5				
	D.187500-1	FAIRING, MAIN UNDERCARRIAGE, ASSEMBLY	—	—		
4219	F.191499	Bolt, banjo, for greaser pipe	2	—	C.	RB.1
5188	E.204906	Door, wheel, port group (with trimming allowance) (Pre Mod. 432)	1	—	A.	RB.2
5189	E.204907	Door, wheel, starboard group (with trimming allowance) (Pre Mod. 432)	1	—	A.	RB.2
7016	E.214862	Door, wheel, port group (with trimming allowance) (Mod. 432)	1	—	A.	RB.2
7017	E.214863	Door, wheel, starboard group (with trimming allowance) (Mod. 432)	1	—	A.	RB.2
484	F.187537	Bolt, attachment of jack anchorage shackle ...	2	S.95.B	C.	RB.2
4669	F.201476	Bolt, front and aft lock pin fittings	16	S.99.B	C.	RB.2
8394	A.211328	Fitting, pin, aft lock, port (Mod. 314)	1	DTD.473	C.	RB.2
8395	A.211329	Fitting, pin, aft lock, starboard (Mod. 314)	1	DTD.473	C.	RB.2
8392	A.211326	Fitting, pin, front lock, port (Mod. 314)	1	DTD.473	C.	RB.2
8393	A.211327	Fitting, pin, front lock, starboard ... (Mod. 314)	1	DTD.473	C.	RB.2
491	C.178792	Hinge, door, port	1	—	C.	RB.2
492	C.178793	Hinge, door, starboard	1	—	C.	RB.2
5194	A.202797*	Lever, group (Pre Mod. 432)	2	—	B.	RB.2
5772	F.202798	Bush	1	BSS.250	MR/C	RB.2
	Std.1221Y.D75	Pin	1	S.2	—	4
5773	F.201688	Roller	1	DTD.504	MR/C	RB.2
5774	F.204197	Roller	1	L.65.C	MR/C	RB.2
26AQ/2284	Std.914.E22	Washer	1	—		
7018	A.212601	Lever, group (Mod. 432)	2	—	B.	RB.2
5772	F.202798	Bush	1	BSS.250	MR/C	RB.2
	Std.1221Y.D85	Pin	1	S.2	—	4
5773	F.201688	Roller	1	DTD.504	MR/C	RB.2
8213	F.212691	Roller	1	L.65.C	MR/C	RB.2
7885	F.214842	Plate, locking (Mod. 479)	2	L.72	C.	RB.2
493	A.187533	Shackle, jack anchorage, port	1	—	C.	RB.2
494	A.187534	Shackle, jack anchorage, starboard	1	—	C.	RB.2
495	F.187535	Shim, at aft lock pin fitting (Max. 4)	QR	DTD.610	C.	RB.2
496	F.187536	Shim, at front lock pin fitting (Max. 4)	QR	DTD.610	C.	RB.2
7824	F.206293	Shim, taper at aft lock pin fitting (Max. 1)	QR	L.72	C.	
7882	F.206294	Shim, taper front lock pin fitting (Max. 1)	QR	L.72	C.	
8396	F.211330	Shim, at front lock pin fitting (Mod. 314)	QR	Shim Steel	C.	
8397	F.211331	Shim, at front lock pin fitting (Mod. 314)	QR	Shim Steel	C.	
8398	F.211332	Shim, at front lock pin fitting (Mod. 314)	QR	Shim Steel	C.	
8399	F.211333	Shim, at aft lock pin fitting (Mod. 314)	QR	Shim Steel	C.	
8400	F.211334	Shim, at aft lock pin fitting (Mod. 314)	QR	Shim Steel	C.	
8401	F.211335	Shim, at aft lock pin fitting (Mod. 314)	QR	Shim Steel	C.	
5775	F.201687	Tube, distance, at lever attachment	2	S.95.B	MR/C	RB.2
	Std.914/J/20	Washer, for pin through channel	2	S.1	—	
343	E.187463	Fairing, leg, port, group	1	—	A.	RB.1
344	E.187464	Fairing, leg, starboard, group	1	—	A.	RB.1
497	A.187467	Panel, access to locking pin attachment bolts ...	2	DTD.610	C.	RB.1
498	A.170012	Pin, attachment of fairing links	2	S.1	C.	RB.1
6101	A.208253	Pin, locking, port (Mod. 312)	1	—	C.	RB.1
6102	A.208254	Pin, locking, starboard (Mod. 312)	1	—	C.	RB.1
3927	Std.1208/75/32/70	Shim, at attachment of fairing	8	St. Steel	C.	4
1534	F.187496	Washer, serrated, for lock pin	2	S.3	C.	RB.1

RESTRICTED

RESTRICTED

Hunter F. Mk. 4
Issued with Amendment List No. 15

UNDERCARRIAGE—MAIN FAIRING

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
345‡	D.187153	Fairing, wheel, port, group (with trimming allowance) (Pre Mod. 13)					1	—	A.	RB.2
346‡	D.187154	Fairing, wheel, starboard, group (with trimming allowance) (Pre Mod. 13)					1	—	A.	RB.2
8056‡	D.187153* (issue 7 and subsequent)	Fairing, wheel, port, group (with trimming allowance) (Mod. 13) (Pre Mod. 197)					1	—	A.	
8057‡	D.187154* (issue 7 and subsequent)	Fairing, wheel, starboard, group (with trimming allowance) (Mod. 13) (Pre Mod. 197)					1	—	A.	
8169	D.215617	Fairing, wheel, port, group (with trimming allowance) (Mod. 197)					1	—	A.	RB.2
8170	D.215618	Fairing, wheel, starboard, group (with trimming allowance) (Mod. 197)					1	—	A.	RB.2
	D.187155	DETAILS OF FAIRING, ASSEMBLY ...					—	—		
503	F.151366	Bolt, fairing attachment to undercarriage leg bracket					8	S.1	C.	RB.2
505	F.187218	Nut, clamp, fairing attachment to undercarriage leg, bracket					8	S.92.B	C.	RB.2
4671	B.203598	Panel, access, to brakes ...					2	L.72	C.	RB.2
509	F.151365	Plate, clamp, fairing attachment to undercarriage leg bracket					8	S.1	C.	RB.2
510	A.173027	Plate, fixing, fairing attachment to undercarriage leg bracket					8	S.92B.	C.	RB.2
511	F.151368	Sleeve, adjusting, fairing attachment to undercarriage leg bracket					8	S.2	C.	RB.2
512	F.151367	Washer, fairing attachment to undercarriage leg bracket					8	L.16	C.	RB.2
6168	Hellermann 2553	Grommet ...					2	—	C.	
506	A.187178	Panel, access to bleeder screw ...					2	DTD.610	C.	RB.2
507	A.187180	Panel, access to jacking plug, port ...					1	DTD.610	C.	RB.2
508	A.187181	Panel, access to jacking plug, starboard ...					1	DTD.610	C.	RB.2
341	D.186870	Flap, fairing, port, group (with trimming allowance)					1	—	A.	RB.1
342	D.186871	Flap, fairing, starboard, group (with trimming allowance)					1	—	A.	RB.1
513	F.187237	Bolt, attachment of link to bracket ...					2	S.95.B	C.	RB.1
514	A.186873	Bracket, link ...					2	DTD.162	C.	RB.1
515‡	A.187118	Hinge, front port, rear starboard ...					2	—	C.	RB.1
516‡	A.187119	Hinge, front starboard, rear port ...					2	—	C.	RB.1
	B.182128	Hinge, flap and leg fairing, port, group ...					1	—		
	B.182129	Hinge, flap and leg fairing, starboard, group ...					1	—		
3985	A.197874	Bracket, hinge, front, leg fairing, port ...					1	Stmpg.	C.	RB.1
3986	A.197875	Bracket, hinge, front, leg fairing, starboard ...					1	Stmpg.	C.	RB.1
3987	A.197876	Bracket, hinge, rear, leg fairing, port ...					1	Stmpg.	C.	RB.1
3988	A.197877	Bracket, hinge, rear, leg fairing, starboard ...					1	Stmpg.	C.	RB.1
9135	B.182107	Hinge, flap, port ...					1	—	MR/C	RB.1
6957	B.182108	Hinge, flap, starboard ...					1	—	MR/C	RB.1
549	F.182111	Link, flap, hinge, forward, port ...					2	S.2	C.	RB.1
550	F.182112	Link, flap, hinge, forward, starboard ...					2	S.2	C.	RB.1
6171	F.202596	Link, hinge, rear, port and starboard ...					4	Casting or S.96.B	C.	RB.1
551	F.189654	Pin, flap, hinge, front $\frac{3}{16}$ " dia. × 3-80" long ...					2	St. Stl.	C.	RB.1
552	F.189655	Pin, flap, hinge, rear $\frac{3}{16}$ " dia. × 3-35" long ...					2	St. Stl.	C.	RB.1
6172	F.207897	Shim, for hinge bracket ...					4	Lam. Alum.	C.	

RESTRICTED

UNDERCARRIAGE-MAIN FAIRING

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Place No.
		1	2	3	4	5				
517	A.187321	Link, undercarriage fairing flap, group					2	—	C.	RB.1
518	F.151348	Bolt, lubricating					1	S.94.B	C.	RB.1
519	F.187323	Shackle					1	S.1	C.	RB.1
520	B.187328	Link, leg fairing, group					4	—	C.	RB.1
	A.187325	Bearing, rod end					1	—		
	A.187326	Bearing, rod end					1	—		
	A.187327	Rod, connecting					1	—		
521	F.187324	Pin, hinge, fairing flap					2	S.3	C.	RB.1
522	F.171532	Pin, hinge, leg fairing					4	S.95.B	C.	RB.1
8299	A.206280	Pipe, greaser, port (Mod. 197)					1	—	C.	RB.1
8300	A.206281	Pipe, greaser, starboard (Mod. 197)					1	—	C.	RB.1
3983	F.197954	Plate, fairing flap hinge pin retaining					2	DTD.610	C.	RB.1
3984	F.197955	Plate, fairing flap hinge pin retaining					2	DTD.610	C.	RB.1
27Q/12001	Dowty	Seal, for greaser pipe banjo					4	—	C.	
	S.P.815/3									
4222	Std.915/U/18	Washer, for greaser pipe					2	DTD.610	C.	4


RESTRICTED


Hunter F. Mk. 4
Issued with Amendment List No. 15

UNDERCARRIAGE—MAIN FAIRING

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
SUMMARY OF STOCK ITEMS										
28N/ 28D/12528	AGS.636/2 A25.1B	Ball	...	...	...	...	...	—	—	—
		Bolt, 4 BA	...	...	...	...	...	—	—	—
28D/12514	A25.7C	Bolt, 2 B.A.	...	...	...	...	...	—	—	—
28D/12629	A.25.8C	Bolt, 2 B.A.	...	...	...	...	...	—	—	—
28D/8307	AS.1242/2C	Bolt, 2 B.A.	...	...	...	...	...	—	—	—
28D/8308	AS.1242/3C	Bolt, 2 B.A.	...	...	...	...	...	—	—	—
28D/8310	AS.1242/6C	Bolt, 2 B.A.	...	...	...	...	...	—	—	—
28D/8311	AS.1242/7C	Bolt, 2 B.A.	...	...	...	...	...	—	—	—
28D/8312	AS.1242/8C	Bolt, 2 B.A.	...	...	...	...	...	—	—	—
28D/11439	AS.1242/16G	Bolt, $\frac{5}{16}$ " B.S.F.	...	...	...	...	...	—	—	—
28M/8101	AGS.572.C	Nut	...	...	...	...	...	—	—	—
28L/5240	A.14.JB	Nut, $\frac{3}{8}$ " B.S.F.	...	...	...	...	...	—	—	—
28L/5227	A.14.JBL	Nut, $\frac{3}{8}$ " B.S.F.	...	...	...	...	...	—	—	—
28L/753	A.16.YCT	Nut, 2 B.A.	...	...	...	...	...	—	—	—
28M/770	A.16.YGS	Nut, $\frac{5}{16}$ " B.S.F.	...	...	...	...	...	—	—	—
28L/13124	A.27.CT	Nut, 2 B.A.	...	...	...	...	...	—	—	—
28M/12930	A.27.ES	Nut, $\frac{1}{2}$ " B.S.F.	...	...	...	...	...	—	—	—
28M/13122	A.27.GS	Nut, $\frac{5}{16}$ " B.S.F.	...	...	...	...	...	—	—	—
28M/10288	AGS.2001/C1	Nut, 2 B.A.	...	...	...	...	...	—	—	—
28N/9796	SP.21	Nipple, lubricating	...	...	...	...	...	—	—	—
28P/837	SP.4Y.B11	Pin	...	...	...	...	...	—	—	—
28P/838	SP.4Y.B12	Pin	...	...	...	...	...	—	—	—
28P/1087	SP.4Y.G20	Pin	...	...	...	...	...	—	—	—
28W/12296	SP.15C	Washer, 2 B.A.	...	...	...	...	...	—	—	—
28W/12496	SP.15E	Washer, $\frac{1}{4}$ " dia.	...	...	...	...	...	—	—	—
28W/12324	SP.15G	Washer, $\frac{1}{8}$ " dia.	...	...	...	...	...	—	—	—
28W/12355	SP.16C.	Washer	...	...	...	...	...	—	—	—
28L/13772	SP.41G	Washer, tab	...	...	...	...	...	—	—	—

RESTRICTED





MAIN UNDERCARRIAGE

This file was downloaded
from the RTFM Library.
Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

