

ARMAMENT—GUN INSTALLATION

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
		1 2 3 4 5				
	E.235655	GUN INSTALLATION, ASSEMBLY (Mod. 745) ...	—	—		
10183	F.227967	Bolt, special, for blast deflector (Mod. 745) ...	1 9	S.80	C.	CA.2
10187	F.232313	Bolt, for front portion of gun fairing (Mod. 745) ...	4	S.80B	C.	
10192	F.235620	Bolt, special, for eccentric bush bridge piece (Mod. 745) ...	1	S.95B or	C.	CA.3
10602	F.245074	Bolt, special for blast deflector.	6	S.95	C	
7R/308	—	Barrel, gun Mk. 2 (for high velocity ammunition) ...	1	—	A.	
9369	E.218768	Box, ammunition, group (Pre Mod. 800) ...	1	—	A.	CA.1
9848	E.233377	Box, ammunition, group (Mod. 800) ...	1	—	A.	CA.1
9475	F.210669	Angle, slotted, for link chute attachment ...	1	—	C.	CA.1
2A/9501177	BRE. 1"	Bearing, at rollers ...	4	—	B.	
9476	F.223261	Bolt, retaining roller ...	4	S.95.B	C.	CA.1
9477	F.210695	Bolt, special, for link chute attachment ...	1	S.94.B	C.	CA.1
29H/—	—	Chain, chandelier ...	QR	Coml. Brass	C.	
9478	C.208845	Chute, internal feed ...	1	DTD.171	C.	CA.1
9479	C.210712	Chute, link, top portion ...	1	—	C.	CA.1
9480	F.210696	Ferrule, for link chute attachment ...	2	B.8	C.	CA.1
9764	F.229595	Lid, ammunition box, group (AS.720/73) ...	1	—	B.	CA.1
	B.208968	Bolt, pinch group ...	1	—		
808	F.176633	Knob, bolt ...	2	S.94.B	C.	CA.2
809	F.176635	Spring ...	1	Sp. Stl.	C.	CA.2
10444	A.208966	Fitting, hinge ...	2	L.65.C	C.	
792	F.183848	Fitting, hook ...	2	S.94.B	C.	
	D.208835/9	Strip, sealing $\frac{1}{16}$" thick ...	2	Felt RS7		
	D.208835/10	Strip, sealing $\frac{1}{16}$" thick ...	1	Felt RS7		
	D.208835/12	Strip, sealing $\frac{1}{16}$" thick ...	1	Felt RS7		
	D.208835/13	Strip, sealing, $\frac{1}{16}$" thick ...	2	Felt RS7		
—	Std.1509/23/018	Tube, distance, $\frac{5}{16}$" o/d x 17 S.W.G. x 0-18" long	4	L.62	—	
3996	Std.1547/20/16	Washer, packing (Make from 30B/1784) ...	16	DTD.364	MR/C	4
9482	F.223260	Piece, distance, at rollers ...	4	S.95.B	C.	CA.1
28FP/798	Aviation Development 5134/510	Pin, pip ...	1	—	C.	
9483	F.222734	Pin, sling ...	1	—	C.	
1548	A.188823	Ring, key, double split type, $\frac{3}{8}$" dia. ...	2	—		
9484	A.222511	Roller, internal feed ...	1	—	C.	CA.1
9485	F.223293	Roller, external ...	4	L.65.C	C.	CA.1
9486	B.208846	Shim, at rollers ...	4	Alumn.	C.	CA.1
	B.208846/4	Sling, group ...	1	—	C.	CA.1
—	Std.1507/24/100	Spindle ...	1	T.26		
9487	F.208877	Tube, distance, $\frac{3}{8}$" o/d x 17 S.W.G. x 1-0" long (Make from 30B/1790)	2	L.62		
—	Std.1509/5/838	Spindle, for roller ...	1	T.26	C.	CA.1
	D.218719	Tube, distance at bottom bearings $\frac{7}{16}$" o/d x 22 S.W.G. x 8-38" long (Make from 30B/1797)	1	L.62		
	B.218801	Wall, front group ...	1	—		
	F.209031	Angle, support front group ...	11	—		
	F.209032	Bearing, for pin ...	1	BSS.369		
	F.209042	Pin, group ...	1	—		
	F.209041	Handle ...	1	S.1.B		
	F.209040	Nut ...	1	S.1.B		
		Pin ...	1	S.80		

RESTRICTED

Hunter T. Mk. 7
Issued with A/L No. 5

ARMAMENT—GUN INSTALLATION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	F.210257					Bearing, for pin	1	—		
	F.226414					Bearing, at bottom of wall	1	BSS.369		
	F.222870					Fitting, for hook	1	S.96.B		
	F.226086					Housing, for stop	1	MS.		
	F.223172					Plate, nut	1	—		
	A.226290					Roller, group	1	—		
	F.226088					Pin, for roller	1	S.95.B		
795	F.175253					Roller	1	LFB.82	C.	CA.1
3789	Std.1509/24/076					Tube, distance, $\frac{3}{8}$ " o/d $\times$ 17 S.W.G. $\times$ 0.76" long (Make from 30B/1790)	1	L.62	MR/C	CA.1
9943	F.226087					Spring, for stop	1	Sp. St.	C.	
9942	F.226035					Stop	1	DTD.610	C.	
3767	Std.915/B/20					Washer, at stop	1	DTD.610	C.	4
	D.218720					Wall, rear, group	1	—		
	B.218802					Angle, support rear, group	1	—		
10046	F.222823					Bush, guide	1	BSS.369	MR/C	
10045	F.215658					Nut, special for bush	1	S.95.B	MR/C	
	F.210257					Bearing, for pin	1	—		
	F.226451					Bearing, at bottom of wall	1	BSS.369		
	F.222870					Fitting, for hook	1	S.96.B		
	F.226086					Housing, for stop	1	MS.		
	F.223172					Plate, nut	1	—		
	A.226290					Roller, group	1	—		
	F.226088					Pin, for roller	1	S.95.B		
795	F.175253					Roller	1	LFB.82	C.	CA.1
3789	Std.1509/24/076					Tube, distance, $\frac{3}{8}$ " o/d $\times$ 17 S.W.G. $\times$ 0.76" long (Make from 30B/1790)	1	L.62	MR/C	CA.1
9943	F.226087					Spring, for stop	1	Sp. St.	C.	
9941	F.226084					Stop	1	—	C.	
3767	Std.915/B/20					Washer	1	DTD.610	C.	
	C.208839					Wall, side, group	1	—		
	A.210845/2					Channel, for sealing strip	1	—		
	F.210667					Plate	1	DTD.166		
	A.210846					Seal, group	1	—		
6656	Std.2088/2					Strip, sealing (for manufacture of A.210845/3)	1	Rubber	C.	
—	Std.1509/2/030					Tube, distance, $\frac{3}{8}$ " o/d $\times$ 22 S.W.G. $\times$ 0.3" long (Make from 30B/1829)	2	L.62	—	
10191	F.234320					Bridge-piece for outer eccentric bush (Mod. 745) ...	1	S.96B	C.	CA.3
10188	A.232316					Bush, eccentric, inner (Mod. 745)	1	S.61B	C.	CA.3
10189	A.232317					Bush, eccentric, outer (Mod. 745)	1	S.61B	C.	CA.3
8796	B.212511					Chute, empty case, forward portion, group ...	1	—	B.	CA.1
6630	F.206709					Catch, spring, group	23	—	C.	CA.1
10190	F.232314					Clip, half, for eccentric bush (Mod. 745)	1	S.510B	C.	CA.3
10253	E.230325					Deflector, blast (Mod. 745)	1	S.521	B.	CA.2
9488	D.223238					Diaphragm, removable, for access to ammunition box, group	1	—	B.	CA.1
9939	A.226150					Handle, group	1	—	C.	
	F.209032					Pin, group	1	—		
	F.209042					Handle	1	S.1.B		
	F.209041					Nut	1	S.1.B		
	F.209040					Pin	1	S.80		
10186	B.230577					Fairing, gun, front portion, group (Mod. 745) ...	1	—	A.	CA.2

RESTRICTED

ARMAMENT—GUN INSTALLATION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
10185	E230596	Fairing, gun, centre portion, group (Mod. 745) ...					1	—	A.	CA.2
9809	K.A.C.C.7810	Fastener, custodian stud, lower body ...					1	—	C.	CA.1
	C.209005	Former, "B," group ...					1	—		
8800	A.209064	Fitting, spigot, inboard, group ...					1	—	MR/C	CA.2
	F.209065	Spigot ...					1	S.95.B		
8801	A.209060	Fitting, spigot, outboard, group...					1	—	MR/C	CA.2
	F.209065	Spigot ...					1	S.95.B		
4827	Std.1509/23/080	Tube, distance, $\frac{5}{16}$ " o/d $\times$ 17 S.W.G. $\times$ 0.8" long (Make from 30B/1784)					7	L.62	MR/C	4
	C.209034	Former, "D," group ...					1	—		
8802	A.209062	Fitting, spigot, inboard, group ...					1	—	MR/C	
	F.209065	Spigot ...					1	S.95.B		
8801	A.209060	Fitting, spigot, outboard, group...					1	—	MR/C	CA.2
	F.209065	Spigot ...					1	S.95.B		
4827	Std.1509/23/080	Tube, distance, $\frac{5}{16}$ " o/d $\times$ 17 S.W.G. $\times$ 0.8" long (Make from 30B/1784)					7	L.62	MR/C	4
8803	F.209440	Housing, fastener ...					1	L.65.C & L.72	MR/C	CA.1
	F.214733	Plate, joint, at stud fastener ...					1	L.72		
	E.230596/27	Strip, sealing, attachment inboard ...					1	L.72		
	E.230596/28	Strip, sealing, attachment outboard...					1	L.72		
6656	Std.2088/2	Strip, sealing, inboard (for the manufacture of E.230596/29)					2 ft.	Rubber	C.	
6656	Std.2088/2	Strip, sealing, outboard (for the manufacture of E.230596/30)					4 ft.	Rubber	C.	
8804	E.210792	Feed, neck, group (supplied less panel) ...					1	—	A.	CA.2
8805	E.210792/8	Panel, access, group ...					1	—	B.	CA.2
		Consisting of :—								
	E.210791/12	Angle ...					2	DTD.171		
	E.210792/6	Angle ...					1	DTD.171		
807	F.185768	Bolt ...					2	S.94.B	C.	CA.2
808	F.176633	Knob ...					2	S.94.B	C.	CA.2
	E.210792/7	Panel ...					1	DTD.171		
809	F.176635	Spring ...					1	Sp. St.	C.	CA.2
	F.185766	Tongue ...					2	—		
	F.185767	Tube ...					1	—		
28FP/881	Aviation Dev. 5134/421	Pin, pip ...					1	—	C.	
7R/406	—	Gun, "Aden," 30 m/m, Mk. 4 (L.H.) less barrel ...					1	—	A.	
8798	D.212602	Lid, collector tank, group ...					1	—	B.	CA.1
	B.212605	Bolt, pinch, group ...					1	—		
808	F.176633	Knob ...					2	S.95.B	C.	CA.2
	F212634	Spring ...					1	Sp. St.		
9918	F.212604	Fitting, hinge ...					2	L.65.C	C.	
9917	F.212603	Fitting, hook ...					2	L.65.C	C.	
	D.212602/7	Strip, sealing, $\frac{3}{32}$ " thick ...					2	Rubber		
	D.212602/8	Strip, sealing, $\frac{3}{32}$ " thick ...					2	Rubber		

RESTRICTED

Hunter T. Mk. 7
Issued with A/L No. 5

ARMAMENT—GUN INSTALLATION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
8806	B.210871	Link-chute, group ...	...	...	...	...	1	—	B.	CA.2
8807	B.210869	Door, link chute, group ...	...	...	...	...	1	—	C.	CA.2
	A.210863	Bolt, pinch, group ...	...	...	...	...	1	—		
808	F.176633	Knob ...	...	...	...	...	2	S.95.B	C.	CA.2
	F.210866	Spring ...	...	...	...	...	1	Sp. St.		
8808	B.210723	Link-chute, bottom portion ...	...	...	...	...	1	—	B.	CA.2
8809	C.210803	Link-chute, centre portion, group ...	...	...	...	...	1	—	B.	CA.2
	A.216499	Bolt, pinch, group ...	...	...	...	...	1	—		
808	F.176633	Knob ...	...	...	...	...	2	S.95.B	C.	CA.2
	F.210866	Spring ...	...	...	...	...	1	Sp. St.		
	B.210870/1	Pin, hinge ...	...	...	...	...	1	S.1.B		
	F.220587	Washer, special ...	...	...	...	...	2	L.65.C or L.72		
	D.208449	MOUNTINGS, GUN, ASSEMBLY					—	—		
8810	D.208929	Attachments, to Aden Gun, group ...	...	...	...	...	1 set	—	A.	CA.4
7R/641	Dunlop	Adaptor, cocking (Alt to F.230941)	...	...	...	...	1	—	C.	CA.4
	ACO.26079									
7R/	F.230941	Adaptor, cocking (Alt to 7R/641)	...	...	...	...	1	—	C.	
768	F.187866	Bar, locking, link chute attachment ...	...	...	...	...	2	S.94.B	C.	CA.4
770	F.175964	Bolt, special, attaching gun mounting brackets	...	...	...	...	5	S.94.B	C.	CA.4
769	F.177014	Bolt, special, feed neck bracket attachment ...	...	...	...	...	3	S.94.B	C.	CA.4
9936	A.226007	Bracket, feed neck attachment ...	...	...	...	...	1	S.510	C.	CA.4
9749	C.208404	Bracket, gun mounting, starboard ...	...	...	...	...	1	Stmpg.	C.	CA.4
780	F.187874	Head, slotted, link chute attachment ...	...	...	...	...	1	S.94.B	C.	CA.4
781	F.187868	Lever, link chute, attachment ...	...	...	...	...	1	—	C.	CA.4
9937	A.223588	Lug, for gun handling, attachment ...	...	...	...	...	1	S.96.B	C.	CA.4
782	F.187873	Pad, locking, link chute attachment ...	...	...	...	...	1	S.80	C.	CA.4
7R/436	Dunlop	Plate, attachment, at cocking adaptor ...	...	...	...	...	1	—	B.	
	ACO.7739									
9938	F.226005	Plate, locking, feed neck attachment ...	...	...	...	...	1	S.510	C.	CA.4
784	A.187871	Plate, locking, link chute attachment, L.H. feed	...	...	...	...	1	S.80	C.	CA.4
7R/437	Dunlop	Seal, at cocking adaptor ...	...	...	...	...	1	Rubber	C.	CA.4
	ACO.7738									
785	F.183105	Shim, laminated, gun mounting ...	...	...	...	...	1	Brass	C.	CA.4
5780	F.206705	Spring, link chute attachment ...	...	...	...	...	1	DTD.215	C.	CA.4
787	F.184270	Washer, locking, gun mounting ...	...	...	...	...	2	S.3	C.	CA.4
10182	F.230766	Bearing, spherical, barrel support (Mod. 745)	...	...	...	...	1	BSS.369	C.	CA.3
6975	A.213709	Bolt, attachment, eccentric to universal link	...	...	...	...	1	S.97.B	C.	CA.3
816	B.183106	Bush, spherical, front gun mounting	...	...	...	...	1	Stmpg.	C.	CA.3
6782	B.214162	Eccentric, group ...	...	...	...	...	1	—	B.	CA.3
8814	F.208083	Ferrule, at barrel support ...	...	...	...	...	2	S.95.B	C.	CA.3
8815	B.208567	Link, rear gun mounting ...	...	...	...	...	1	S.97.B	C.	CA.3
8816	B.208507	Link, universal rear gun mounting ...	...	...	...	...	1	Stmpg.	C.	CA.3
7R/556	—	Nut, cradle, Mk. II ...	...	...	...	...	1	—	C.	
8817	B.208932	Pin, group ...	...	...	...	...	1	—	C.	CA.3
	F.212243	Bolt ...	...	...	...	...	1	S.95.B		
	F.211790	Handle ...	...	...	...	...	1	L.65.C		
	F.211788	Pin ...	...	...	...	...	1	S.96.B		
	F.211791	Screw, special ...	...	...	...	...	1	S.1		
	F.211549	Spring ...	...	...	...	...	1	Sp. St.		
	F.211789	Stop ...	...	...	...	...	1	—		
3791	Std.1509/2/026	Tube, distance $\frac{3}{8}$ " o/d $\times$ 22 S.W.G. $\times$ 0.26" long (Make from 30B/1829)	...	...	...	...	1	L.62	MR/C	

RESTRICTED

ARMAMENT-GUN INSTALLATION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
8818	F.212929					Plate, locating, at front mounting ...	1	DTD.166	C.	CA.3
817	B.172423					Ring, retaining special bush at front mounting ...	1	Stmpg.	C.	CA.3
851	A.190699					Ring, retaining, at barrel support ...	1	S.95.B	C.	CA.3
8819	A.208930					Screw, traverse, rear mounting ...	1	S.99.B	C.	CA.3
8820	F.208931					Sleeve, locating, rear mounting ...	1	S.1.B	C.	CA.3
826	F.180624					Sleeve, locking rear mounting ...	1	S.97.B	C.	CA.3
8821	F.208099					Stud, at barrel support ...	2	S.97.B	C.	CA.3
	A.208082					Support, barrel ...	1	L.65.C		CA.3
—	Std.1507/23/020					Tube, distance, $\frac{5}{16}$ " o/d $\times$ 17 S.W.G., $\times$ 0.2" long (Make from 30A/975)	2	T.26	—	
8822	F.208898					Washer, grooved, at barrel support ...	2	S.95.B	C.	CA.3
—	F.208085					Washer, at barrel support (Make from 30B/774)	2	L.16		CA.3
8823	F.208419					Washer, locking, at front mounting ...	1	S.1.B	C.	CA.3
8824	F.208084					Washer, special, at barrel support ...	2	S.95.B	C.	CA.3
10193	F.235737					Nut, special, for bridge feed bolt, (Mod. 745)	1	S.80.C	C.	CA.3
8625	E.218899					Panel, armament access, group ...	1	—	A.	CA.1
	F.214505					Bush, group ...	1	—		
9858	K.A.C. C.5331					Fastener, stud ...	1	—	C.	
8763	K.A.C. C.6595					Fastener, stud ...	1	—	C.	CA.1
8764	K.A.C. D.6597					Pin, and spring ...	1	—	C.	
	E.218899/16					Seal, $\frac{3}{32}$ " thick, $\times$ 0.55" wide, $\times$ 7.0" long	1	Neoprene sponge		
	E.218899/17					Seal, $\frac{3}{32}$ " thick, $\times$ 0.55" wide, $\times$ 1.8" long	1	Neoprene sponge		
	E.218899/18					Seal, $\frac{3}{32}$ " thick, $\times$ 0.55" wide, $\times$ 1.6" long	1	Neoprene sponge		
	E.218899/19					Seal, $\frac{3}{32}$ " thick, $\times$ 0.55" wide, $\times$ 8.5" long	1	Neoprene sponge		
	E.218899/20					Seal, $\frac{1}{4}$ " thick, $\times$ 0.55" wide, $\times$ 12.0" long	1	Neoprene sponge		
	E.218899/21					Seal, $\frac{1}{4}$ " thick, $\times$ 0.55" wide, $\times$ 7.25" long	1	Neoprene sponge		
	E.218899/22					Seal, $\frac{1}{8}$ " thick, $\times$ $1\frac{5}{16}$ " wide, $\times$ 2.0" long	2	Neoprene sponge		
	E.218899/23					Seal, $\frac{1}{4}$ " thick $\times$ $1\frac{1}{8}$ " wide, $\times$ 2.0" long	2	Neoprene sponge		
8765	K.A.C. D. 5039					Washer, retaining (As 760/22) ...	1	—	C.	
8623	D.218940					Panel, armament and radio bay access, port, group...	1	—	A.	CA.1
	C.222229					DOOR, ACCESS TO EXTERNAL SUPPLY SOCKET, SUB-ASSEMBLY	—	—		
8797	B.222228					Door, access, group ...	1	—	C.	CA.1
	Fairey FS.430/D					Fastener ...	2	—		
	A.222226					Landing ...	1	L.72		
	A.222227					Landing ...	1	L.72		
	A.228959					Hook ...	2	Stmpg.		CA.1
9640	K.A.C. C.7057					Housing, toggle fastener ...	2	—	C.	CA.1
4034	Std.1509/23/088					Tube, distance at hook ...	4	T.4	MR/C	4
26FH/3474	Std.1547/20/12					Washer, at hook ...	4	DTD.610	MR/C	4
1327	Std.1547/24/12					Washer, at hook ...	2	DTD.610	C.	4
9808	G.207965					Panel, armament and radio bay access starboard, group (Pre Mod. 758) (complete with gun fairing rear portion)	1	—	A.	
10176	B.235608					Panel, armament and radio bay access starboard, group (Mod. 758) (complete with gun fairing rear portion)	1	—	A.	CA.1
10173	F.233797					Attachment, for strut (Mod. 758) ...	1	S.95.B	MR/C	CA.4
	F.220945					Bolt, pinch, supporting panel, group ...	1	—		
	F.221144					Bolt ...	1	S.95.B or S.96.B		

RESTRICTED

Hunter T. Mk. 7
Issued with A/L No. 5

ARMAMENT—GUN INSTALLATION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
808	F.176633					Knob	1	S.94.B	C.	CA.2
	F.211516					Spring	1	Sp. St.		
9641	K.A.C. D.4798					Fitting, attachment, for toggle fastener	2	—	C.	CA.1
	A.228959					Hook	2	Stmpg.		CA.1
9474	K.A.C. C.7032					Lever, and male link, for toggle fastener	2	—	C.	CA.1
28FP/735	Aviation Dev.					Pin, pip (Mod. 758)	1	—	C.	
	A.405									
	F.234835					Plate, rubbing (Mod. 758)	1	—		
4034	Std.1509/23/088					Tube, distance, at attachment hook $\frac{5}{16}$ " o/d $\times$ 17 S.W.G. $\times$ 0.88" long (Make from 30B/1784)	4	L.62	MR/C	4
	F.228994					Tube, distance (Mod. 727)	1	L.62		
36FH/3474	Std.1547/20/12					Washer, at hook attachment	4	DTD.610	MR/C	4
1327	Std.1547/24/12					Washer, at hook attachment	2	DTD.610	C.	4
	Std.1548/26/12					Washer, (Mod. 727)	1	DTD.610		
8621	C.218889					Panel, access, to feed neck port, group	1	—	A.	CA.1
	F.211517					Bolt, pinch, group	2	—		
	F.210865					Bolt	1	S.96.B or S.95.B		
808	F.176633					Knob	1	S.94.B	C.	CA.2
	F.211516					Spring	1	Sp. St.		
	A.211508					Bracket	2	L.72		
	B.218890					Landing, group	1	—		
9809	K.A.C. 7810					Fastener, stud	1	—	C.	CA.1
8803	F.209440					Housing, fastener	1	—	MR/C	CA.1
8622	C.211501					Panel, gun access starboard, group	1	—	A.	CA.1
	F.211517					Bolt, pinch, group	2	—		
	F.210865					Bolt	1	S.96.B or S.95.B		
808	F.176633					Knob	1	S.94.B	C.	CA.2
	F.211516					Spring	1	Sp. St.		
	A.211508					Bracket	2	L.72		
9874	D.229967					Panel, gun bay access, group (less actuator) (Mod. 745)	1	—	A.	CA.2
	C.213844					ACTUATOR AND VENTILATING GEAR, ASSEMBLY	—	—		
5W/329	Plessey CZ.72257					Actuator, Jaguar	1	—	A.	
4768	Std.841/14					Clip, securing hinge pin	1	DTD.610	MR/C	4
1486	F.191862					Lever, actuator shaft	1	Stmpg.	C.	CA.2
1487	F.191861					Lever, door	1	Stmpg.	C.	CA.2
—	F.216294					Link, door lever (Make from 30B/1726)	2	L.72	—	CA.2
8826	F.218778					Pin, hinge	1	S.96.B	C.	CA.2
1492	F.191863					Shaft, actuator	1	T.45	C.	CA.2
8827	C.213659					Scoop	1	—	C.	CA.2
2147	Std.915/C20					Washer, at attachment of mounting bracket	1	DTD.610	C.	4
	A.213330					Bracket, bearing, group	1	—		CA.2
1482	F.191727					Bush	2	B.8	C.	CA.2
	A.213331					Bracket, hinge	1	S.3		CA.2
10184	B.230930					Door, access (Mod. 745)	1	—	C.	CA.2
	Fairey FS.430D					Fastener	2	—	C.	
	D.229966					DUCT, GUN VENTILATION, TO ACCESS PANEL, ASSEMBLY (Mod. 745)	—	—		
	D.229823					Duct, (Mod. 745)	1	L.59 & L.72		CA.2
	C.229766					Support, duct (Mod. 745)	1	L.72		CA.2
	F.213336					Landing, for duct, port	1	L.72		
	F.213337					Landing, for duct, starboard	1	L.72		

RESTRICTED

ARMAMENT-GUN INSTALLATION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	B.213329					Mounting , actuator, group	1	—	—	CA.2
1490	A.191726					Bearing , group	2	—	B.	CA.2
1482	F.191727					Bush	1	B.8	C.	CA.2
—	Std.1509/23/050					Tube , distance, for hinge bracket $\frac{5}{16}$ " o/d $\times$ 17 S.W.G. $\times$ 0-5" long (Make from 30B/1784)	2	L.62	—	
—	Std.1509/23/054					Tube , distance, for bearing bracket $\frac{5}{16}$ " o/d $\times$ 17 S.W.G. $\times$ 0-54" long (Make from 30B/1784)	2	L.62	—	
10200	A.233791					Strut , group (Mod. 758)	1	—	B.	CA.4
10203	F.233796					Link	1	—	C.	CA.4
	F.233794					Nut , special	1	BSS.250		
10202	F.234169					Washer , special	1	L.72	C.	CA.4
	F.234553					Washer , special	1	Leather		
	F.234554					Washer , special	1	S.510		
10201	F.234170					Washer , cupped	1	Leather	C.	CA.4
9807	E.221305					TANK , empty case collector, group	1	—	B.	
9987	F.212647					Bracket , support, inboard	2	—	C.	
9988	F.212648					Bracket , support, outboard, group	2	—	C.	
	F.212945					Ferrule	1	S.96.B or S.95.B	—	
	Std.377/3B					Washer	1	S.94	—	
8799	C.212687					Chute , empty case, rear portion	1	S.3	B.	CA.1
	A.213864					Duct , ventilating	1	—	—	
	F.212649					Piece , distance, at inboard support bracket	2	L.65	—	
	F.212892					Spigot , fitting	2	—	—	
	Std.914.B.20					Washer	2	—	—	
10157	F.222336					Washer , tab, for front fairing bolts (Mod. 745)	4	S.511	C.	

ARMAMENT—GUN INSTALLATION

[illegible]


RESTRICTED


ARMAMENT-GUN INSTALLATION


Ref. No.	Part No.	Description								No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5							
SUMMARY OF STOCK ITEMS													
28D/1008149	A25.2B	Bolt,	4	B.A.	...	...	...	...	...	...	-	—	—
28D/9436920	A25.1C	Bolt,	2	B.A.	...	...	...	...	...	...	-	—	—
28D/9133011	A25.2C	Bolt,	2	B.A.	...	...	...	...	...	...	-	—	—
28D/1200119	A25.4C	Bolt,	2	B.A.	...	...	...	...	...	...	-	—	—
28D/12533	A25.5C	Bolt,	2	B.A.	...	...	...	...	...	...	-	—	—
28D/10110030	A25.7C	Bolt,	2	B.A.	...	...	...	...	...	...	-	—	—
28D/9435710	A25.11C	Bolt,	2	B.A.	...	...	...	...	...	...	-	—	—
28D/12537	A25.14C	Bolt,	2	B.A.	...	...	...	...	...	...	-	—	—
28D/12517	A25.17C	Bolt,	2	B.A.	...	...	...	...	...	...	-	—	—
28D/1011030	A25.2E	Bolt,	$\frac{1}{4}$ "	B.S.F.	...	...	...	...	...	...	-	—	—
28D/1011245	A25.10E	Bolt,	$\frac{1}{4}$ "	B.S.F.	...	...	...	...	...	...	-	—	—
28D/1011246	A25.11E	Bolt,	$\frac{1}{4}$ "	B.S.F.	...	...	...	...	...	...	-	—	—
28D/12812	A25.12E	Bolt,	$\frac{1}{4}$ "	B.S.F.	...	...	...	...	...	...	-	—	—
28D/12547	A25.15E	Bolt,	$\frac{1}{4}$ "	B.S.F.	...	...	...	...	...	...	-	—	—
28D/7002426	A25.1G	Bolt,	$\frac{5}{16}$ "	B.S.F.	...	...	...	...	...	...	-	—	—
28D/8300	AS.1242.1B	Bolt,	4	B.A.	...	...	...	...	...	...	-	—	—
28D/1007468	AS.1242.3B	Bolt,	4	B.A.	...	...	...	...	...	...	-	—	—
28D/8306	AS.1242-1C	Bolt,	2	B.A.	...	...	...	...	...	...	-	—	—
28D/8307	AS.1242.2C	Bolt,	2	B.A.	...	...	...	...	...	...	-	—	—
28D/8309	AS.1242.4C	Bolt,	2	B.A.	...	...	...	...	...	...	-	—	—
28D/8312	AS.1242.8C	Bolt,	2	B.A.	...	...	...	...	...	...	-	—	—
28D/8323	AS.1242.2E	Bolt,	$\frac{1}{4}$ "	B.S.F.	...	...	...	...	...	...	-	—	—
28D/12125	AS.1242.22E	Bolt,	$\frac{1}{4}$ "	B.S.F.	...	...	...	...	...	...	-	—	—
28D/1007982	AS.1248.1C	Bolt,	2	B.A.	...	...	...	...	...	...	-	—	—
28D/8342	AS.1248.2C	Bolt,	2	B.A.	...	...	...	...	...	...	-	—	—
28D/8345	AS.1248.7C	Bolt,	2	B.A.	...	...	...	...	...	...	-	—	—
28D/12266	AS.1247.13C	Bolt,	2	B.A.	...	...	...	...	...	...	-	—	—
28D/9357	AS.1248.14C	Bolt,	2	B.A.	...	...	...	...	...	...	-	—	—
28D/12759	AS.2920.3E	Bolt,	$\frac{1}{4}$ "	B.S.F.	...	...	...	...	...	...	-	—	—
28D/12762	AS.2920.7E	Bolt,	$\frac{1}{4}$ "	B.S.F.	...	...	...	...	...	...	-	—	—
28N/10786	AS.1878.45	Hinge	...	...	...	...	...	...	...	...	-	—	—
28M/13266	A.24.ES	Nut,	$\frac{1}{4}$ "	B.S.F.	...	...	...	...	...	...	-	—	—
28M/13086	A27.CP	Nut,	4	B.A.	...	...	...	...	...	...	-	—	—
28M/9403510	A27.CP	Nut,	2	B.A.	...	...	...	...	...	...	-	—	—
28L/13124	A27.CT	Nut,	2	B.A.	...	...	...	...	...	...	-	—	—
28L/12931	A27.ET	Nut,	$\frac{1}{4}$ "	B.S.F.	...	...	...	...	...	...	-	—	—
28M/1011476	A27.JS	Nut,	$\frac{3}{8}$ "	B.S.F.	...	...	...	...	...	...	-	—	—
28M/13935	A58.ES	Nut,	$\frac{1}{4}$ "	B.S.F.	...	...	...	...	...	...	-	—	—
28M/14833	A58.JS	Nut,	$\frac{3}{8}$ "	B.S.F.	...	...	...	...	...	...	-	—	—
28M/10827	AGS.2001.B1	Nut,	4	B.A.	...	...	...	...	...	...	-	—	—
28M/10288	AGS.2001.C1	Nut,	2	B.A.	...	...	...	...	...	...	-	—	—
28M/10290	AGS.2001.E1	Nut,	$\frac{1}{4}$ "	B.S.F.	...	...	...	...	...	...	-	—	—
28M/10328	AGS.2002.C1	Nut,	2	B.A.	...	...	...	...	...	...	-	—	—
28M/10215	AGS.2008.B1	Nut,	4	B.A.	...	...	...	...	...	...	-	—	—
28M/9435067	AGS.2008.C1	Nut,	2	B.A.	...	...	...	...	...	...	-	—	—
28M/10299	AGS.2009.C1	Nut,	2	B.A.	...	...	...	...	...	...	-	—	—
28M/14931	AGS.2009.G1	Nut,	$\frac{5}{16}$ "	B.S.F.	...	...	...	...	...	...	-	—	—
28P/817	SP4Y.A7	Pin	...	...	...	...	...	...	...	...	-	—	—
28P/829	SP4Y.B3	Pin	...	...	...	...	...	...	...	...	-	—	—
28P/831	SP4Y.B5	Pin	...	...	...	...	...	...	...	...	-	—	—
28P/839	SP4Y.B13	Pin	...	...	...	...	...	...	...	...	-	—	—


ARMAMENT-GUN INSTALLATION

Ref. No.	Part No.	Description										No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5									
28P/864	SP4Y.D6	Pin	...	...	...	...	...	...	...	...	...	-	—	—	
28P/872	SP4Y.D14	Pin	...	...	...	...	...	...	...	...	...	-	—	—	
28P/19225	SP90.C3	Pin	...	...	...	...	...	...	...	...	...	-	—	—	
28P/19153	SP90.C5	Pin	...	...	...	...	...	...	...	...	...	-	—	—	
28P/19227	SP90.C6	Pin	...	...	...	...	...	...	...	...	...	-	—	—	
28P/19154	SP90.C7	Pin, split...	...	...	...	...	...	...	...	...	...	-	—	—	
28P/19128	SP90.E4	Pin, split...	...	...	...	...	...	...	...	...	...	-	—	—	
28P/19233	SP90.E6	Pin, split...	...	...	...	...	...	...	...	...	...	-	—	—	
28P/19840	SP90.G8	Pin, split...	...	...	...	...	...	...	...	...	...	-	—	—	
28P/1253	AGS.213.22	Pin, taper	...	...	...	...	...	...	...	...	...	-	—	—	
28P/5210	AGS.1551.1	Pin, safety	...	...	...	...	...	...	...	...	...	-	—	—	
28R/16952	AS.4570/7	Ring, retaining	...	...	...	...	...	...	...	...	...	-	—	—	
28W/9419466	SP.13J	Washer	...	...	...	...	...	...	...	...	...	-	—	—	
28W/9419474	SP.15B	Washer, 4 B.A.	...	...	...	...	...	...	...	...	...	-	—	—	
28W/9419475	SP.15C	Washer, 2 B.A.	...	...	...	...	...	...	...	...	...	-	—	—	
28W/9419477	SP.15J	Washer, $\frac{3}{8}$ " dia.	...	...	...	...	...	...	...	...	...	-	—	—	
28W/9419404	SP.16C	Washer, 2 B.A.	...	...	...	...	...	...	...	...	...	-	—	—	
28W/9419492	SP.16P	Washer, $\frac{9}{16}$ " dia.	...	...	...	...	...	...	...	...	...	-	—	—	
28W/9419456	SP.10G	Washer, $\frac{5}{16}$ " dia.	...	...	...	...	...	...	...	...	...	-	—	—	
20W/9419403	SP.13G	Washer, $\frac{5}{16}$ " dia.	...	...	...	...	...	...	...	...	...	-	—	—	









This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

