

FLYING CONTROLS—CENTRE FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	E.177242	FLYING CONTROLS, CENTRE FUSELAGE, ASSEMBLY					—	—	—	
1928	F.196235	Bolt , attachment of aileron control tube to lever, frame 33					1	S.95.B	C.	
282	A.169493	Bracket , for rudder and elevator idling links at frames 33 and 38					4	DTD.610	C.	DC.1
283	F.183798	Bracket , for rudder and elevator idling links at frames 27 and 28					2	DTD.610	C.	DC.1
	E.177245	CONTROLS, AILERON, AFT OF REAR SPAR, ASSEMBLY					—	—		
1701	Std.1639/2C	Bolt , attachment of cross shaft to frame 32					3	S.95.B	C.	DC.1
281	Std.1639/3C	Bolt , attachment of cross shaft to frame 32					2	S.95.B	C.	DC.1
26AQ/4821	Std.532/1	Ferrule ...					2	S.80	C.	4
284	B.177837	Housing bearing , aileron torque shaft group					1	—	B.	DC.1
2A/9500420	Hoffmann T.21	Bearing ...					2	—	B.	
285	F.177841/2	Tube , distance ...					1	T.4	C.	DC.1
290	B.170213	Lever , aileron control ...					2	—	B.	DC.1
237	B.178823	Lever , aileron torque shaft, top ...					1	—	B.	DC.1
291	B.178903	Lever , aileron torque shaft, bottom ...					1	—	B.	DC.1
293	F.184638	Ring , packing, for cross shaft, at frames 32 and 33					2	DTD.610	C.	DC.1
294	A.166024	Shaft , aileron torque ...					1	S.95.B	C.	DC.1
295	F.166502	Shaft , cross, mounting of aileron, frames 32 and 33					2	T.50	C.	DC.1
296	F.177838	Spool , attachment of aileron control lever cross shaft to frame 32					2	DTD.364	C.	DC.1
298	F.177839	Spool , attachment of aileron control lever cross shaft to frame 32					2	DTD.364	C.	DC.1
303	A.169525	Tube , aileron control, group ...					2	—	B.	DC.1
168	A.169527	Eye-end ...					1	—	B.	DC.1
304	A.169523	Tube , aileron control ...					1	—	B.	DC.1
305	A.169524	Tube , aileron control ...					1	—	B.	DC.1
307	F.177841/3	Tube , distance ...					2	T.4	C.	DC.1
308	F.177841/4	Tube , distance ...					2	T.4	C.	DC.1
309	Std.1208/ 167/84/30	Washer , shim, aileron lever cross shaft and torque shaft					4	Shim Steel	C.	DC.1
310	Std.1547/30/12	Washer , at attachment of aileron torque shaft housing					4	DTD.610	C.	DC.1
286	A.168403	Link , idling, rudder and elevator between frames 33 and 34					2	—	B.	DC.1
287	A.168404	Link , idling, rudder and elevator between frames 27 and 28, 38 and 39					3	—	B.	DC.1
288	A.170441	Link , idling, and bracket between frames 23 and 24, 27 and 28, group					4	—	B.	DC.1
	A.169495	Bracket ...					1	DTD.610	—	DC.1
287	A.168404	Link ...					1	—	B.	DC.1
289	A.170442	Link , idling and bracket between frames 27 and 28, group					1	—	B.	DC.1
	A.169495	Bracket ...					1	DTD.610	—	DC.1
	A.168405	Link ...					1	—	—	DC.1
292	F.165986	Packing , for rudder and elevator levers					8	DTD.610	C.	DC.1
299	A.180427	Tube , control, between frames 18 and 24					3	—	B.	DC.1
300	A.169520	Tube , control, between frames 24 and 28					3	—	B.	DC.1

RESTRICTED

Hunter T. Mk. 7
Issued with A/L No. 3

FLYING CONTROLS—CENTRE FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
301	A.169521	Tube, elevator and rudder control between frames 27, 28, 33 and 34					2	—	B.	DC.1
4113	A.199284	Tube, elevator and rudder control between frames 33 and 34, 38 and 39					2	—	B.	DC.1
302	A.169522	Tube, aileron control between frames 28 and 33 ...					1	—	B.	DC.1
306	A.171699	Tube, adjustable, elevator and rudder control between frames 38 and 41, group					2	—	B.	DC.1
2368	F.171710	Fork-end					1	—	MR/C	DC.1
3790	Std.1509/24/050	Tube, distance, $\frac{3}{8}$ " o/d $\times$ 17 s.w.g. $\times$ 0.50" long ...					2	T.4	MR/C	DC.1
	F.165985	Washer, at assembly of bracket and link to fuselage structure					3	—		
4150	Std.915/C22	Washer, at bolts securing brackets (alternative to SP.15C)					QR	DTD.610	C.	4

RESTRICTED


Hunter T. Mk. 7
Issued with A/L No. 8

FLYING CONTROLS—CENTRE FUSELAGE

Ref. No.	Part No.	Description										No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5									
		SUMMARY OF STOCK ITEMS													
28D/9133011	A25.2C	Bolt, 2	B.A.	...	...	...	...	...	...	...	...	—	—	—	
28D/9133012	A.25.3C	Bolt, 2	B.A.	...	...	...	...	...	...	...	...	—	—	—	
28D/1200119	A.25.4C	Bolt, 2	B.A.	...	...	...	...	...	...	...	...	—	—	—	
28D/12533	A.25.5C	Bolt, 2	B.A.	...	...	...	...	...	...	...	...	—	—	—	
28D/7002428	A.25.6C	Bolt, 2	B.A.	...	...	...	...	...	...	...	...	—	—	—	
28D/12538	A.25.15C	Bolt, 2	B.A.	...	...	...	...	...	...	...	...	—	—	—	
28D/13711	A.30.9E	Bolt, 1/4"	B.S.F.	...	...	...	...	...	...	...	...	—	—	—	
28D/14010	A.30.10E	Bolt, 1/4"	B.S.F.	...	...	...	...	...	...	...	...	—	—	—	
28D/13442	A.30.11E	Bolt, 1/4"	B.S.F.	...	...	...	...	...	...	...	...	—	—	—	
28D/13474	A.30.12E	Bolt, 1/4"	B.S.F.	...	...	...	...	...	...	...	...	—	—	—	
28D/13114	A.30.13E	Bolt, 1/4"	B.S.F.	...	...	...	...	...	...	...	...	—	—	—	
28D/15472	A.30.27E	Bolt, 1/4"	B.S.F.	...	...	...	...	...	...	...	...	—	—	—	
28D/15020	A.30.15E	Bolt, 1/4"	B.S.F.	...	...	...	...	...	...	...	...	—	—	—	
28D/13263	A.30.10G	Bolt, 5/16"	B.S.F.	...	...	...	...	...	...	...	...	—	—	—	
28M/9403520	A.27.CP	Nut, 2	B.A.	...	...	...	...	...	...	...	...	—	—	—	
28M/12931	A.27.ET	Nut, 1/4"	B.S.F.	...	...	...	...	...	...	...	...	—	—	—	
28M/7683	AGS.572A	Nut, 1/4"	B.S.F.	...	...	...	...	...	...	...	...	—	—	—	
28M/8101	AGS.572C	Nut, 5/16"	B.S.F.	...	...	...	...	...	...	...	...	—	—	—	
28M/13403	AGS.572.AP	Nut, 6	B.A.	...	...	...	...	...	...	...	...	—	—	—	
28W/12248	AGS.518/C	Tab, locking		...	...	...	...	...	...	...	...	—	—	—	
28W/9419474	SP.15.B	Washer, 4	B.A.	...	...	...	...	...	...	...	...	—	—	—	
28W/9419475	SP.15.C	Washer, 2	B.A.	...	...	...	...	...	...	...	...	—	—	—	
28W/9419404	SP.16.C	Washer, 2	B.A.	...	...	...	...	...	...	...	...	—	—	—	
28W/9419405	SP.15.E	Washer, 1/4"	dia.	...	...	...	...	...	...	...	...	—	—	—	
28W/9419487	SP.16.E	Washer, ...		...	...	...	...	...	...	...	...	—	—	—	
28W/9419476	SP.15.G	Washer, 5/16"	dia.	...	...	...	...	...	...	...	...	—	—	—	

[illegible]

RESTRICTED



This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

