

FLYING CONTROLS—FRONT FUSELAGE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
		1 2 3 4 5				
	E.217039	FLYING CONTROLS, FRONT FUSELAGE, ASSEMBLY	—	—		
2A/9500154	BAL.025	Bearing , for aileron control	1	—	B.	
6757	F.213777	Block , at attachment of torque tube to control column	2	S.96.B or S.95.B	C.	DD.2
205	Std.1553/E/120	Bolt , for control column crank	4	S.99	C.	5
206	Std.1553/E/150	Bolt , for control column crank	8	S.99	C.	DD.2
10172	Std.1553/E/170	Bolt , for attachment of levers to torque shaft ...	7	S.99	C.	
8661	Std.1553/N/330	Bolt , pivot, for rudder control lever	1	S.99	C.	5
5803	F.205015	Bolt , attachment of torque tube to control column, group	2	—	C.	DD.2
	F.166254	Bolt	1	S.95.B		
	A.53057/2	Plug	1	S.2		
2137	A.53067	Bush , at attachment of torque tube to control column	4	S.2	C.	DD.2
248	B.177650/3	Cable , rudder arm adjusting, group (Alternative to B.234558) (AS.830/94)	2	—	B.	DD.1
10145	B.234558	Cable , rudder arm adjusting (AS.830/94) Consisting of :—	2	—	B.	DD.1
	A.177657	Body , union	1	—		
	B.177650/2	Cable , Bowdenex 19/2	1	—		
	B.177650/1	Conduit , Bowdenex T.2.H	1	—		
	AS.2903	Nipple	1	—		
28M/12931	A.27.ET	Nut	1	—	C.	
	A.177653	Pin	1	—		
	Std.1522/2	Sleeve	2	—		
	F.177655	Spring	1	Sp. St.		
	Std.1522/1	Stop , adjusting	1	—		
	D.227983	Column , control, port, group	1	—		
207	F.180779	Adjuster	2	S.95.B	C.	DD.2
2A/9501177	BRE. $\frac{1}{2}$ "	Bearing , at universal fork	2	—	B.	
2A/9501178	BRE. $\frac{3}{8}$ "	Bearing , at control column head	2	—	B.	
1494	F.191314	Block , stop	1	DTD.364	C.	DD.2
208	F.177528	Bolt , attachment of control column tube to socket	1	S.95.B	C.	DD.2
209	F.177527	Bolt , attachment of control column tube to socket	1	S.95.B	C.	DD.2
220	F.166596	Bolt , chain guard attachment	2	S.95.B	C.	DD.2
26AQ/223	Std.1553/E/130	Bolt , for control column crank	4	S.99	C.	
8089	F.204430	Block , profile	1	L.65.C	C.	DD.2
	B.220655	Cable , 26F.A, group (See Cable Chart)	1	—	—	
7833	A.213425	Chain , top aileron control, complete with eye ends	1	—	C.	DD.2
211	A.182743	Chain , bottom aileron control, complete with eye ends	1	—	C.	DD.2
8662	F.221603	Clip , securing cable	1	—	C.	DD.2
	A.178531	Crank , control column	2	Stpg.		DD.2
9091	B.221990	Feel unit , group	1	—	B.	DD.2
8095	F.204424	Nut , adjusting	1	S.1	C.	DD.2
8091	A.212862	Spindle	1	S.95.B	C.	DD.2
8092	F.204420	Spring	1	DTD.215	C.	DD.2
8093	F.208510	Washer , stop	1	S.95.B	C.	DD.2
8094	F.204426	Washer , locking	1	—	C.	DD.2
8096	Std.1356/9	Washer , shim	1	—	C.	4
8097	Std.1208/90/40/48	Washer , shim	QR	Shim Steel	C.	4
212	F.180736	Ferrule , at attachment of control column tube to socket	2	S.95.B	C.	DD.2
2138	A.61599	Guard , clip, at universal joint	2	—	C.	DD.2
9876	A.231571	Guard , for feel control knob (Mod. 766)	1	—	C.	DD.2

FLYING CONTROLS—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
7831	D.206792/3	Guard, chain, front portion, group					1	—	B.	DD.2
		Consisting of :—								
	D.206792/2	Cover, front...					1	DTD.610		
	C.206794	Cover, forward					1	L.59		
28M/10215	AGS.2008/B1	Nut, anchor					2	—	C.	
	F.191313	Plate, stop					1	DTD.610		
28Q/7656	AS.164/405	Rivet					2	—	C.	
28Q/7943	AS.164/304	Rivet					2	—	C.	
28Q/7655	AS.163/404	Rivet					10	—	C.	
7832	D.206792/4	Guard, chain, rear portion, group					1	—	B.	DD.2
		Consisting of :—								
	F.191312	Block, distance					1	LFS.21		DD.2
	F.177444	Block, distance					1	LFS.21		DD.2
	F.191311	Block, saddle					1	LFS.21		
	F.177443	Block, saddle					2	LFS.21		
	F.177441	Block, saddle					1	LFS.21		DD.2
	F.177445	Block, saddle					1	LFS.21		DD.2
9126	F.204692	Block, saddle					1	Fibre	C.	
28D/8311	AS.1242/7C	Bolt, 2 B.A.					2	—	C.	
	A.177395	Bracket					1	S.3		
	D.206792/2	Cover, rear					1	DTD.610		
	C.206793	Cover, rear					1	L.59		
28M/10216	AGS.2008/C1	Nut, anchor					1	—	C.	
	F.177518	Packing					1	DTD.610		
28Q/10098	AS.164/409	Rivet					2	—	C.	
28Q/8147	AS.164/406	Rivet					4	—	C.	
28Q/8148	AS.164/407	Rivet					2	—	C.	
28Q/9038	AS.164/414	Rivet					2	—	C.	
28Q/10012	AS.164/415	Rivet					2	—	C.	
28Q/7943	AS.164/304	Rivet					2	—	C.	
28Q/8394	AS.163/304	Rivet					2	—	C.	
28Q/8882	AS.163/404	Rivet					10	—	C.	
27J/539	Dunlop	Handle, control, group (Mod. 948)					1	—	A.	
	AC.61044									
6974	F.180734	Lug, locking					1	DTD.610	C.	DD.2
7834	F.212863	Nut, special					1	S.95.B	C.	DD.2
	F.168225	Pin, sprocket attachment to socket					2	S.97.B		
	B.178321	Plug-end					1	Stpg.		
9508	B.178579	Plug-end					1	S.95.B	C.	
9812	F.231559	Rod, chain connecting					2	S.95.B	C.	DD.2
217	F.177524	Shim, attachment of universal fork to control tube					1	Laminum	C.	DD.2
9507	B.178440	Socket, joint					1	S.95.B	C.	
8602	F.178409	Sprocket, at joint socket					1	S.95.B	C.	
1891	F.195967	Sprocket and fork, group					1	—	C.	DD.2
	A.177411	Tube, control (AS.860/80)					1	T.50		
	A.208523	Tube, control					1	T.50		
	A.73025	Tube, distance, at universal fork					1	—		
	Std.1510/13/139	Tube, distance					1	T.4		
4654	Std.1208/90/25/64	Washer, at sprocket and fork, assembly					1	Shim Steel	C.	DD.2
221	Std.1208/75/33/50	Washer, at attachment of control column tube to socket					1	Shim Steel	C.	DD.2
222	Std.1208/75/33/100	Washer, at control column joint socket					1	Shim Steel	C.	DD.2

FLYING CONTROLS—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	D.217279	Column, control, starboard, group					1	—		
207	F.180779	Adjuster					2	S.95.B	C.	DD.2
2A/9501177	BRE. $\frac{1}{8}$ "	Bearing, at universal fork					2	—	B.	
2A/9501178	BRE. $\frac{3}{8}$ "	Bearing, at control column head					2	—	B.	
1494	F.191314	Block, stop					1	DTD.364	C.	DD.2
208	F.177528	Bolt, attachment of control column tube to socket					1	S.95.B	C.	DD.2
209	F.177527	Bolt, attachment of control column tube to socket					1	S.95.B	C.	DD.2
220	F.166596	Bolt, chain guard attachment					2	S.95.B	C.	DD.2
26AQ/223	Std.1553/E/130	Bolt, for control column crank					4	S.99	C.	
	B.223295	Cable, F.26B, starboard, group (See Cable Chart)					1	—	—	
210	A.182742	Chain, top aileron control, complete with eye ends					1	—	C.	DD.2
211	A.182743	Chain, bottom aileron control, complete with eye ends					1	—	C.	DD.2
8662	F.221603	Clip, securing cable					1	—	C.	DD.2
	A.178531	Crank, control column					2	Stpg.		
212	F.180736	Ferrule, at attachment of control column tube to socket					2	S.95.B	C.	DD.2
2138	A.61599	Guard, chip, at universal guard					2	—	C.	DD.2
214	D.177684/B	Guard, chain, front portion, group					1	—	B.	DD.2
		Consisting of:—								
	D.177684/1	Cover, front					1	DTD.610		
28M/10215	AGS.2008/B1	Nut, anchor					2	—	C.	
	F.191313	Plate, stop					1	DTD.610		
28Q/7943	AS.164/304	Rivet					4	—	C.	
28Q/7656	AS.164/405	Rivet					2	—	C.	
215	D.177684/A	Guard, chain, rear portion, group					1	—	B.	DD.2
		Consisting of:—								
	F.177441	Block, saddle					1	LFS.21		DD.2
	F.177443	Block, saddle					2	LFS.21		
	F.177444	Block, distance					1	LFS.21		DD.2
	F.177445	Block, saddle					1	LFS.21		DD.2
	F.191311	Block, saddle					1	LFS.21		
	F.191312	Block, distance					1	LFS.21		DD.2
28D/8311	AS.1242/7C	Bolt, 2 B.A.					2	—	C.	
	A.177395	Bracket					1	S.3		
	D.177684/2	Cover, rear					1	DTD.610		
28M/10216	AGS.2008/C1	Nut, anchor					1	—	C.	
	F.177518	Packing					1	DTD.610		
28Q/7943	AS.164/304	Rivet					2	—	C.	
28Q/8147	AS.164/406	Rivet					4	—	C.	
28Q/10098	AS.164/409	Rivet					2	—	C.	
28Q/9038	AS.164/414	Rivet					2	—	C.	
28Q/10012	AS.164/415	Rivet					1	—	C.	
27J/539	Dunlop 61044	Handle, control, group (Mod. 948)					1	—	A.	
6974	F.180734	Lug, locking					1	DTD.610	C.	DD.2
	F.168225	Pin, sprocket attachment to socket					2	S.97.B		
	B.178321	Plug-end					1	Stpg.		
9508	B.178579	Plug-end					1	S.95.B	C.	
216	F.182735*	Rod, chain connecting, port (Alternative to F.231559)					1	S.95.B	C.	
9812	F.231559	Rod, chain connecting, port and starboard					2	—	C.	DD.2
217	F.177524	Shim, attachment of universal fork to control tube					1	Laminum	C.	DD.2
9507	B.178440	Socket, joint					1	S.95.B	C.	
8602	F.178409	Sprocket, at joint socket					1	S.95.B	C.	
1891	F.195967	Sprocket and fork, group					1	—	C.	DD.2
	A.177411	Tube, control					1	T.50		
	A.73025	Tube, distance, at universal fork					1	—		
4654	Std.1208/90/25/64	Washer, at sprocket and fork assembly					1	Shim Steel	C.	DD.2
221	Std.1208/75/33/50	Washer, at attachment of control column tube to socket					1	Shim Steel	C.	DD.2
222	Std.1208/75/33/100	Washer, at control column joint socket					1	Shim Steel	C.	DD.2

RESTRICTED

Hunter T. Mk. 7
Issued with A/L No. 8

FLYING CONTROLS—FRONT FUSELAGE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
		1 2 3 4 5				
	C.217041	CONTROLS, BETWEEN FRAMES 10 TO 18, ASSEMBLY	—	—		
	C.216966	LEVERS, AFT OF SEAT FRAME, ASSEMBLY	—	—		
8663	B.216995	Lever, aileron control, group ...	1	—	MR/B	DD.1
228	B.168402	Lever, elevator and rudder, group ...	2	—	B.	DD.1
	F.210577	Shaft ...	1	T.50		
230	F.178826	Spool ...	2	DTD.364	C.	DD.1
231	F.178430/3	Tube, distance, $1\frac{1}{4}$ " o/d $\times$ 14 swg. $\times$ 0.43" long	1	T.4	C.	DD.1
232	F.178430/4	Tube, distance, $1\frac{1}{4}$ " o/d $\times$ 14 swg. $\times$ 0.225" long	1	T.4	C.	DD.1
	F.210575	Tube, distance ...	1	L.62		
	F.210576	Tube, distance ...	1	L.62		
234	Std.1208/141/68/40	Washer, 1.41" o/d $\times$ $1\frac{1}{16}$ " i/d $\times$ 0.04" wide	6	Shim Steel	C.	DD.1
287	A.168404	Link, idling, group ...	3	—	B.	DD.1
6201	A.209620	Tube, aileron, elevator and rudder control, between frames 14 and 17B, group	3	—	B.	DD.1
6202	A.209621	Fork-end ...	1	S.96.B	C.	
	A.217043	Tube, aileron control, between frames 11 and 13, group	1	—		
276	A.166631	Tube, elevator and rudder control, between frames 11 and 13, group	2	—	B.	DD.1
6822	B.190129	GAITER, FOR CONTROL COLUMN, ASSEMBLY	1	—	MR/B	
4444	F.201985	Clip, for gaiter attachment ...	2	L.72	C.	DD.1
4105	Std.1285/8CC	Connector, earthing ...	2	—	C.	4
1495	B.190128	Gaiter, at control column base, group ...	2	—	C.	DD.1
4106	F.199283	Guard, for gaiter ...	1	L.72	C.	DD.1
5799	A.205006	Support, for gaiter ...	1	L.72	C.	
	F.165984	Guard, chip, at housing for aileron control ...	1	DTD.610		
10867	F.218110	Guard, chip, at housing for aileron control ...	1	L.72	C.	
	F.218200	Guard, chip, at aileron control ...	1	L.72		
10516	A.185082	Housing, aileron torque tube, group ...	2	—	C.	
223	G.300225	Seal, "Gaco" ...	1	SE.85	C.	DD.2
	A.180432	Housing, control column crank, group ...	2	—		
224	G.189125	Seal, "Gaco" ...	1	SE.85	C.	DD.2
	B.217273	Housing, bearing, for aileron control ...	1	Casting		
613	A.177446	Housing, bearing, rudder lever, group ...	2	—	B.	DD.2
2A/9500419	Hoffmann T.17	Bearing ...	1	—	B.	DD.2
645	A.180433	Housing, bearing, rudder lever, group ...	2	—	B.	DD.2
2A/9500419	Hoffmann T.17	Bearing ...	1	—	B.	DD.2
27Q/70127	Dowty 1-00426001	Jack (aileron geared, group) ...	1	—	A.	
	B.207266	Lever, elevator control, under pilot's floor, group ...	1	—		
	B.229510	Lever, elevator control, under pilot's floor, group ...	2	—		
10171	B.207567	Lever, elevator control under pilot's floor, group	2	—	B.	
226	B.165970	Lever, rudder control, aft of frame 8 under pilot's floor, group	1	—	B.	DD.1
	B.207280	Lever, rudder control, group ...	1	—		
	B.207281	Lever, rudder control, under pilot's floor, group ...	1	—		
2139	A.53255	Nut, attachment of torque tube to control column	2	S.2	C.	DD.2
	Std.1921/SS	Nut, for spindle, at aileron control jack ...	1	S.94.B		
	C.211957	Piece, distance, at rudder control lever ...	1	S.1.B		
	F.235549	Piece, distance, at torque tube (AS.840/95) ...	1	L.65.C		
5804	A.53057/1	Pin, attachment of torque tube to control column ...	1	S.94.B	C.	DD.2
240	F.182714	Plate, locking, for rudder lever ...	1	S.3	C.	DD.1
	D.207392	Rudder bar, group ...	2	—		
	B.207322	Arm, rudder bar, group ...	2	—		DD.1
10775	F.214828	Bush ...	2	B.8	C.	
242	F.179017	Eye-bolt, adjusting link attachments ...	1	S.95.B	C.	DD.1
2A/9500419	BRT.1 $\frac{1}{16}$	Bearing, rudder control spindle ...	2	—	B.	
244	Std.1551/2/65	Bolt, adjusting link attachment to rudder bar arm	4	S.99.B	C.	DD.1
243	Std.325/154	Bolt, attachment of rudder bar links to pedal ...	2	S.99.B	C.	DD.1
4271	F.199879	Bolt, for lever stop ...	1	S.96	C.	DD.1

RESTRICTED

FLYING CONTROLS—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
4270	F.199878	Bracket,	retaining	...	...	...	1	—	C.	DD.1
245	F.148388	Bush,	rudder control spindle, top	...	...	...	1	B.8	C.	DD.1
246	F.148389	Bush,	rudder control spindle, bottom	...	...	...	1	B.8	C.	DD.1
247	F.148387	Cap,	rudder control spindle	...	...	...	2	DTD.176A	C.	DD.1
	A.207278	Lever,	on rudder control spindle, group	...	...	...	1	—		
251	F.178554	Link,	rudder bar adjusting	...	...	...	2	S.95.B	C.	DD.1
	A.207290	Link,	for rudder bar, group	...	...	...	1	—		DD.1
	A.207289	Link,	for rudder bar, group	...	...	...	1	—		DD.1
4554	F.202251	Packing,	for lever stop	...	...	...	QR	Brass Lam.	C.	
10637	C.203345	Pedal,	rudder, group	...	...	...	2	—	MR/B	
10717	A.97877	Bush	...	...	...	...	1	BS.369 or B.8	C.	
254	F.179068	Heel-bar	...	...	...	...	1	LFS.21	C.	DD.1
4767	B.203346	Plate,	pedal	...	...	...	1	—	C.	DD.1
4102	A.198965	Strap,	toe	...	...	...	1	—	C.	DD.1
	C.207293	Pedestal,	top portion	...	...	...	1	Casting		
253	B.177767	Pedestal,	bottom portion	...	...	...	1	Casting		DD.1
257	A.169699	Plate,	rudder bar link support	...	...	...	1	—	C.	DD.1
258	GACO	Seal,	rudder pedestal	...	...	...	1	SE.85	C.	DD.1
	G.175106 $\frac{3}{8}$									
5797	F.204988	Shield,	front, for pedestal	...	...	...	1	S.84	C.	DD.1
6749	A.210153	Shield,	rear, for pedestal	...	...	...	1	S.84		DD.1
259	F.165192	Shim,	at rudder control spindle	...	...	...	QR	DTD.364	C.	DD.1
1927	F.196367	Sleeve,	adjusting shaft	...	...	...	1	DTD.364	C.	DD.1
260	A.177118	Slide,	rudder arm adjusting	...	...	...	1	Stpg.	C.	DD.1
261	F.169546	Spring	...	...	...	...	1	Sp. St.	C.	DD.1
	A.207292	Stop lever	...	...	...	...	1	L.65.C		
	F.207581	Washer,	at pedestal	...	...	...	1	L.72		
4150	Std.914/C/22	Washer,	at support plate attachment	...	...	...	3	S.1 or S.3	C.	4
X	A.230423	Shaft,	torque, for control column crank, under pilot's floor, port (AS.740/30)	...	...	...	1	S.95.B		DD.2
X	A.208242	Shaft,	torque, for control column crank, under pilot's floor, starboard	...	...	...	1	S.95.B		
264	F.178750	Shaft,	bearing, for control column crank, under pilot's floor	...	...	...	2	S.95.B	C.	DD.2
	Std.1208/130/68/50	Shim,	elevator levers	...	...	...	2	Shim Steel		
267	Std.1208/150/68/50	Shim,	at control column crank	...	...	...	2	Shim Steel	C.	DD.2
(X)	Std.1208/200/96/15	Shim,	at attachment of rudder control tube to torque shaft	...	...	...	10	Shim Steel		
	A.216960	Spindle,	for aileron control jack	...	...	...	1	S.96.B or S.95.B		
	A.207336	Tube,	aileron control, port, between torque tube and jack, group	...	...	...	1	—		
2368	F.171710	Fork-end	...	...	...	...	1	—	MR/C	
	A.207381	Tube,	aileron control starboard, between torque tube and jack, group	...	...	...	1	—		
279	B.165991	Tube,	elevator control, port, under pilot's floor, group	...	...	...	1	—	B.	DD.1
	A.207361	Tube,	elevator control, starboard, under pilot's floor, group	...	...	...	1	—		DD.1
274	A.171044	Eye-end	...	...	...	...	1	S.96.B	B.	
	B.207328	Tube,	rudder control forward portion, under pilot's floor, group	...	...	...	1	—		DD.1
278	B.165990	Tube,	rudder control rear portion, under pilot's floor, group	...	...	...	1	—	B.	
	A.207337	Tube,	rudder control, port, between pedestal and starboard tube, group	...	...	...	1	—		DD.1
2368	F.171710	Fork-end	...	...	...	...	1	—	MR/C	

RESTRICTED

Hunter T. Mk. 7
Issued with A/L No. 8

FLYING CONTROLS—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	A.207382	Tube, rudder control, starboard, between pedestal and port tube, group					1	—		DD.1
	B.207338	Tube, torque, for elevator and rudder controls ...					1	T.50		
	B.207279	Tube, aileron torque, group					2	—		
2A/9500154	BAL.025	Bearing					1	—	B.	
	F.165984	Guard, chip					1	DTD.610		DD.2
10867	F.218110	Guard, chip					1	L.72	C.	DD.2
	B.208230	Housing, bearing					1	Casting		DD.2
	A.207278	Lever, group					1	—		DD.2
272	Std.1208/106/24/64	Washer					1	Shim Steel	C.	DD.2
	F.216961	Tube, distance, on aileron central jack spindle ...					1	T.26 or S.1.B		
1497	F.185083	Washer, for aileron torque tube housing					2	DTD.560	C.	DD.2
	E.217039/1	Washer, for pivot bolt at rudder control lever ...					1	L.72		
8664	E.217039/2	Washer, sealing, $\frac{1}{16}$ " thick $\times$ 0.5" i/d $\times$ 1.75" o/d, for pivot bolt at rudder control lever					1	Rubber	C.	
	F.218338	Washer, special, for aileron control jack spindle ...					1	L.65.C		

RESTRICTED


Hunter T. Mk. 7
Issued with A/L No. 8


FLYING CONTROLS—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.	
		1	2	3	4	5					
		SUMMARY OF STOCK ITEMS									
28D/9133011	A.25.2C	Bolt	...	...	...	...	...	...	—	—	—
28D/9133012	A.25.3C	Bolt	...	...	...	...	...	...	—	—	—
28D/1200119	A.25.4C	Bolt	...	...	...	...	...	...	—	—	—
28D/12533	A.25.5C	Bolt	...	...	...	...	...	...	—	—	—
28D/12536	A.25.13C	Bolt	...	...	...	...	...	...	—	—	—
28D/1011240	A.25.5E	Bolt	...	...	...	...	...	...	—	—	—
28D/12547	A.25.15E	Bolt	...	...	...	...	...	...	—	—	—
28D/12550	A.25.22E	Bolt	...	...	...	...	...	...	—	—	—
28D/13099	A.30.17C	Bolt	...	...	...	...	...	...	—	—	—
28D/13361	A.30.8E	Bolt	...	...	...	...	...	...	—	—	—
28D/13711	A.30.9E	Bolt	...	...	...	...	...	...	—	—	—
28D/14010	A.30.10E	Bolt	...	...	...	...	...	...	—	—	—
28D/13442	A.30.11E	Bolt	...	...	...	...	...	...	—	—	—
28D/13474	A.30.12E	Bolt	...	...	...	...	...	...	—	—	—
28D/13979	A.30.14E	Bolt	...	...	...	...	...	...	—	—	—
28D/13115	A.30.16E	Bolt	...	...	...	...	...	...	—	—	—
28D/13102	A.30.21J	Bolt	...	...	...	...	...	...	—	—	—
28D/8309	AS.1242/4C	Bolt	...	...	...	...	...	...	—	—	—
28N/9156370	SP.21	Greaser	...	...	...	...	...	...	—	—	—
28M/13121	A.27.CS	Nut	...	...	...	...	...	...	—	—	—
28M/13124	A.27.CT	Nut	...	...	...	...	...	...	—	—	—
28M/12928	A.27.EP	Nut	...	...	...	...	...	...	—	—	—
28M/1011467	A.27.ES	Nut	...	...	...	...	...	...	—	—	—
28M/12931	A.27.ET	Nut	...	...	...	...	...	...	—	—	—
28M/13464	A.27.G.T.L.	Nut	...	...	...	...	...	...	—	—	—
28M/1011476	A.27.JS	Nut	...	...	...	...	...	...	—	—	—
28M/13641	A.27.LT	Nut	...	...	...	...	...	...	—	—	—
28M/13935	A.58.ES	Nut	...	...	...	...	...	...	—	—	—
28M/14536	A.58.ET	Nut	...	...	...	...	...	...	—	—	—
28M/14833	A.58.JS	Nut	...	...	...	...	...	...	—	—	—
28M/15496	A.58.LT	Nut	...	...	...	...	...	...	—	—	—
28M/14555	A.58.NS	Nut	...	...	...	...	...	...	—	—	—
28M/7683	AGS.572/A	Nut, 6 B.A.	...	...	...	...	...	...	—	—	—
28F/10108	AGS.1148/C	Nut, 2 B.A.	...	...	...	...	...	...	—	—	—
28M/10288	AGS.2001/C1	Nut	...	...	...	...	...	...	—	—	—
28M/10330	AGS.2002/E1	Nut	...	...	...	...	...	...	—	—	—
28M/1011470	A.27.GT	Nut, 5/16" B.S.F.	...	...	...	...	...	...	—	—	—
28P/19154	SP.90.C7	Pin, split	...	...	...	...	...	...	—	—	—
28P/19229	SP.90.C9	Pin, split	...	...	...	...	...	...	—	—	—
28P/19235	SP.90.E10	Pin, split	...	...	...	...	...	...	—	—	—
28P/19155	SP.90.E12	Pin, split	...	...	...	...	...	...	—	—	—
28W/9419475	SP.15C	Washer	...	...	...	...	...	...	—	—	—
28W/9419405	SP.15E	Washer	...	...	...	...	...	...	—	—	—
28W/9419476	SP.15G	Washer	...	...	...	...	...	...	—	—	—
28W/9419477	SP.15J	Washer	...	...	...	...	...	...	—	—	—
28W/9419479	SP.15N	Washer	...	...	...	...	...	...	—	—	—
28W/9419404	SP.16C	Washer	...	...	...	...	...	...	—	—	—
28W/9419487	SP.16E	Washer	...	...	...	...	...	...	—	—	—

RESTRICTED

[illegible]





This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

