

FLYING CONTROLS—REAR FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	E.217437	FLYING CONTROLS — REAR FUSELAGE, ASSEMBLY					—	—		
6345	F.202472	Bolt , connecting tail plane lever to actuator ...					1	S.99B	B.	DE.1
6346	Std.325/222	Bolt , hinge for feel unit lever ...					1	S.99B	C.	4
	A.189667	Clamp (assembled to elevator booster) ...					1	S.3		DE.1
	A.189668	Clamp (assembled to elevator booster) ...					1	S.3		
7857	F.214116	Collar , at forward end of feel unit ...					1	S.1	C.	DE.1
7931	F.211395	Eyebolt ...					1	S.95B	C.	DE.1
6353	C.209753	Feel , unit, full power, elevator ...					1	—	A.	DE.1
27KF/2973	Fairey AH.951 With Mod. FHB.50	Hydro-booster and linkage, elevator (Mod. 812) ...					1	—	A.	
6349	A.202126*	Lever , elevator feel unit (alternative to A.233729) ... (AS.970/48)					1	—	B.	DE.1
10027	A.233729	Lever , elevator feel unit (Alternative to A.202126) ... (AS.970/48)					1	—	B.	
6348	F.202129	Lever , connecting, at actuator ...					1	DTD.364	B.	DE.1
317	B.171446	Lever , rudder, between frames 48 and 49 ...					1	—	B.	DE.1
287	A.168404	Link , for elevator and rudder controls ...					4	—	B.	DE.1
6347	B.209637	Link , idling, elevator control ...					1	—	B.	DE.1
	C.223062	MICRO, SWITCHES AND LINKAGE, ASSEMBLY (Mod. 629)					—	—		
	A.211393	BRACKET, MOUNTING FOR SWITCH CARRIER, ASSEMBLY					—	—		
	Std.1551/1/165	Bolt , at forward link ...					2	S.99		
8228	A.211399	Bracket , mounting for links, group ...					1	—	MR/C	DE.1
8192	F.218104	Plate , locking (Mod. 569) ...					2	S.3	C.	DE.1
7936	A.211394	Link , aft ...					1	—	B.	DE.1
7935	A.211397	Link , forward ...					1	—	B.	DE.1
—	—	Cable assembly (See cable chart) ...					—	—	—	
8229	F.211389	Channel , retaining for pins on connecting rod and spring unit					1	DTD.166	MR/C	DE.1
3734	Std.840/14	Clip , $\frac{7}{16}$ " wide $\times$ 22 s.w.g. $\times$ 1-4" long ...					1	DTD.610	MR/C	4
4159	Std.841/20	Clip , $\frac{7}{16}$ " wide $\times$ 22 s.w.g. $\times$ 2-0" long ...					1	DTD.610	C.	4
4821	Std.841/22	Clip , $\frac{7}{16}$ " wide $\times$ 22 s.w.g. $\times$ 2-2" long ...					1	DTD.610	MR/C	4
5157	Std.1959/1	Clip ...					1	S.3	C.	5
9626	F.219510	Collar , at pin (Mod. 597) ...					1	S.95B	C.	
9836	B.221458	Guard , group (Mod. 629) ...					1	—	C.	
	F.223873	Bracket , securing ...					1	—		
	A.223874	Bracket , securing ...					1	—		
7945	A.211392	Lever ...					1	—	B.	DE.1
7946	F.211422	Lever ...					1	S.80	B.	DE.1
7947	F.211423	Link ...					1	L.65C	B.	DE.1
	F.211419	Packing , for nut plate ...					4	L.72		
	F.211410	Piece , distance, for mounting plates ...					3	L.65C		DE.1
9625	F.219509	Pin , for lever (Mod. 597) ...					1	S.80B	C.	DE.1
7949	F.211421	Pin , for lever ...					1	S.80B	C.	DE.1
7939	Std.1221Z-D85	Pin , at lower end of con-rod and spring unit ...					2	—	C.	4
	A.220794	Plate , mounting for switches (Mod. 597) ...					2	S.520		DE.1
7951	F.211434	Plate , nut ...					2	—	C.	DE.1
7934	A.211409	Rod , connecting ...					1	—	B.	DE.1
7948	F.211420	Screw , adjusting ...					1	S.95B	C.	DE.1
5K/3458	Hellermann	Sleeve , helsyn 100 M.P. $\times$ 1 $\frac{1}{2}$ " ...					1	—	C.	
	F.211400	Spacer , for mounting plates ...					2	S.1		
7952	F.213728	Switch , micro, group ...					2	—	B.	DE.1
7953	F.213240	Shroud , switch ...					1	Rubber	C.	DE.1
	Std.1509/23/026	Tube , distance at clip securing cable ...					1	T.4		
7941	B.211414	Unit , spring, group ...					1	—	B.	DE.1
7944	F.211404	Eye-end , lower ...					1	—	B.	
7943	A.211407	Eye-end , upper ...					1	—	B.	
945	Std.1716.G	Lock-nut ...					1	—	C.	5

RESTRICTED

Hunter T. Mk. 7
Issued with A/L No. 7

FLYING CONTROLS—REAR FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
7942	B.211415					Unit, spring	1	—	B.	
	Std.1356/6					Washer, laminated	QR	L.A.		4
	Std.914.F.20					Washer, at pin	1	S.1 or S.3		4
3767	Std.915.B.20					Washer	1	DTD.610	C.	4
6350	Std.1221.Z.D40					Pin, connecting lever at actuator	1	—	C.	4
6351	Std.1221.Z.D50					Pin, for elevator feel unit	2	—	C.	4
7940	Std.1221.Z.D135					Pin, at upper end of Con-rod and spring unit	2	—	C.	4
325	A.171700					Tube, control elevator and rudder	3	—	B.	DE.1
323	A.171701					Tube, control rudder	1	—	B.	DE.1
324	A.171704					Tube, control rudder	1	—	B.	DE.1
1499	B.176196					Tube, control elevator, group	1	—	B.	DE.1
1500	A.188822					Eye-end	1	—	C.	DE.1
8184	B.215730					Tube, control, elevator, group (Mod. 468)	1	—	B.	DE.1
274	A.171044					Eye-end	1	—	B.	DE.1
	Std.1509/24/060					Tube, distance, at elevator control link	2	T.4		4
	Std.914.E18					Washer, packing	4	DTD.610		4
	Std.914.E20					Washer, packing	4	DTD.610		4
922	Std.1310/1					Washer	1	S.3	C.	4

RESTRICTED


Hunter T. Mk. 7
Issued with A/L No. 8

FLYING CONTROLS—REAR FUSELAGE

Ref. No.	Part No.	Description								No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5							
		SUMMARY OF STOCK ITEMS											
28D/9435711	A25.10B	Bolt,	4	B.A.	...	...	...	...	...	...	—	—	—
28D/9436920	A25.1C	Bolt,	2	B.A.	...	...	...	...	...	...	—	—	—
28D/7002428	A25.6C	Bolt,	2	B.A.	...	...	...	...	...	...	—	—	—
28D/12515	A25.10C	Bolt,	2	B.A.	...	...	...	...	...	...	—	—	—
28D/9419397	A25.12C	Bolt,	2	B.A.	...	...	...	...	...	...	—	—	—
28D/14357	A30.27G	Bolt,	$\frac{5}{16}$ "	B.S.F.	...	...	...	...	...	...	—	—	—
28D/14581	A30.29G	Bolt,	$\frac{5}{16}$ "	B.S.F.	...	...	...	...	...	...	—	—	—
28D/13711	A30.9E	Bolt,	$\frac{1}{4}$ "	B.S.F.	...	...	...	...	...	...	—	—	—
28D/14010	A30.10E	Bolt,	$\frac{1}{4}$ "	B.S.F.	...	...	...	...	...	...	—	—	—
28D/18678	A30.28E	Bolt,	$\frac{1}{4}$ "	B.S.F.	...	...	...	...	...	...	—	—	—
28D/14245	A30.10J	Bolt,	$\frac{3}{8}$ "	B.S.F.	...	...	...	...	...	...	—	—	—
	A30.36J	Bolt,	$\frac{3}{8}$ "	B.S.F.	...	...	...	...	...	...	—	—	—
28M/1006504	A27.BT	Nut,	4	B.A.	...	...	...	...	...	...	—	—	—
28M/13121	A27.CS	Nut,	2	B.A.	...	...	...	...	...	...	—	—	—
28M/1011467	A27.ES	Nut,	$\frac{1}{4}$ "	B.S.F.	...	...	...	...	...	...	—	—	—
28M/13935	A58.ES	Nut,	$\frac{1}{4}$ "	B.S.F.	...	...	...	...	...	...	—	—	—
28M/14537	A58.GS	Nut,	$\frac{5}{16}$ "	B.S.F.	...	...	...	...	...	...	—	—	—
28M/14833	A58.JS	Nut,	$\frac{3}{8}$ "	B.S.F.	...	...	...	...	...	...	—	—	—
28N/5551	AGS.899/4	Collar,	$\frac{1}{4}$ "		...	...	...	...	...	...	—	—	—
28M/9156370	SP.21	Nipple,	$\frac{1}{4}$ "	B.S.P.	...	...	...	...	...	...	—	—	—
28W/9419474	SP.15B	Washer	...		...	...	...	...	...	...	—	—	—
28W/9419475	SP.15C	Washer	...		...	...	...	...	...	...	—	—	—
28W/9419405	SP.15E	Washer	...		...	...	...	...	...	...	—	—	—
28W/9419477	SP.15J	Washer	...		...	...	...	...	...	...	—	—	—
28W/9419487	SP.16E	Washer	...		...	...	...	...	...	...	—	—	—
28W/9419488	SP.16G	Washer	...		...	...	...	...	...	...	—	—	—

[illegible]

RESTRICTED





This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.