

Hunter T. Mk. 7
Issued with A/L No. 8

ELECTRICAL EQUIPMENT—CENTRE FUSELAGE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
		1 2 3 4 5				
	D.219401	ELECTRICAL EQUIPMENT—CENTRE FUSELAGE	—	—		
	B.206477	BLOCK, TERMINAL, No. 11, ASSEMBLY	—	—		
5X/2863	Plessey CZ.24285	Block, terminal, 10 way	1	—	B.	
5X/3275	Plessey CZ.26808	Cover	1	—	B.	
5X/6163	Plessey Z.50210	Link, connecting, 2 way	1	—	C.	
5X/3278	Plessey Z.28426	Pillar	2	—	C.	
	B.206478	BLOCK, TERMINAL, No. 12, ASSEMBLY	—	—		
5X/2863	Plessey CZ.24285	Block, terminal, 10 way	1	—	B.	
5X/3275	Plessey CZ.26808	Cover	1	—	B.	
5X/6172	Plessey Z.50212	Link, commoning, 4 way	2	—	C.	
5X/3278	Plessey Z.28426	Pillar	2	—	C.	
	A.216517	BLOCK, TERMINAL, No. 84, ASSEMBLY	—	—		
5D/506		Box, junction, 5 way	1	—	B.	
5K/2374		Disc, blanking	3	—	C.	
5K/87		Nut, gland	3	—	C.	
	A.233847	Box, terminal, No. 83, group (Mod. 811)	1	—		
5X/2863	Plessey CZ.24285	Block, terminal	1	—	B.	
	A.215762	Box	1	—		
8480	A.215763	Lid	1	L.16	C.	
5X/6163	Plessey Z.50210	Link, 2-way	1	—	C.	
6A/4444	Smiths Waymouth JX.15	Box, relay	1	—	A.	
6A/4443	Smiths Waymouth JX.13	Box, relay	1	—	A.	
5866	D.203812	Box, junction, No. 1, group	1	—	A.	
	D.213196	Box, junction	1	—		
5X/3181	Plessey CZ.23212/1	Block, terminal, 20 way	4	—	B.	
		Cables (See Cable Chart)	1	—		
28FP/147	Dzus A4/30	Fastener	2	—	C.	
28FP/309	Dzus GA4/250	Grommet	2	—	C.	
6714	C.213287	Lid, group	1	—	B.	
5X/6317	Plessey Z.50218	Link, 10 way	1	—	C.	
5X/6314	Plessey Z.50214	Link, 6 way	1	—	C.	
5X/6171	Plessey Z.50211	Link, 3 way	1	—	C.	
5X/6163	Plessey Z.50210	Link, 2 way	4	—	C.	
5X/3259	Plessey Z.50219	Link, transverse	2	—	C.	
7812	F.206915	Plate, tapped	1	—	MR/C	
7813	F.206916	Plate, tapped	1	—	MR/C	
7814	F.206917	Plate, tapped	1	—	MR/C	
7815	F.206918	Plate, tapped	1	—	MR/C	
5X/7142	Plessey 2CZ.111401	Plug, code 4	1	—	B.	
5X/7146	Plessey 2CZ.111404	Plug, code 8	1	—	B.	
5X/7152	Plessey 2CZ.111227	Plug, code 14	1	—	B.	
5X/7159	Plessey 2CZ.111229	Plug, code 21	11	—	B.	
5X/3148	Plessey Z.49428	Sleeve, 4-7 amp.	QR	—	C.	
5X/3146	Plessey Z.49397	Sleeve, 7-19 amp.	QR	—	C.	
5X/9400061	Plessey Z.19924	Tag, 4 amp.	QR	—	C.	
5X/9400063	Plessey Z.19925	Tag, 7 amp.	QR	—	C.	
5X/9400065	Plessey Z.19926	Tag, 19 amp.	QR	—	C.	

ELECTRICAL EQUIPMENT—CENTRE FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
5X/9400062	Plessey Z.19979	Thimble, 4 amp.	...	...	...	...	QR	—	C.	
5X/9400064	Plessey Z.19980	Thimble, 7 amp.	...	...	...	...	QR	—	C.	
5X/9400066	Plessey Z.19981	Thimble, 19 amp.	...	...	...	...	QR	—	C.	
5D/2277		Box, distribution, R.P. Firing (Mod. 1100)	...	...	...	...	1	—	A.	
9546	C.225131	Box, junction, ARM No. 1, group	...	...	...	...	1	—	B.	
	F.214406	Block, mounting	...	...	...	...	4	L.65.C		
	F.214407	Block, mounting	...	...	...	...	2	L.65.C		
5X/3181	Plessey	Block, terminal, 20-way	...	...	...	...	1	—	B.	
	CZ.23212/1									
5X/2863	Plessey	Block, terminal, 10-way	...	...	...	...	3	—	B.	
	CZ.24285									
	C.214402	Box	...	...	...	...	1	—		
	F.214404	Bracket, relay mounting	...	...	...	...	1	—		
	A.214844	Cable, arm, earthing	...	...	...	...	1	—		
	A.159698	Ferrule	...	...	...	...	2	BSS.265		
5X/6168	Plessey Z.23197	Gasket	...	...	...	...	2	—	C.	
5CZ/5073	Dowty	Indicator, magnetic	...	...	...	...	1	—	B.	
	C.5165Y Mk. 1									
6029	B.202522	Lid	...	...	...	...	1	L.59	MR/C	
5X/6163	Plessey Z.50210	Link, commoning	...	...	...	...	2	—	C.	
5X/6173	Plessey Z.50213	Link, commoning	...	...	...	...	1	—	C.	
	F.214405	Plate, switch mounting	...	...	...	...	1	L.65.C		
10H/0560150	Plessey CZ.49112	Plug, panel unit	...	...	...	...	1	—	C.	
10H/0560200	Plessey CZ.49061	Plug, panel unit	...	...	...	...	1	—	C.	
10H/0560203	Plessey	Plug, panel unit	...	...	...	...	1	—	C.	
10F/Z.530032	Plessey	Relay, miniature sealed SM5-H12	...	...	...	...	1	—	B.	
5CW/540	Rotax D.0701	Switch, push D.P., Flange type B	...	...	...	...	1	—	B.	
6030	A.205605	Bracket, mounting, for service lamp	...	...	...	...	1	DTD.610	MR/C	
5827	B.205573	Bracket, for fuel time switch	...	...	...	...	1	L.72	C.	
	A.208251	Bracket, mounting, for suppressor	...	...	...	...	1	L.72		
4772	A.199648	Bracket, mounting, for suppressor	...	...	...	...	1	L.72	MR/C	
		Cables, Electrical (See Cable Chart)	...	...	...	...	—	—	—	
	C.198766	CLIPPING, FOR CABLES, ASSEMBLY	...	...	...	...	—	—		
3741	Std.840/20	Clip, $\frac{7}{16}$ " wide $\times$ 22 s.w.g. $\times$ 2" long	...	...	...	...	1	DTD.610	C.	4
4670	Std.840/23	Clip, $\frac{7}{16}$ " wide $\times$ 22 s.w.g. $\times$ 2-3" long	...	...	...	...	1	DTD.610	C.	4
3747	Std.841/28	Clip, $\frac{7}{16}$ " wide $\times$ 22 s.w.g. $\times$ 2-8" long	...	...	...	...	1	L.72	MR/C	4
		(Make from 30B/1734)								
4823	Std.841/42	Clip, $\frac{7}{16}$ " wide $\times$ 22 s.w.g. $\times$ 4-2" long	...	...	...	...	1	L.72	MR/C	4
		(Make from 30B/1734)								
5F/2281	AS.2508	Strapping	...	...	...	...	QR	—	C.	
5F/9434855	AS.2509	Stud	...	...	...	...	QR	—	C.	
	E.199817	CLIPPING, FOR CABLES, ASSEMBLY	...	...	...	...	—	—		
4776	B.198696	Bracket, mounting, for cables C.16, C.18 and C.20	...	...	...	...	1	DTD.610	MR/C	
6031	B.201234	Bracket, wing service, inboard, port	...	...	...	...	1	S.84	MR/C	
6032	B.201235	Bracket, wing service, inboard, starboard	...	...	...	...	1	S.84	MR/C	
6033	A.201236	Bracket, wing service, outboard, port	...	...	...	...	1	S.84	MR/C	
4618	F.196181	Clamp, for igniter cables, frame 37	...	...	...	...	2	Ferobestos	C.	

ELECTRICAL EQUIPMENT-CENTRE FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
4778	F.197490	Clip,	securing	cables,	lower	portion of frame 32	1	S.3	MR/C	
4779	F.197491	Clip,	securing	cables,	lower	portion of frame 32	2	S.3	MR/C	
4780	F.196769	Clip,	securing	cables at lower	portion of frame 22	(May be made from Std.850/42)	1	DTD.610	MR/C	
4784	F.196958	Clip,	securing	cables at frame 26	...	...	1	DTD.610	MR/C	
4788	F.198279	Clip,	securing	cables,	frame 21	...	1	DTD.610	MR/C	
4764	Std.840/21	Clip,	securing	cables, $\frac{7}{16}$ " wide	$\times$ 22 s.w.g. $\times$ 2.1" long	(Make from 30B/1433)	4	DTD.610	MR/C	4
4802	Std.840/31	Clip,	securing	high energy cables,	frame 36, $\frac{7}{16}$ " wide	$\times$ 22 s.w.g. $\times$ 3.1" long (Make from 30B/1433)	1	DTD.610	MR/C	4
4159	Std.841/20	Clip,	securing	between frames 35 and 36	...	...	2	DTD.610	C.	
3749	Std.841/38	Clip,	securing	cables at frames 25	...	...	3	DTD.610	C.	4
	Std.841/40	Clip,	securing	A4 cable on frame 25	...	...	1	DTD.610		
				(Alternative to Std.2046/43/20)						
6010	Std.841/41	Clip,	securing	A3 cable on frame 25	...	...	1	DTD.610	MR/C	
				(Alternative to Std.2046/44/20)						
3751	Std.842/12	Clip,	securing	cable, $\frac{7}{16}$ " wide	$\times$ 22 s.w.g. $\times$ 1.2" long	(Make from 30A/549)	1	S.3	MR/C	4
4792	Std.852/36	Clip,	securing	cable C30, frame 34, $\frac{7}{16}$ " wide	$\times$ 22 s.w.g. $\times$ 3.6" long	(Make from 30A/549)	1	S.3	MR/C	4
	Std.2045/17/26	Clip,	sleeved	...	...	...	2	—		
	Std.2046/18/26	Clip,	sleeved	...	...	...	1	—		
	Std.2045/24/24	Clip,	sleeved	...	...	...	1	—		
	Std.2045/32/22	Clip,	sleeved	...	...	...	2	—		
	Std.2045/36/22	Clip,	sleeved	...	...	...	2	—		
	Std.2045/45/20	Clip,	sleeved	...	...	...	2	—		
	Std.2045/47/20	Clip,	sleeved	...	...	...	1	—		
	Std.2045/48/20	Clip,	sleeved	...	...	...	1	—		
	Std.2045/52/20	Clip,	sleeved	...	...	...	1	—		
	Std.2045/53/20	Clip,	sleeved	...	...	...	1	—		
	Std.2045/65/20	Clip,	sleeved	...	...	...	1	—		
	Std.2046/17/26	Clip,	sleeved	...	...	...	1	—		
	Std.2046/21/24	Clip,	sleeved	...	...	...	1	—		
	Std.2046/41/20	Clip,	sleeved,	securing A39-C13 cable at frame 25	...	...	3	—		
				(Alternative to Std.841/38)						
	Std.2046/43/20	Clip,	sleeved,	securing A4-cable at frame 25	...	...	1	—		
				(Alternative to Std.841/40)						
	Std.2046/44/20	Clip,	sleeved,	securing A3 cable at frame 25	...	...	1	—		
				(Alternative to Std.841/41)						
29H/2100	Bowden PN.448	Clip	...	...	...	...	26	—	C.	

RESTRICTED

Hunter T. Mk. 7
Issued with Amendment List No. 2

ELECTRICAL EQUIPMENT-CENTRE FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	A.197386	EARTHING POINT No. 9, FRAME 25, STARBOARD SIDE, ASSEMBLY					-	-		
4613	Std.1298/1	Stud	...	...	...	...	1	S.1		
4804	Std.1335/C.18	Washer	...	...	...	...	3	L.4	C.	4
	F.196308	Plate, sealing, for cables C24 and C26, at frame 37	...	...	...	...	4	LFS.21	MR/C	
	F.209619	Plate, sealing, aft on frame 37 port	...	...	...	...	2	LFS.21		
	F.227156	Plate, sealing, at frame 37	...	...	...	...	2	LFS.21		
3970	Std.1509/12/020	Tube, distance, $\frac{1}{4}$ " o/d $\times$ 20 s.w.g. $\times$ 0.20"	...	...	...	...	2	T.4	MR/C	
4808	Std.850/24	Clip, securing ignition leads at engine mounting rail, $\frac{7}{16}$ " wide $\times$ 22 s.w.g. $\times$ 2.4" long (Make from 30B/1433)	...	...	...	...	2	DTD.610	MR/C	4
9664	Std.2045/17/26	Clip, securing cable	...	...	...	...	1	-		
	Std.2045/20/24	Clip, securing cable	...	...	...	...	1	-		
	Std.2045/22/24	Clip, securing cable	...	...	...	...	1	-	C.	
	Std.2045/25/24	Clip, securing cables	...	...	...	...	3	-		
	Std.2045/32/22	Clip, securing cables	...	...	...	...	1	-		
	Std.2045/34/22	Clip, securing cable	...	...	...	...	3	-		
	Std.2045/36/22	Clip, sleeved...	...	...	...	...	1	-		
	Std.2045/38/22	Clip, securing cables	...	...	...	...	1	-		
	Std.2045/39/22	Clip, securing cables	...	...	...	...	1	-		
	Std.2045/49/20	Clip, securing cables	...	...	...	...	1	-		
	Std.2045/57/20	Clip, securing cables	...	...	...	...	1	-		
	Std.2045/68/20	Clip, sleeved...	...	...	...	...	1	-		
	Std.2046/16/26	Clip, securing cables	...	...	...	...	2	-		
	Std.2046/17/26	Clip, securing cables	...	...	...	...	5	-		
	Std.2046/21/24	Clip, securing cables	...	...	...	...	1	-		
	Std.2046/35/22	Clip, securing cables	...	...	...	...	1	-		
	Std.2046/37/22	Clip, securing cables	...	...	...	...	1	-		
	Std.2046/38/22	Clip, securing cables	...	...	...	...	2	-		
	Std.2046/42/20	Clip, sleeved...	...	...	...	...	2	-		
	Std.2046/45/20	Clip, sleeved...	...	...	...	...	1	-		
	Std.2046/55/20	Clip, securing cable	...	...	...	...	1	-		
	Std.2046/67/20	Clip, securing cable	...	...	...	...	1	-		
	Std.2046/27/22	Clip, securing cable	...	...	...	...	1	-		
	Std.2076/23/24	Clip, securing cable	...	...	...	...	1	-		
	Std.2076/30/22	Clip, securing cables	...	...	...	...	1	-		
	Std.2076/40/22	Clip, securing cable	...	...	...	...	3	-		
	Std.2076/44/22	Clip, securing cable	...	...	...	...	3	-		
	Std.2076/50/20	Clip, securing cables	...	...	...	...	1	-		
	Std.2076/57/20	Clip, securing cable	...	...	...	...	2	-		
	Std.2076/74/20	Clip, securing cable	...	...	...	...	2	-		

RESTRICTED

ELECTRICAL EQUIPMENT—CENTRE FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
6A/3335	Smiths Waymouth CA/30	Connector	...	...	...	...	2	—	B.	
6A/2733	Smiths Waymouth CA/37	Connector	...	...	...	...	1	—	B.	
6A/3571	Smiths Waymouth CA/62	Connector	...	...	...	...	1	—	B.	
6A/3572	Smiths Waymouth CA/125	Connector	...	...	...	...	1	—	B.	
6A/3573	Smiths Waymouth CA/140	Connector	...	...	...	...	1	—	B.	
6A/4447	Smiths Waymouth CS/75	Connector	...	...	...	...	2	—	B.	
6A/4388	Smiths Waymouth CR/228	Connector	...	...	...	...	1	—	B.	
6A/4384	Smiths Waymouth CR/30	Connector	...	...	...	...	1	—	B.	
6A/4385	Smiths Waymouth CR/65	Connector	...	...	...	...	1	—	B.	
6A/4387	Smiths Waymouth CR/192	Connector	...	...	...	...	1	—	B.	
4105	Std.1285/8/C.C.	Connector, earthing, at high energy ignition	...	...	...	...	1	—	C.	4
	A.197124-5	EARTHING POINTS, Nos. 10 AND 16, ASSEMBLY					—	—		
4619	Std.1335/E.18	Washer	...	...	...	...	2	L.4	C.	4
5L/X953271	—	Filament, 28V., 7w.	...	...	...	...	1	—	B.	
5X/3098	Z.23201/D	Gasket, sealing, for time switch	...	...	...	...	1	—	C.	
37A/1790		Ignitor, high energy, type C.10.T.S./3	...	...	...	...	2	—	A.	
5CX/446		Lamp, cockpit, Mk. 1A	...	...	...	...	1	—	B.	
4896	B.199981	Lead, ignition, group	...	...	...	...	1	—	B.	
		Consisting of :—								
5E/3131		Cable, unplughitemp, No. 3	...	...	...	...	46"	—	C.	
	United Metallic Co. No. 110	Conduit, braided, 0.132" i/d	...	...	...	...	40"	—		
	Lodge CG-11	Contact-button	...	...	...	...	2	—		
29H/2100	Bowden PN/448	Clip	...	...	...	...	1	—	C.	
	Lodge EA6-90°	Elbow, assembly	...	...	...	...	1	—		
37B/1985	Rolls Royce D.29850	Ferrule	...	...	...	...	2	—	C.	
	Lodge S.F.6	Ferrule, spring type	...	...	...	...	2	—		
	Lodge N.28	Nut	...	...	...	...	2	—		
	Lodge SS.18	Sleeve	...	...	...	...	1	—		
	Lodge SS.23	Sleeve	...	...	...	...	1	—		
4897	B.199982	Lead, ignition, group	...	...	...	...	1	—	B.	
		Consisting of :—								
5E/3131		Cable, unplughitemp No. 3	...	...	...	...	82"	—	C.	
	United Metallic Co. No. 110	Conduit, braided, 0.312" i/d	...	...	...	...	76"	—		
	Lodge C.G-11	Contact-button	...	...	...	...	2	—		
29H/2100	Bowden PN/448	Clip	...	...	...	...	1	—	C.	
	Lodge EA6-90°	Elbow, assembly	...	...	...	...	1	—		

RESTRICTED

Hunter T. Mk. 7
Issued with A/L No. 8

ELECTRICAL EQUIPMENT—CENTRE FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
37B/1985	Rolls Royce D.29850	Ferrule	...	...	...	...	2	—	C.	
	Lodge S.F.6	Ferrule, spring type	...	...	...	...	2	—		
	Lodge N.28	Nut	...	...	...	...	2	—		
	Lodge SS.23	Sleeve	...	...	...	...	1	—		
	Lodge SS.18	Sleeve	...	...	...	...	1	—		
4620	F.197595	Plate, sealing, at frame 37	...	...	...	...	4	LFS.21	C.	
4621	F.197596	Plate, sealing, at frame 37	...	...	...	...	4	LFS.21	C.	
5X/6311		Plug, shell	...	...	...	...	2	—	B.	
26DK/9821	English Electric	Plug, shorting (Mod. 1013)	...	...	...	...	1	—	B.	
5F/2301	Hellermann NY.18007.A	Strapping	...	...	...	...	QR	—	C.	
5F/2302	Hellermann NY.3342	Stud	...	...	...	...	QR	—	C.	
	B.196635	Suppressor, group	...	...	...	...	2	—		
4811	A.196638	Angle, mounting	...	...	...	...	1	DTD.364	MR/C	
4812	A.196639	Angle, mounting	...	...	...	...	1	DTD.364	MR/C	
4813	A.196640	Plate, mounting	...	...	...	...	1	DTD.610	MR/C	
5CY/3084		Suppressor, type "X3"	...	...	...	...	1	—	A.	
5CY/2866		Suppressor, type "B4"	...	...	...	...	1	—	A.	
4814	Std.1548/24/10	Washer, profile...	...	...	...	...	2	DTD.610	MR/C	4
5CY/2967	—	Suppressor, type O, No. 2	...	...	...	...	1	—	A.	
5CW/5501	Venner PTA/HA/W 19055	Switch, time	...	...	...	...	1	—	A.	
27N/93		Switch, inertia, Mk. 1	...	...	...	...	1	—	A.	
27N/91		Switch, flame detector, Mk. 4	...	...	...	...	8	—	A.	
	Std.1509/24/022	Tube, distance, $\frac{3}{8}$ " o/d $\times$ 17 s.w.g. $\times$ 0.22" long	...	...	...	...	4	T.4		
2192	Std.915/C/14	Washer	...	...	...	...	2	—	C.	
9174	Std.915/E/18	Washer	...	...	...	...	4	—	C.	
4619	Std.1335/E/18	Washer	...	...	...	...	4	—	C.	

RESTRICTED

Hunter T. Mk. 7
Issued with A/L No. 8

ELECTRICAL EQUIPMENT—CENTRE FUSELAGE

Ref. No.	Part No.	Description								No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5							
SUMMARY OF STOCK ITEMS													
28D/1010658	A25.1.B	Bolt, 4	B.A.	...	...	...	...	...	...	—	—	—	
28D/9419452	A25.3.B	Bolt, 4	B.A.	...	...	...	...	...	...	—	—	—	
28D/1010029	A25.6.B	Bolt, 4	B.A.	...	...	...	...	...	...	—	—	—	
28D/9436920	A25.1.C	Bolt, 2	B.A.	...	...	...	...	...	...	—	—	—	
28D/9133011	A25.2.C	Bolt, 2	B.A.	...	...	...	...	...	...	—	—	—	
28D/9133012	A25.3.C	Bolt, 2	B.A.	...	...	...	...	...	...	—	—	—	
28D/1010030	A25.7.C	Bolt, 2	B.A.	...	...	...	...	...	...	—	—	—	
28D/9435710	A25.11.C	Bolt, 2	B.A.	...	...	...	...	...	...	—	—	—	
28D/9419397	A25.12.C	Bolt, 2	B.A.	...	...	...	...	...	...	—	—	—	
28D/12536	A25.13.C	Bolt, 2	B.A.	...	...	...	...	...	...	—	—	—	
28D/12538	A25.15.C	Bolt, 2	B.A.	...	...	...	...	...	...	—	—	—	
28D/1011021	A25.16.C	Bolt, 2	B.A.	...	...	...	...	...	...	—	—	—	
28D/1011238	A25.3.E	Bolt, 1/4"	B.S.F.	...	...	...	...	...	...	—	—	—	
28D/12812	A25.12.E	Bolt, 1/4"	B.S.F.	...	...	...	...	...	...	—	—	—	
28D/8300	AS.1242.1B	Bolt, 4	B.A.	...	...	...	...	...	...	—	—	—	
28D/8307	AS.1242.2C	Bolt, 2	B.A.	...	...	...	...	...	...	—	—	—	
28D/8325	AS.1242.4E	Bolt, 1/4"	B.S.F.	...	...	...	...	...	...	—	—	—	
28D/8326	AS.1242.5E	Bolt, 1/4"	B.S.F.	...	...	...	...	...	...	—	—	—	
28D/9128739	AS.1248 1/2 B	Bolt, 4	B.A.	...	...	...	...	...	...	—	—	—	
28E/8184	AGS.605 Mk. 2	Clip	...	...	...	...	...	...	...	—	—	—	
5K/3412	AS.3360.C.7.C	Lead, bonding	...	...	...	...	...	...	...	—	—	—	
28M/12931	A27.ET	Nut, 1/4"	B.S.F.	...	...	...	...	...	...	—	—	—	
28M/10288	AGS.2001/C1	Nut, 2	B.A.	...	...	...	...	...	...	—	—	—	
28M/10290	AGS.2001/E1	Nut, 1/4"	B.S.F.	...	...	...	...	...	...	—	—	—	
28M/10326	AGS.2002/A1	Nut, 6	B.A.	...	...	...	...	...	...	—	—	—	
28M/10327	AGS.2002/B1	Nut, 4	B.A.	...	...	...	...	...	...	—	—	—	
28M/10328	AGS.2002/C1	Nut, 2	B.A.	...	...	...	...	...	...	—	—	—	
28M/10330	AGS.2002/E1	Nut, 1/4"	B.S.F.	...	...	...	...	...	...	—	—	—	
28S/9419435	A31.B12	Screw, 4	B.A.	...	...	...	...	...	...	—	—	—	
28S/1200034	A31.B16	Screw, 4	B.A.	...	...	...	...	...	...	—	—	—	
28S/1200040	A31.B20	Screw, 4	B.A.	...	...	...	...	...	...	—	—	—	
28S/1200033	A31.B24	Screw, 4	B.A.	...	...	...	...	...	...	—	—	—	
28S/1005622	A31.B28	Screw, 4	B.A.	...	...	...	...	...	...	—	—	—	
28S/9437020	A31.C12	Screw, 2	B.A.	...	...	...	...	...	...	—	—	—	
28S/9997545	A31.C16	Screw, 2	B.A.	...	...	...	...	...	...	—	—	—	
28S/9435713	A31.C20	Screw, 2	B.A.	...	...	...	...	...	...	—	—	—	
28S/1006979	A32.A10	Screw, 6	B.A.	...	...	...	...	...	...	—	—	—	
28S/1006948	A32.A12	Screw, 6	B.A.	...	...	...	...	...	...	—	—	—	
28S/514019	A32.A14	Screw, 6	B.A.	...	...	...	...	...	...	—	—	—	
28S/9995324	A32.A16	Screw, 4	B.A.	...	...	...	...	...	...	—	—	—	
28S/9992522	A32.B16	Screw, 4	B.A.	...	...	...	...	...	...	—	—	—	
28S/9992525	A32.B12	Screw, 4	B.A.	...	...	...	...	...	...	—	—	—	
28S/2875	A32.B24	Screw, 4	B.A.	...	...	...	...	...	...	—	—	—	
28S/1011491	A32.C24	Screw, 2	B.A.	...	...	...	...	...	...	—	—	—	
28S/1200059	A33.A14	Screw, 6	B.A.	...	...	...	...	...	...	—	—	—	
28S/9435716	A33.B12	Screw, 4	B.A.	...	...	...	...	...	...	—	—	—	
28S/9435715	A33.B16	Screw, 3	B.A.	...	...	...	...	...	...	—	—	—	
28S/9992521	A33.B24	Screw, 4	B.A.	...	...	...	...	...	...	—	—	—	

RESTRICTED

Hunter T. Mk. 7
Issued with A/L No. 8

ELECTRICAL EQUIPMENT—CENTRE FUSELAGE

Ref. No.	Part No.	Description								No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5							
		SUMMARY OF STOCK ITEMS (contd.)											
28W/9419401	SP.10.B	Washer	...	...	...	...	...	...	...	-	—	—	
28W/9419464	SP.13.A	Washer	...	...	...	...	...	...	...	-	—	—	
28W/9419465	SP.13.B	Washer	...	...	...	...	...	...	...	-	—	—	
28W/9419474	SP.15.B	Washer, 4 B.A.	...	...	...	...	...	...	...	-	—	—	
28W/9419475	SP.15.C	Washer, 2 B.A.	...	...	...	...	...	...	...	-	—	—	
28W/9419405	SP.15.E	Washer, 1" dia.	...	...	...	...	...	...	...	-	—	—	
28W/9419486	SP.16.B	Washer	...	...	...	...	...	...	...	-	—	—	
28W/9419404	SP.16.C	Washer, 2 B.A....	...	...	...	...	...	...	...	-	—	—	
28W/9419487	SP.16.E	Washer, 1" B.S.F.	...	...	...	...	...	...	...	-	—	—	
28W/9419489	SP.16.J	Washer, ...	...	...	...	...	...	...	...	-	—	—	
28W/9419448	AGS.2035/B	Washer	...	...	...	...	...	...	...	-	—	—	
28W/11048	AGS.2034/A	Washer	...	...	...	...	...	...	...	-	—	—	

RESTRICTED



This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

R-Type Mk2
pressure breathing
mask

R-Type mask
used on Dominie
by RAF until 2011
© 2011 Scott Bouch