

ELECTRICAL EQUIPMENT—REAR FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	E.222682	ELECTRICAL EQUIPMENT IN REAR FUSELAGE, ASSEMBLY					—	—		
	B.231138	ADDITIONAL DETAILS, ASSEMBLY (Mod. 850)					—	—		
	A.234149	Bracket					1	—		
5CZ/430	—	Block, terminal, 2-way					1	—	B.	
9663	Std.2045/19/24	Clip, securing, cables					1	—	C.	
	Std.2046/14/24	Clip, securing, cables					1	—		
	Std.2046/16/24	Clip, securing, cables					2	—		
	Std.2046/19/24	Clip, securing, cables					1	—		
	Std.2046/21/24	Clip, securing, cables					2	—		
	Std.2046/23/24	Clip, securing, cables					1	—		
	B.239483	Fuse, test, tailchute, group					1	—		
10H/	L562-0-500	Fuse, 0.5 amp.					1	—	C.	
10H/	Belling & Lee	Holder, fuse					1	—	C.	
	Z.590170									
	F.221261	Label, for terminal block					1	—		
28FP/2	Aviation	Pin, pip					2	—	C.	
	Developments									
	A.405 Mk. 5									
5W/5449	Rotax A.1612	Actuator, tailplane (Mod. 1145)					1	—	A.	
5W/2317	Western	Actuator, EJ.25 Mk. 1D					1	—	A.	
	Mfg. Ltd.									
	EA.25461									
5X/2863	Plessey CZ.24285	Block, terminal, 10-way					1	—	B.	
	A.243093	BLOCK, TERMINAL, No. 42, ASSEMBLY					—	—		
		(Mod. 850)								
5X/3276	Plessey CZ.50205	Block, terminal, 2-way					1	—	B.	
5X/3272	Plessey CZ.26799	Cover					1	—	B.	
4177	F.197297	Pillar					2	—	C.	
	B.206440	BLOCK, TERMINAL, No. 43, ASSEMBLY					—	—		
5X/2863	Plessey CZ.24285	Block, terminal, 10-way					2	—	B.	
5X/3275	Plessey CZ.26808	Cover					1	—	B.	
5X/3278	Plessey Z.28426	Pillar					2	—	C.	
	A.222784	BLOCK, TERMINAL, No. 44, ASSEMBLY					—	—		
5X/2863	Plessey CZ.24285	Block, terminal, 10-way					1	—	B.	
5X/3275	Plessey CZ.26808	Cover					1	—	B.	
5X/6163	Plessey Z.50210	Link, commoning					3	—	C.	
4177	F.197297	Pillar					2	—	C.	
	A.206250	BLOCK, TERMINAL, No. 45, ASSEMBLY					—	—		
5X/3268	Plessey CZ.50207	Block, terminal, 5-way					1	—	B.	
5X/3274	Plessey CZ.26805	Cover					1	—	B.	
5X/3278	Plessey Z.28426	Pillar					2	—	C.	
	B.212739	BLOCK, TERMINAL, Nos. 47 AND 48, ASSEMBLY					—	—		
5X/3181	Plessey	Block, terminal, 20-way					1	—	B.	
	CZ.23212/1									
5X/2863	Plessey	Block, terminal, 10-way					1	—	B.	
	CZ.24285									
5X/6165	Plessey	Cover					1	—	B.	
	CZ.25111									
5X/3275	Plessey	Cover					1	—	B.	
	CZ.26808									
5X/6163	Plessey	Link, commoning, 2-way					2	—	C.	
	Z.50210									
5X/6317	Plessey	Link, commoning, 10-way					1	—	C.	
	Z.50218									
4177	F.197297	Pillar					4	—	C.	

ELECTRICAL EQUIPMENT—REAR FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	A.206441	BLOCK, TERMINAL, No. 56, ASSEMBLY					—	—		
5X/3268	Plessey CZ.50207	Block, terminal, 5-way					1	—	B.	
5X/3274	Plessey CZ.26805	Cover					1	—	B.	
4177	F.197297	Pillar, fixing (AS.840/47)					2	—	C.	
	A.210747	BLOCK, TERMINAL, No. 58, ASSEMBLY					—	—		
7056	A.210157	Block, terminal					1	—	B.	
	A.210713	Bracket, mounting					1	L.72		
	A.213717	BLOCK, TERMINAL, No. 79, ASSEMBLY					—	—		
5X/2863	Plessey CZ.24285	Block, terminal, 10-way					1	—	B.	
5X/3275	Plessey CZ.26808	Cover					1	—	B.	
5X/6163	Plessey Z.50210	Link, commoning					1	—	C.	
4177	F.197297	Pillar					2	—	C.	
	A.216488	BLOCK, TERMINAL, No. 87, ASSEMBLY					—	—		
5X/3268	Plessey CZ.50207	Block, terminal, 5-way					1	—	B.	
5X/3274	Plessey CZ.26805	Cover					1	—	B.	
5X/3278	Plessey Z.28426	Pillar					2	—	C.	
2146	A.189842	Bolt, special, at lower end of actuator					1	S.99.B	C.	
	A.209068	Bracket, mounting, for test socket					1	L.72		
	C.227299	Cable, R.1 (See Cable Chart)					1	—	—	
	C.227300	Cable, R.2 (See Cable Chart)					1	—	—	
8596	D.199822	Cable, R.3					1	—	B.	
	B.205484	Cable, R.7 (See Cable Chart)					1	—	—	
	B.201976	Cable, R.8 (See Cable Chart)					1	—	—	
	B.205494	Cable, R.9 (See Cable Chart)					1	—	—	
	B.201997	Cable, R.10 (See Cable Chart)					1	—	—	
	B.205495	Cable, R.11 (See Cable Chart)					1	—	—	
	C.253187	Cable, R.12 (See Cable Chart)					1	—	—	
	B.253878	Cable, R.13 (See Cable Chart)					1	—	—	
	C.253879	Cable, R.14 (See Cable Chart)					1	—	—	
	C.205510	Cable, R.16 (See Cable Chart)					1	—	—	
	C.222154	Cable, R.18 (See Cable Chart)					1	—	—	
	B.205545	Cable, R.20 (See Cable Chart)					1	—	—	
	B.205699	Cable, R.21 (See Cable Chart)					1	—	—	
	B.208717	Cable, R.24 (See Cable Chart)					1	—	—	
	C.209067	Cable, R.26 (See Cable Chart)					1	—	—	
	C.216074	Cable, R.34 (See Cable Chart)					1	—	—	
	B.255612	Cable, R.36 (See Cable Chart)					1	—	—	
	B.237845	Cable, R.37, group (Mod. 850) (See Cable Chart)					1	—	—	
10431	F.221270	Barrel, nut					1	B.11	C.	
5D/1933	—	Contactor, No. 1. Mk. 2					1	—	B.	
	F.238561	Cover (Mod. 850)					1	LFS.21		

ELECTRICAL EQUIPMENT—REAR FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	B.221201	Cable, R.28	(See Cable Chart)	...	...	...	1	—	—	
	B.205121	Cable, E.11A	(See Cable Chart)	...	...	...	1	—	—	
	B.216032	Cable, P.C.15	(See Cable Chart)	...	...	...	1	—	—	
	B.216045	Cable, P.C.16	(See Cable Chart)	...	...	...	1	—	—	
5X/1965	Plessey Z.22166	Cap, sealing, at test socket	...	...	...	...	1	—	C.	
9493	F.222036	Clip, securing R.36 cable	...	...	...	...	2	L.72	C.	
9664	Std.2045/22/24	Clip, securing cables	...	...	...	...	1	—	C.	
	Std.2045/24/24	Clip, securing cables	...	...	...	...	2	—		
	Std.2045/25/24	Clip, securing cables	...	...	...	...	1	—		
	Std.2045/34/22	Clip, securing cables	...	...	...	...	1	—		
	Std.2045/36/22	Clip, securing cables	...	...	...	...	2	—		
	Std.2046/19/24	Clip, securing cables	...	...	...	...	2	—		
	Std.2046/32/32	Clip, securing cables	...	...	...	...	1	—		
6A/4383	Smiths Waymouth CJC.65	Connector	...	...	...	...	2	—	B.	
5CZ/7370	Rotax D.8723	Contactor, reversing, standby (Mod. 1134)	...	...	...	...	2	—	A.	
5X/3275	Plessey CZ.26808	Cover, for terminal block, 10-way	...	...	...	...	1	—	B.	
	D.222683	ELECTRICAL EQUIPMENT — ADDITIONAL DETAILS, ASSEMBLY					—	—		
5CZ/430	—	Block, terminal, 2-way, No. 1	...	...	...	...	3	—	B.	
	F.216456	Bracket, support, for Coupler	...	...	...	...	1	L.72		
	A.234149	Bracket, securing activator cable (Mod. 853)	...	...	...	...	1	—		
	Std.2045/24/24	Clip, securing cables	...	...	...	...	2	—		
	Std.2045/26/22	Clip, securing cables	...	...	...	...	4	—		
	Std.2045/36/22	Clip, securing cables	...	...	...	...	2	—		
	Std.2045/44/20	Clip, securing cables	...	...	...	...	1	—		
	Std.2046/16/22	Clip, sleeved, securing cable	...	...	...	...	1	—		
3734	Std.840/14	Clip	...	...	...	...	1	—	MR/C	4
4186	Std.841/16	Clip	...	...	...	...	1	—	C.	4
3755	Std.843/13	Clip	...	...	...	...	5	—	MR/C	4
	A.202094	EARTHING, POINT, No. 11, ASSEMBLY					—	—		
4163	Std.1335/C18	Washer, under terminal	...	...	...	...	1	L.4	C.	
4659	Std.1335/C22	Washer, under nut	...	...	...	...	1	L.4	C.	4
5CW/4638	—	Switch, Micro, type 1A	...	...	...	...	2	—	B.	
or										
5CW/6375	Hellermann NY.18007A	Strapping, 1/2" wide	...	...	...	...	QR	—	C.	
5F/2301	Hellermann NY.3342	Stud	...	...	...	...	QR	—	C.	
5F/2302										
	B.220482	INDICATOR, CONTENT, FUEL FILTER DE-ICING TANK, ASSEMBLY					—	—		
9028	F.216625	Indicator	...	...	...	...	1	—	B.	
3838	Std.1606/44/B.8	Screw	...	...	...	...	2	Brass	C.	5
3837	Std.1606/44/B.10	Screw	...	...	...	...	4	Brass	C.	5
9027	A.222152	Solenoid	...	...	...	...	1	—	B.	
9030	F.216627	Spool, lever	...	...	...	...	1	—	C.	
9029	F.216626	Spring	...	...	...	...	1	Spg. Steel	C.	

ELECTRICAL EQUIPMENT—REAR FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
5F/2281	Hellermann HV.3341	Strapping, $\frac{1}{2}$ " wide					QR	—	C.	
5F/2282	Hellermann HV.3342	Stud					QR	—	C.	
5CW/7544	—	Switch					1	—	B.	
	A.221160	Mounting, for terminal block, No. 97					1	—		
4177	F.197297	Pillar, for terminal block, 10-way					1	—	C.	
7937	Std.1221.Z.B45	Pin, at upper end of Actuator					1	—	C.	4
7938	Std.1221.Z.B70	Pin, at lower end of Actuator					1	—	C.	4
5887	—	Sleeving, Symel, Silicone Elastomer, QS.167					QR	—	C.	
5F/2301	Hellermann NY.18007A	Strapping, $\frac{1}{2}$ " wide					QR	—	C.	
5F/2302	Hellermann NY.3342	Stud					QR	—	C.	
25N/91	—	Switch, flame detector, Mk. 4					4	—	A.	
6A/5460	—	Thermo-couple, B.9 (AS.1010/17)					8	—	A.	
	C.213491	TRANSMITTER, DESYNN, ASSEMBLY					—	—		
	F.208355	Angle					1	L.72		
7843	A.207754	BOX, JUNCTION, ASSEMBLY					1	—	B.	
	A.207745	Box, junction					1	—		
5X/6630	Plessey CZ.72441	Block, terminal, 5-way					4	—	B.	
5K/2374	—	Disc, blanking					2	—	C.	
7844	F.207746	Lid					1	—	C.	
5K/87	—	Nut, gland					2	—	C.	
5K/3469	Ross Courtney 01	Tag					16	—	C.	
8278	B.208354	Bracket, mounting					1	L.72	MR/C	
	B.205509	Cable, R.15 (See cable chart)					1	—	—	
1679	A.189774	Clip, attachment to actuator ram					1	S.3	C.	
	B.191439	Mounting, group					1	—		
		Consisting of :—								
	A.189772	Angle					1	—		
	A.189773	Angle					1	—		
	B.189771	Bracket					1	DTD.610		
28Q/1650	AS.156/404	Rivet					4	—	C.	
6851	F.189775	Rod, connecting (Make from 30A/397, $3\frac{1}{2}$ " long)					1	S.1	MR/C	
6A/2085	Smiths 227.FL	Transmitter					1	—	A.	
10893	Std.1509/12/050	Tube, distance, $\frac{1}{4}$ " o/d $\times$ 20 SWG $\times$ 0.50" long					1	T.4	C.	4
5667	Std.1509/12/030	Tube, distance					1	T.4	MR/C	
2147	Std.915/C20	Washer, for pin at lower end of Actuator					1	—	C.	4

ELECTRICAL EQUIPMENT—REAR FUSELAGE

Ref. No.	Part No.	Description								No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5	6	7	8				
		SUMMARY OF STOCK ITEMS											
28D/1007971	A.25.1B	Bolt, 4 B.A.	...	...	...	...	...	...	...	—	—	—	
28D/1010658	A.25.1B	Bolt, 4 B.A.	...	...	...	...	...	...	...	—	—	—	
28D/1011011	A.25.8.B	Bolt, 4 B.A.	...	...	...	...	...	...	...	—	—	—	
28D/1010142	A.25.9.B	Bolt, 4 B.A.	...	...	...	...	...	...	...	—	—	—	
28D/9435711	A.25.10.B	Bolt, 4 B.A.	...	...	...	...	...	...	...	—	—	—	
28D/9436920	A.25.1.C	Bolt, 2 B.A.	...	...	...	...	...	...	...	—	—	—	
28D/9133011	A.25.2.C	Bolt, 2 B.A.	...	...	...	...	...	...	...	—	—	—	
28D/9133012	A.25.3.C	Bolt, 2 B.A.	...	...	...	...	...	...	...	—	—	—	
28D/9435710	A.25.11.C	Bolt, 2 B.A.	...	...	...	...	...	...	...	—	—	—	
28D/1011238	A.25.3.E	Bolt, 3/8" B.S.F.	...	...	...	...	...	...	...	—	—	—	
28D/1007982	AS.1248.1C	Bolt, 2 B.A.	...	...	...	...	...	...	...	—	—	—	
28D/8342	AS.1248.2C	Bolt, 2 B.A.	...	...	...	...	...	...	...	—	—	—	
28N/254	AGS.191.B	Burr	...	...	...	...	...	...	...	—	—	—	
28K/551	SP.3Y.413	Fork-end	...	...	...	...	...	...	...	—	—	—	
5K/2938	SP.40.B.24	Grommet	...	...	...	...	...	...	...	—	—	—	
5K/2893	SP.40.A.6	Grommet	...	...	...	...	...	...	...	—	—	—	
28N/9156370	SP.21	Nipple, lubricating	...	...	...	...	...	...	...	—	—	—	
28M/13121	A.27.CS	Nut, 2 B.A.	...	...	...	...	...	...	...	—	—	—	
28M/13124	A.27.CT	Nut, 2 B.A.	...	...	...	...	...	...	...	—	—	—	
28M/7727	AGS.572.E	Nut, 3/8" B.S.F.	...	...	...	...	...	...	...	—	—	—	
28M/10287	AGS.2001.B1	Nut, 4 B.A.	...	...	...	...	...	...	...	—	—	—	
28M/10288	AGS.2001.C1	Nut, 2 B.A.	...	...	...	...	...	...	...	—	—	—	
28M/10327	AGS.2002.B1	Nut, 4 B.A.	...	...	...	...	...	...	...	—	—	—	
28M/10328	AGS.2002.C1	Nut, 2 B.A.	...	...	...	...	...	...	...	—	—	—	
28M/13774	AGS.2019.B1	Nut, 4 B.A.	...	...	...	...	...	...	...	—	—	—	
28P/1830	SP.4Y.B4	Pin	...	...	...	...	...	...	...	—	—	—	
28S/1200020	A.31.A.20	Screw, 6 B.A.	...	...	...	...	...	...	...	—	—	—	
28S/9419435	A.31.B.12	Screw, 4 B.A.	...	...	...	...	...	...	...	—	—	—	
28S/1011484	A.32.A.20	Screw, 6 B.A.	...	...	...	...	...	...	...	—	—	—	
28S/1011486	A.32.A.24	Screw, 6 B.A.	...	...	...	...	...	...	...	—	—	—	
28S/9992525	A.32.B.12	Screw, 4 B.A.	...	...	...	...	...	...	...	—	—	—	
28S/9995376	A.32.B.20	Screw, 4 B.A.	...	...	...	...	...	...	...	—	—	—	
28S/2875	A.32.B.24	Screw, 4 B.A.	...	...	...	...	...	...	...	—	—	—	
28S/1200062	A.33.A.20	Screw, 6 B.A.	...	...	...	...	...	...	...	—	—	—	
28S/9992531	A.33.A.24	Screw, 6 B.A.	...	...	...	...	...	...	...	—	—	—	
28S/9435715	A.33.B.16	Screw, 4 B.A.	...	...	...	...	...	...	...	—	—	—	
28S/1200066	A.33.B.20	Screw, 4 B.A.	...	...	...	...	...	...	...	—	—	—	
28S/1200065	A.33.B.28	Screw, 4 B.A.	...	...	...	...	...	...	...	—	—	—	
28W/9419454	SP.10.C	Washer	...	...	...	...	...	...	...	—	—	—	
28W/9419473	SP.15.A	Washer	...	...	...	...	...	...	...	—	—	—	
28W/9419474	SP.15.B	Washer	...	...	...	...	...	...	...	—	—	—	
28W/9419475	SP.15.C	Washer	...	...	...	...	...	...	...	—	—	—	
28W/9419405	SP.15.E	Washer	...	...	...	...	...	...	...	—	—	—	
28W/9419477	SP.15.J	Washer	...	...	...	...	...	...	...	—	—	—	
28W/9419404	SP.16.C	Washer	...	...	...	...	...	...	...	—	—	—	
28W/6308	AGS.586.D	Washer, spring	...	...	...	...	...	...	...	—	—	—	

RESTRICTED

[illegible]

This file was downloaded
from the RTFM Library.
Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

