

ELECTRICAL EQUIPMENT—AUTOSTABILISER

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	E.222881	AUTOSTABILISER Mk. 2, INSTALLATION					—	—		
	E.223543	ADDITIONAL DETAILS, ASSEMBLY					—	—		
5K/3391	AS.3360/B/4/E	Bonding , flexible (Mod. 906)					1	—	C.	
10H/0970055	Plessey	Cap , protective ...					1	—	C.	
	CZ.51538									
10H/0970056	Plessey	Cap , protective ...					1	—	C.	
	CZ.51539									
	Std.2046/22/24	Clip , securing cables (AS.840/68)					4	—		
	Std.2046/34/22	Clip , securing cables (AS.840/68)					1	—		
	F.227040	Clip , securing cable ...					1			
10242	C.235534	Clip (Mod. 1068)					1	S.510	C.	
10243	C.235533	Clip (Half, Mod. 1068)...					1	S.65.C	C.	
	B.223536	Plate , mounting, for gyro-unit					1	—		
5CY/5151	—	Suppressor , type "GS"					1	—	A.	
	Std.1509/23/020	Tube , distance (AS.760/74)					2	T.4		
4042	Std.1509/23/030	Tube , distance (AS.760/74)					3	T.4	MR/C	
	Std.1509/23/056	Tube , distance (AS.760/74)					1	T.4		
4117	Std.1283/G	Washer , laminated					QR	Laminum	C.	4
	C.203729	AUTOSTABILISER INSTALLATION IN FIN, ASSEMBLY					—	—		
6S/50	—	Bracket , supporting, servomotor					1	—	B.	
9412	A.203605	Cable , indicator opertaing, group					1	—	B.	
		Consisting of :—								
	Std.1522	Adjuster					1	—		
28H/1866	Bowden P7/51	Cable					1	—	C.	
28H/1878	Bowden B.52	Casing					1	—	C.	
28H/1893	Bowden PN.980	Ferrule					1	—	C.	
28H/1176	Bowden PN.935	Nipple					2	—	C.	
9408	Std.499/4	Plate , locking					1	L.3	C.	4
9407	F.203487	Plate , locking					1	L.72	C.	
6S/48	—	Servomotor , type "B," and trim actuator					1	—	A.	
9413	F.206135	Shackle					1	S.3	C.	
5K/3457	—	Sleeve , helsynplus LP $\times \frac{3}{4}$ "					1	—	C.	
9414	F.206169	Spring , compression					1	DTD.215	C.	
5K/3469	Ross Courtney 01	Tag					4	—	C.	
5F/	—	Tube , $\frac{5}{16}$ " i/d.					12"	P.V.C.	C.	
4150	Std.915/C/22	Washer (AS.680/25)					1	DTD.610	C.	4
5X/6630	Plessey	Block , terminal, miniature, 5-way					1	—	B.	
	CZ.72441									
—	—	Cables , electrical (See cable chart)					—	—	—	
9489	F.199302	Clip , securing cables					1	DTD.610	C.	
9490	F.222851	Clip , securing cables					10	L.72	C.	

ELECTRICAL EQUIPMENT—AUTOSTABILISER

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
3735	Std.840/16	Clip,	securing	cable	...	...	1	DTD.610	C.	4
3736	Std.840/17	Clip,	securing	cable	...	...	1	DTD.610	C.	4
4099	Std.840/18	Clip,	securing	cable	...	...	1	DTD.610	C.	4
3743	Std.840/25	Clip,	securing	cable	...	...	7	DTD.610	C.	4
4802	Std.840/31	Clip,	securing	cable	...	...	5	—	MR/C	
10H/20734	Plessey	Plug,	bulkhead	socket, code 45	...	...	1	—	B.	
	CZ.61883									
	Std.1606/45/A12	Screw,	mounting	autostabiliser	switch in cockpit	...	2	Brass		5
5F/2281	Hellermann	Strapping	...	...	...	...	QR	—	C.	
	HV.3341									
5F/2282	Hellermann	Stud	...	...	...	...	QR	—	C.	
	NY.3342									
5K/3469	Ross Courtney	Tag	...	...	...	...	2	—	C.	
	"01"									
5F/2035	—	Tube, $\frac{1}{2}$ " i/d.	...	...	...	...	QR	P.V.C.	C.	

ELECTRICAL EQUIPMENT—AUTOSTABILISER

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
		SUMMARY OF STOCK ITEMS								
28D/1007971	A.25.1B	Bolt, 4 B.A.	...	...	...	...	...	—	—	—
28D/1010658	A.25.1B	Bolt, 4 B.A.	...	...	...	...	...	—	—	—
28D/1008149	A.25.2B	Bolt, 4 B.A.	...	...	...	...	...	—	—	—
28D/9419452	A.25.3B	Bolt, 4 B.A.	...	...	...	...	...	—	—	—
28D/1010029	A.25.6B	Bolt, 4 B.A.	...	...	...	...	...	—	—	—
28D/9138768	A.25.1C	Bolt, 2 B.A.	...	...	...	...	...	—	—	—
28D/9436920	A.25.1C	Bolt	...	...	...	...	...	—	—	—
28D/9133012	A.25.3C	Bolt, 2 B.A.	...	...	...	...	...	—	—	—
28D/8337	AS.1248/1B	Bolt	...	...	...	...	...	—	—	—
28M/13734	A.54.B	Nut, 4 B.A.	...	...	...	...	...	—	—	—
28M/10326	AGS.2002/A1	Nut	...	...	...	...	...	—	—	—
28M/10327	AGS.2002/B1	Nut	...	...	...	...	...	—	—	—
28M/10328	AGS.2002/C1	Nut, 2 B.A.	...	...	...	...	...	—	—	—
28P/813	SP.4.Y.A3	Pin	...	...	...	...	...	—	—	—
28P/833	SP.4.Y.B7	Pin	...	...	...	...	...	—	—	—
28S/14019	A32.A14	Screw	...	...	...	...	...	—	—	—
28S/9992525	A32.B12	Screw	...	...	...	...	...	—	—	—
28S/14005	A32.B14	Screw	...	...	...	...	...	—	—	—
28S/9992522	A32.B.16	Screw	...	...	...	...	...	—	—	—
28S/14269	A32.C10	Screw	...	...	...	...	...	—	—	—
28S/1011491	A32.C24	Screw, 2 B.A.	...	...	...	...	...	—	—	—
28W/9419473	SP.15A	Washer	...	...	...	...	...	—	—	—
28W/9419474	SP.15B	Washer	...	...	...	...	...	—	—	—
28W/9419475	SP.15C	Washer	...	...	...	...	...	—	—	—
28W/9419404	SP.16C	Washer	...	...	...	...	...	—	—	—
28W/9416643	SP.47C	Washer, 2 B.A.	...	...	...	...	...	—	—	—

RESTRICTED

[illegible]

RESTRICTED

**ILLUSTRATIONS FOR THIS UNIT
TO BE ISSUED LATER.**



This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.