

Hunter T. Mk. 7
Issued with A/L No. 9

EQUIPMENT AIRCRAFT—INSTRUMENT PANELS

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.	
							1
3866	D.218068	INSTRUMENT PANELS, ASSEMBLY ...	1	—	C.	FC.1	
	Andre	Block , mounting (Pre Mod. 761) ...	3	—			
	B134/AD/4						
	A.221826	Bracket , mounting for bomb and RP. panel ...	1	L.72	A.		
	A.221827	Bracket , mounting for bomb and RP. panel ...	1	L.72			
	Std.2045/17/26	Clip , sleeved (Mod. 850) ...	1	—			
	Std.2046/17/26	Clip , sleeved (Mod. 850) ...	1	—			
	—	Controller , D.M.E., type 8197 ...	1	—			
	10L/16264	Cover , windscreen reflector, group (Mod. 767) ...	1	—	B.		
	9851	E.231422	Hook ...	2	Comml. Spr. Stl.		C.
	F.231555						
29G/2098	Carr Fasteners N.608	Socket , "lift the dot" ...	9	—	C.		
29G/2096	Carr Fasteners 708A	Washer , back ...	9	—	C.		
5L/9951273	—	Filament , 3-5W. (Mod. 850) ...	2	—	B.		
10651	F.232337	Finisher and mounting angle, group at D.M.E. controller	1	—	C.		
10652	F.232338	Finisher and mounting angle, group at D.M.E. controller	1	—	C.		
9946	F.232600	Indicator , aileron neutral position (Mod. 782) ...	1	L.72	C.		
	A.237842	Lamp , mounting, assembly (Mod. 850) ...	—	—	C.		
10475	A.237840	Cover ...	1	—			
10476	A.237841	Mounting , lamp, group ...	1	—			
	A.237838	Block , terminal ...	1	—			
	F.237836	Bracket , lamp, mounting ...	1	—			
	F.237835	Plate , base ...	1	L.72	C.		
8543	F.218495	Mounting , for port panel (Mod. 761) ...	6	—			
	D.235428	MOUNTING, PANEL, ASSEMBLY (Mod. 779) ...	—	—	C.		
8718	A.208746	Bracket , for anti-vibration mounting ...	3	—			
5373	A.203162	Bracket , for anti-vibration mounting ...	2	—			
8719	A.214988	Bracket , for anti-vibration mounting ...	1	—			
	A.232304	Bracket , mounting, outboard, group (Mod. 779) ...	1	—			
10105	F.232305	Stud ...	1	DTD.487			
10104	F.235357	Stud ...	1	DTD.487			
	A.235358	Bracket , mounting, inboard, group ...	1	—			
10104	F.235357	Stud ...	1	DTD.487			
27H/3248	F.211792	Mounting , anti-vibration ...	8	—			
27H/3219	—	Mounting , anti-vibration, non-magnetic ...	8	—			
3868	F.168524	Washer , at anti-vibration mounting ...	24	DTD.610			
	F.240020	Packing , at tail chute lamp (Mod. 850) ...	1	LFS.21			
	C.222985	Panel , control, for bomb and RP., group ...	1	—			
	—	Cables (See Cable Chart) ...	—	—			
8706	F.214078	Cover , spring, inboard, group ...	1	—			
5K/2724	—	Cover , spring ...	1	—			
8707	F.214079	Cover , spring, outboard, group ...	1	—			
5K/2724	—	Cover , spring ...	1	—			
8708	F.214077	Flap , switch, group ...	1	—			
	F.214087	Channel (Make from Std.1530/11) ...	1	DTD.364			
	F.214084	Flap ...	1	Casting			
	F.214086	Pin ...	1	S.1.B			
	F.214085	Spring ...	1	Sp. St.			
	F.228684	Guard , switch (Mod. 742) ...	1	—			
5CW/5765	—	Guard , switch (Rotax) ...	1	—			
	B.222984	Plate , switch mounting ...	1	L.72			
1178	Std.1606/44/B12	Screw , retaining switch ...	6	Brass			
5247	Std.1606/44/A16	Screw , retaining switch ...	8	Brass			
4661	Std.1606/45/B12	Screw , retaining switch ...	2	Brass			
5830	Std.1606/45/A14	Screw , retaining switch ...	4	Brass			
3859	Std.1606/45/B10	Screw , retaining switch ...	4	Brass			

RESTRICTED

Hunter T. Mk. 7
Issued with A/L No. 9

EQUIPMENT AIRCRAFT—INSTRUMENT PANELS

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
5CW/6332	Rotax D.10007	Switch	...	...	...	...	1	—	B.	
5CW/540	—	Switch, D.P., push	...	...	...	...	2	—	B.	
5CW/936	—	Switch, 3-way, rotary, type B	...	...	...	...	1	—	B.	
5CW/7548	—	Switch, D.P., change over	...	...	...	...	1	—	B.	
5D/1760	—	Switch, D.P., selector	...	...	...	...	1	—	B.	
751	Std.915/A.20	Washer	...	...	...	...	4	DTD.610	C.	4
	D.215024	PANEL, FLYING, ASSEMBLY					—	—		
6A/8267	—	Altimeter, Mk. 19F (AS.1150/30)	...	...	...	...	1	—	A.	
—	D.222342	Cable, F.12, assembly (See Cable Chart)	...	...	...	...	1	—	—	
—	B.224703	Cable, F.60, group (See Cable Chart)	...	...	...	...	1	—	—	
	Std.2044/6/052	Ferrule	...	...	...	...	1	—	—	
6A/5653	Smiths Std.1503	Clamp, at flap indicator	...	...	...	...	1	—	C.	
3735	Std.840/16	Clip, securing cable, $\frac{7}{16}$ " wide $\times$ 22 S.W.G. $\times$ 1-6" long	...	...	...	...	2	DTD.610	MR/C	4
	Std.2045/28/22	Clip, securing cable F.12	...	...	...	...	1	—	—	
6A/2519	—	Connector, static and pressure	...	...	...	...	2	—	C.	
6A/7677	—	Indicator, rate of climb, Mk. 3Q	...	...	...	...	1	—	A.	
6A/5546	—	Indicator, turn and slip, Mk. 3	...	...	...	...	1	—	A.	
6A/3063	—	Indicator, artificial horizon, Mk. 4	...	...	...	...	1	—	A.	
or										
6A/6216	—	Indicator, artificial horizon Mk. 4E (AS.860/11)	...	...	...	...	1	—	A.	
6A/3158	—	Indicator, air speed, Mk. 12A	...	...	...	...	1	—	A.	
6A/4741	Smiths 587.F.L.	Indicator, tail plane position	...	...	...	...	1	—	A.	
6A/5861	Smiths 7.H.S.D.	Indicator, flap position (Pre Mod. 769)	...	...	...	...	1	—	A.	
6A/5942	Smiths 19 H.S.D.	Indicator, flap position (Mod. 769)	...	...	...	...	1	—	A.	
5CZ/5074	Dowty C.5165.Y Mk. 2	Indicator, magnetic	...	...	...	...	2	—	A.	
	A.216487	Label	...	...	...	...	1	L.72		
	F.223732	Label, 'Turn and Slip'	...	...	...	...	1	L.72		
	F.237794	Label (Mod. 890)	...	...	...	...	1	L.72		
1940	Std.1231/1	Lug, locking	...	...	...	...	1	—	C.	
5F/2281	Hellermann HV.3341	Strappings	...	...	...	...	QR	—	C.	
5F/2302	Hellermann HY.3342	Stud	...	...	...	...	QR	—	C.	
	Std.1509/12/032	Tube, distance	...	...	...	...	2	—	—	
6A/7041	Kelvin Hughes KVC.0101	Unit, vibrator (Mod. 1002)	...	...	...	...	1	—	A.	
	D.245995	LIGHTING, PILLAR, ON FLYING INSTRUMENT PANEL, ASSEMBLY (Mod. 890)					—	—		
5CZ/432	—	Block, terminal, 3-way, type 'B'	...	...	...	...	1	—	B.	
	F.222196	Bracket, mounting, for terminal block	...	...	...	...	1	L.72		
5L/9959118	—	Filament, 28 volt, 0-04 amp.	...	...	...	...	26	—	B.	
5CW/5045	Rotax N.65290	Grommet	...	...	...	...	21	—	C.	
5CX/5360	Thorn 80/10/1236	Light, bridge, type 'L'	...	...	...	...	1	—	C.	
5CX/5351	Thorn 80/10/1193	Light, bridge, type 'B'	...	...	...	...	1	—	B.	
5CX/5352	Thorn 80/10/1192	Light, bridge, type 'C'	...	...	...	...	4	—	B.	
5CX/5353	Thorn 80/10/1190	Light, bridge, type 'D'	...	...	...	...	1	—	B.	
5CX/5355	Thorn 80/10/1191	Light, bridge, type 'F'	...	...	...	...	2	—	B.	
5CX/5356	Thorn 80/10/1189	Light, bridge, type 'G'	...	...	...	...	1	—	B.	
5CX/5357	Thorn 80/10/1194	Light, bridge, type 'H'	...	...	...	...	1	—	B.	
5CX/5364	Thorn 80/10/0855 Red	Light, pillar	...	...	...	...	2	—	B.	
9446	Std.1606/44/A20	Screw, securing dimmer switch	...	...	...	...	6	Brass	C.	5
4179	Std.1606/44/B20	Screw, securing bridge light (AS.860/92)	...	...	...	...	2	Brass	C.	5
6356	Std.1606/44/B32	Screw, securing bridge light	...	...	...	...	4	Brass	C.	5
3840	Std.1606/44/B28	Screw, securing bridge light	...	...	...	...	4	Brass	C.	5
7970	Std.1606/44/B36	Screw, securing bridge light	...	...	...	...	4	Brass	C.	5
9447	Std.1606/44/C28	Screw, securing bridge light	...	...	...	...	2	Brass	C.	5

RESTRICTED

EQUIPMENT AIRCRAFT—INSTRUMENT PANELS

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
9448	Std.1606/44/C32					Screw, securing bridge light	6	Brass	C.	5
26AQ/4158	Std.1606/44/C36					Screw, securing bridge light	2	Brass	C.	5
5830	Std.1606/45/A14					Screw, securing terminal block	2	Brass	C.	5
9450	Std.1606/45/A18					Screw, securing terminal block	2	Brass	C.	5
5CW/2530	—					Switch, dimmer, 75 ohms.	2	—	B.	
5K/301	Ross Courtney 00					Tag	2	—	C.	
7100	Std.915/B/10					Washer	2	—	C.	
1940	Std.1231/1					Lug, locking	1	—	C.	
6A/3300	—					Machmeter, Mk. 3A	1	—	A.	
	D.215024/1					Panel, group	1	—		
	F.188326					Bracket, for connector	1	—		
	D.215025					Panel	1	L.72		FC.1
3601	A.191177/5					Pipe, pressure, A.S.I. to machmeter	1	T.9	C.	
10833	A.208536/8					Pipe, static, altimeter to connector (Mod. 1002)	1	L.54	C.	
10653	A.208536/7					Pipe, pressure, machmeter to pitôt connector (Mod. 890)	1	L.54	C.	
8712	A.208536/3					Pipe, static, machmeter to A.S.I.	1	L.54	C.	
*8713	A.208536/4					Pipe, static, machmeter to altimeter	1	L.54	C.	
9740	A.208536/5					Pipe, static, rate of climb indicator to A.S.I.	1	L.54	C.	
3837	Std.1606/44/B10					Screw, round head, 4 B.A.	8	Brass	C.	
1178	Std.1606/44/B12					Screw, round head, 4 B.A.	2	Brass	C.	
4179	Std.1606/44/B20					Screw, securing switch, 4 B.A.	2	Brass	C.	5
1720	Std.1606/44/B24					Screw, countersunk, 4 B.A. (860/41P)	12	Brass	C.	5
3857	Std.1606/44/C24					Screw, round head, 2 B.A.	4	Brass	C.	5
3859	Std.1606/45/B10					Screw, countersunk, 4 B.A.	4	Brass	C.	5
4660	Std.1606/45/B14					Screw, countersunk, 4 B.A.	3	Brass	C.	5
3860	Std.1606/45/B20					Screw, countersunk, 4 B.A.	4	Brass	C.	5
8717	Std.1606/45/B28					Screw, countersunk, 4 B.A. (Mod. 811)	12	Brass	C.	5
3863	Std.1606/45/C24					Screw, countersunk, 2 B.A.	4	Brass	C.	5
4116	Std.1606/45/C28					Screw, countersunk, 2 B.A.	4	Brass	C.	5
3865	Std.1606/45/C32					Screw, countersunk, 2 B.A.	4	Brass	C.	5
8714	Std.1606/45/C44					Screw, countersunk, 2 B.A.	4	Brass	C.	5
9951	Std.2095/208/B20					Screw, countersunk unified thread	4	—	C.	
9952	Std.2095/208/B24					Screw, countersunk unified thread	8	—	C.	
9953	Std.2095/208/B28					Screw, countersunk unified thread (Mod. 811)	12	—	C.	
9955	Std.2095/208/D24					Screw, countersunk unified thread	4	—	C.	
9956	Std.2095/208/D28					Screw, countersunk unified thread	4	—	C.	
9957	Std.2095/208/D32					Screw, countersunk unified thread (Mod. 811)	4	—	C.	
5F/2281	—					Strapping	QR	—	C.	
5F/2302	—					Stud	QR	—	C.	
5CW/7748	—					Switch, D.P., change over, no central position	1	—	B.	
5CW/7540	—					Switch, S.P., C/O	1	—	B.	
6A/2801	—					Tachometer, engine speed, Mk. 10A	1	—	A.	
6A/3577	—					Thermometer, exhaust gas	1	—	A.	
5CW/4327	—					Transfer, "on"	1	—	C.	
5CW/4328	—					Transfer, "off"	1	—	C.	
—	Std.1509/23/065					Tube, distance, $\frac{5}{16}$ " o/d x 17 S.W.G. x .65" long (Make from 30B/1784)	4	L.62	—	
	Std.1509/12/032					Tube, distance	2	—		
6B/563	—					Unit, gyro, type "B"	1	—	A.	
6A/7041	Kelvin Hughes KVC.0101					Unit, vibrator (Mod. 1002)	1	—	A.	
4162	Std.915/B/22					Washer, 4 B.A.	12	DTD.610	C.	4
10654	F.239237					Washer, tapered (Make from S.P.15E) (Mod. 890)	2	L.65	C.	
	D.218055					PANEL, CENTRE, ASSEMBLY	—	—		
6A/3451	—					Accelerometer, Mk. 2	1	—	A.	
6A/4245	—					Altimeter, cabin, Mk. 21	1	—	A.	
	A.221637					Bracket, mounting, for circuit breaker	1	L.72		
	A.221638					Bracket, mounting, for circuit breaker	1	L.72		
5CY/2562	—					Breaker, circuit, type "A" 25 amps.	2	—	A.	

EQUIPMENT AIRCRAFT—INSTRUMENT PANELS

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
—	D.229707	Cable, F40, assembly (See Cable Chart) (Mod. 702)					1	—	—	
—	D.217901	Cable, F62, assembly (See Cable Chart) ...					1	—	—	
—	B.223648	Cable, F65, assembly (See Cable Chart) ...					1	—	—	
—	B.227899	Cable, RR5, group (See Cable Chart) ...					1	—	—	
5CW/5252	Hellermann HV.3711	Clip, protective, sea grey ...					3	—	C.	
5CW/5253	Hellermann HV.3710	Cap, protective, sea grey ...					5	—	C.	
5CY/4520	—	Cover, for circuit breaker ...					2	—	C.	
5CX/5001	Std.1512/29	Disc, identification ...					1	—	C.	
5L/9951284	—	Filament, 28V., 3.5W., M.E.S. ...					1	—	B.	
5L/9951273	Rotax N.56091	Filament, 28V., 3.5W., M.E.S. ...					3	—	B.	
6A/4246	—	Flange, adaptor ...					1	—	B.	
6A/4441	Smiths AG/38	Gauge, fuel contents ...					1	—	A.	
6A/4442	Smiths AG/39	Gauge, fuel contents ...					1	—	A.	
10490	F.240266	Guard, switch (Mod. 850) ...					1	L.72	C.	
	F.208670	Guard, switch ...					1	L.72	C.	
9671	F.226393	Guard, switch (Mod. 741) ...					1	—	C.	FC.1
4121	F.200057	Handle, target rejector switch ...					1	Rubber	C.	FC.1
10Q/61	—	Indicator, G.S.I. ...					1	—	A.	
10AF/530	—	Indicator, D.M.E. ...					1	—	A.	
5CZ/5073	Dowty C.5165.Y Mk. 1	Indicator, magnetic ...					2	—	A.	
—	F.232534	Indicator, group ...					2	—	—	
		Consisting of:—								
5L/9959213	Rotax N.67226	Filament, 24V., 2.4W. ...					1	—	B.	
5CX/5324	—	Lamp, warning, amber (delete "Press to test")					1	—	B.	
5CZ/5074	Dowty C.5165Y Mk. 2	Indicator, magnetic ...					2	—	A.	
	F.240355	Label (Mod. 850) ...					1	S.98B		
5CZ/1635	Rotax H.2703	Lamp, warning, type "A" ...					1	—	B.	
5CX/1069	Rotax H.2702	Lamp, warning, type "A" ...					1	—	B.	
5CX/1553	Rotax H.1104	Lamp, warning, with night screen ...					1	—	B.	
1940	Std.1231/1	Lug, locking ...					1	—	C.	
	D.222563	LIGHTING, PILLAR, ON CENTRE INSTRUMENT PANEL, ASSEMBLY					—	—		
5CZ/432	—	Block, terminal, type "B," No. 1, 3 way ...					1	—	B.	
	F.222196	Bracket, mounting, for terminal block ...					1	L.72		
5E/3038	—	Cable, unipen, 6 amp. ...					QR	—	C.	
5L/9959118	—	Filament, 28V., 0.04 amps ...					18	—	B.	
5CW/5045	Rotax N.65290	Grommet ...					3	—	C.	
5CX/5353	Thorn 80/10/1190	Light, bridge, type "D" ...					2	—	B.	
5CX/5364	Thorn 80/10/0855 Red	Light, pillar ...					14	—	B.	
9451	Std.1606/44/A24	Screw, securing dimmer switch ...					6	Brass	C.	5
3840	Std.1606/44/B28	Screw, securing bridge light ...					4	Brass	C.	5
9450	Std.1606/45/A18	Screw, securing terminal block ...					4	Brass	C.	5
5CW/2530	—	Switch, dimmer, 75 ohms. ...					2	—	B.	
5F/	—	Tubing, 1½-2½ m/m i/d ...					QR	P.V.C.	C.	
	C.216865	Panel ...					1	L.72		FC.1
1639	Std.1606/44/A6	Screw, roundhead, 6 B.A. ...					4	Brass	C.	5
	F.232409	Screen, night ...					1	—		
3837	Std.1606/44/B10	Screw, roundhead, 4 B.A. ...					8	Brass	C.	5
1637	Std.1606/44/B14	Screw, roundhead, 4 B.A. ...					5	Brass	C.	5
3839	Std.1606/44/B16	Screw, roundhead, 4 B.A. (Mod. 850) ...					2	Brass	C.	5
4661	Std.1606/45/B12	Screw, countersunk, 4 B.A. ...					25	Brass	C.	5
1943	Std.1606/45/B16	Screw, countersunk, 4 B.A. ...					4	Brass	C.	5
3861	Std.1606/45/B24	Screw, countersunk, 4 B.A. ...					11	Brass	C.	5
8717	Std.1606/45/B28	Screw, countersunk, 4 B.A. ...					8	Brass	C.	5
	Std.1606/45/Z12	Screw, countersunk, 8 B.A. ...					2	Brass		5

EQUIPMENT AIRCRAFT-INSTRUMENT PANELS

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
5CW/6332	Rotax D.10007					Switch, D.P., 3-way spring return one way ...	1	—	B.	
5CW/7550	—					Switch, D.P. change over (centre "OFF" spring return both sides)	1	—	B.	
5CW/6551	—					Switch, S.P. (centre "OFF") ...	1	—	B.	
5CW/5056	—					Switch ...	1	—	B.	
5CW/6311	—					Switch, fire warning, push ...	1	—	B.	
5CW/7541	—					Switch, S.P., "ON-OFF" (upright OFF) ...	3	—	B.	
5CW/7544	—					Switch, S.P., "ON-OFF" (spring return to centre "OFF") (Pre Mod. 741)	1	—	B.	
5CW/7539	—					Switch, S.P., change over (centre "OFF" spring return)	1	—	B.	
5CW/7543	—					Switch, S.P., change over ...	1	—	B.	
5CW/7548	C.W.C Ltd. XD.784					Switch, D.P., change over ...	1	—	B.	
5CW/7748	C.W.C Ltd. XD.789					Switch, D.P., change over (not centre "OFF")	2	—	B.	
5CW/7552	—					Switch, D.P., change over (centre and one side "ON" spring return to centre)	1	—	B.	
5CW/4327	—					Transfer, "ON" ...	6	—	C.	
5CW/4328	—					Transfer, "OFF" ...	6	—	C.	
5CW/4331	—					Transfer, "OPEN" ...	1	—	C.	
5CW/4337	—					Transfer, "CLOSE" ...	1	—	C.	
5CW/4487	—					Transfer, "ENG" ...	2	—	C.	
5CW/4344	—					Transfer, "DIM" ...	1	—	C.	
5CW/4345	—					Transfer, "BRIGHT" ...	1	—	C.	
5CW/4346	—					Transfer, "IN" ...	1	—	C.	
5CW/4347	—					Transfer, "OUT" ...	2	—	C.	
5CW/6689	Rotax N.147415/1					Transfer, "JETTISON" ...	1	—	C.	
5CW/6690	Rotax N.147415/2					Transfer, "STREAM" ...	1	—	C.	
5768	Std.1509/12/016					Tube, distance, $\frac{1}{4}$ " o/d, x 20 S.W. G. x 0.16" long	8	T.4	MR/C	
5CW/4528	—					Window, red ...	1	—	C.	
	D.258615					PANEL, STARBOARD, ASSEMBLY (AS.1150/38...	—	—		
6A/8267	—					Altimeter, Mk. 19F (AS.1150/30) ...	1	—	A.	
10106	F.234666					Block, packing at altimeter bridge Light (Mod. 779)	1	LFS.21	C.	
5CZ/432	—					Block, terminal type 'B' 3-way (Mod. 779) ...	1	—	B.	
	A.232441					Bracket, mounting, terminal block (Mod. 779) ...	1	—		
	—					Cable, F.11 (See Cable Chart) ...	—	—	—	
6B/2775	—					Compass, repeater Mk. 2 ...	1	—	A.	
6A/2519	—					Connector, static and pressure (Mod. 779) ...	2	—	C.	
5L/9959118	—					Filament, 28V, 04A ...	16	—	B.	
5CW/5045	Rotax 65290					Grommet ...	9	—	C.	
6A/3158	—					Indicator, air speed Mk. 12A ...	1	—	A.	
6A/6005	—					Indicator, artificial horizon Mk. 6 (C) ...	1	—	A.	
						Miniature (Mod. 779)				
5CZ/5003	—					Indicator, magnetic ...	1	—	A.	
5CZ/5074	—					Indicator, magnetic ...	2	—	A.	
6A/7677	—					Indicator, rate of climb Mk. 3Q ...	1	—	A.	
6A/5546	—					Indicator, turn and slip Mk. 3 (Mod. 779) ...	1	—	A.	
	F.223732					Label, turn and slip indicator (Mod. 779) ...	1	L.59		
5CX/5352	Thorn 80/10/1192					Light, bridge, type 'C' ...	6	—	B.	
5CX/5357	Thorn 80/10/1194					Light, bridge, type 'H' ...	1	—	B.	
5CX/5364	Thorn 80/10/0855 'Red'					Light, pillar ...	2	—	B.	

RESTRICTED

Hunter T. Mk. 7
Issued with A/L No. 9

EQUIPMENT AIRCRAFT—INSTRUMENT PANELS

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
6A/3300	—	Machmeter, Mk. 3A					1	—	A.	FC.1
—	C.232440	Panel, instrument (Mod. 779)					1	L.72	—	
—	A.232436/1	Pipe, pressure, pitôt connector to tee union on machmeter (Mod. 779) (Make from 30B/1637, Q.R.)					1	T.9	—	
—	A.232436/2	Pipe, pressure, tee union on Machmeter to elbow on A.S.I. (Mod. 779) (Make from 30B/1637, Q.R.)					1	T.9	—	
—	A.232436/3	Pipe, static, connector to tee union on rate of climb indicator (Mod. 779) (Make from 30B/1637, Q.R.)					1	T.9	—	
—	A.232436/4	Pipe, static, tee union on rate of climb indicator to tee union (Mod. 779) (Make from 30B/1637, Q.R.)					1	T.9	—	
—	A.232436/5	Pipe, static, tee union to elbow in A.S.I. (Mod. 779) (Make from 30B/1637, Q.R.)					1	T.9	—	
—	A.232436/6	Pipe, static, tee union to tee union on machmeter (Mod. 779) (Make from 30B/1637, Q.R.)					1	T.9	—	
—	A.232436/8	Pipe, static, tee union on machmeter to elbow on Altimeter (Mod. 1002) (Make from 30B/1637, Q.R.)					1	T.9	—	
9446	Std.1606/44/A20	Screw, roundhead, 6 B.A.					3	Brass	C.	FC.1
	Std.1606/44/B22	Screw, roundhead, 4 B.A.					2	Brass	C.	
3840	Std.1606/44/B28	Screw, roundhead, 4 B.A.					2	Brass	C.	
	Std.1606/44/B30	Screw, roundhead, 4 B.A.					1	Brass	C.	
6356	Std.1606/44/B32	Screw, roundhead, 4 B.A.					2	Brass	C.	
7970	Std.1606/44/B36	Screw, roundhead, 4 B.A.					4	Brass	C.	
	Std.1606/44/B40	Screw, roundhead, 4 B.A.					3	Brass	C.	
5830	Std.1606/45/A14	Screw, countersunk, 6 B.A.					2	Brass	C.	
3859	Std.1606/45/B10	Screw, countersunk, 4 B.A.					2	Brass	C.	
4660	Std.1606/45/B14	Screw, countersunk, 4 B.A.					1	Brass	C.	
3860	Std.1606/45/B20	Screw, countersunk, 4 B.A.					3	Brass	C.	
3861	Std.1606/45/B24	Screw, countersunk, 4 B.A.					2	Brass	C.	
	Std.1606/45/B26	Screw, countersunk, 4 B.A.					2	Brass	C.	
8717	Std.1606/45/B28	Screw, countersunk, 4 B.A.					6	Brass	C.	
9951	Std.2095/208/B20	Screw, unified thread } to be used only if instru-					1	—	C.	
	Std.2095/209/B28	Screw, unified thread } ments have unified threads					2	—	—	
10682	Std.2095/209/B44	Screw					2	—	C.	
5K/3455	Hellermann	Sleeve, Helsyn, J.P. x 1					2	—	C.	
5CW/2530	—	Switch, dimmer, type 'R' 75 ohms (Mod. 779) ...					1	—	B.	
5CW/7540	—	Switch, S.P.C.O., no centre position					1	—	B.	
	Std.1509/12/032	Tube, distance, at turn and slip label (Mod. 779)					2	—	—	
6A/7041	Kelvin Hughes KVC.0101	Unit, vibrator (AS.1150/38)					1	—	A.	
7100	Std. 915/B10	Washer					1	—	C.	
	B.232298	PANEL, SIDE STARBOARD, ASSEMBLY (Mod. 779)					—	—	—	
—	—	Cable, F.36, Assembly (See Cable Chart)					1	—	—	
	B.232299	Panel, group (Mod. 779)					1	L.72	—	
	F.212983	Plate, stop					1	L.72	—	
1637	Std.1606/44/B14	Screw, roundhead, 4 B.A.					1	Brass	C.	
6983	Std.1606/44/B16	Screw, roundhead, 4 B.A. (AS.860/39)					1	Brass	C.	5
4179	Std.1606/44/B20	Screw, roundhead, 4 B.A.					2	Brass	C.	5
1720	Std.1606/44/B24	Screw, roundhead, 4 B.A.					1	Brass	C.	5
7970	Std.1606/44/B36	Screw, roundhead, 4 B.A.					1	Brass	C.	—
5CW/6987	Dowty C.5183.Y Mk. 4D	Switch, undercarriage selector (AS.900/52) ...					1	—	A.	—
5CW/6971	Dowty C.5148.Y Mk. 19N	Switch, flaps selector (AS.900/52)					1	—	A.	—
	B.215028	PANEL, SIDE, PORT, ASSEMBLY					—	—	—	—
—	D.216678	Cable, F.13, Assembly (See Cable Chart)					1	—	—	—
—	C.216681	Cable, F.68, Assembly (See Cable Chart)					1	—	—	—
5CW/5253	Hellermann HV.3710	Cap, protective, sea grey					1	—	C.	—

RESTRICTED

EQUIPMENT AIRCRAFT-INSTRUMENT PANELS

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
5CW/5252	—	Cap, helvin, sea grey ...	...	...	...	...	1	—	C.	
5CX/5000	Std.1512/28	Disc, identification ...	...	...	...	...	1	—	C.	
5L/9951286	—	Filament, 28V., 2-5W. ...	...	...	...	...	9	—	B.	
5L/9951273	—	Filament, 28V., 3-5W. ...	...	...	...	...	2	—	B.	
5CX/5164	—	Indicator, undercarriage, position, type "D1" ...	...	...	...	...	1	—	B.	
5CZ/5074	Dowty C.5165 Mk. 2	Indicator, magnetic, elevator power ...	...	...	...	...	1	—	B.	
5CZ/5073	Dowty C.5165 Mk. 1	Indicator, magnetic, air brake ...	...	...	...	...	1	—	B.	
	F.216265	Label ...	...	...	...	...	1	L.72		
	A.216486	Label ...	...	...	...	...	1	L.72		
5CX/4013	—	Lamp, undercarriage warning, iris type ...	...	...	...	...	1	—	A.	
5CX/1553	—	Lamp, hydraulic pressure warning, type "B" ...	...	...	...	...	1	—	B.	
	B.215011	Panel, group ...	...	...	...	...	1	L.72		FC.1
1178	Std.1606/44/B12	Screw, roundhead, 4 B.A. ...	...	...	...	...	2	Brass	C.	5
3839	Std.1606/44/B16	Screw, roundhead, 4 B.A. ...	...	...	...	...	2	Brass	C.	5
4179	Std.1606/44/B20	Screw, roundhead, 4 B.A. ...	...	...	...	...	6	Brass	C.	5
3838	Std.1606/44/B8	Screw, roundhead, 4 B.A. ...	...	...	...	...	1	Brass	C.	5
1943	Std.1606/45/B16	Screw, countersunk, 4 B.A. ...	...	...	...	...	2	Brass	C.	5
3858	Std.1606/45/B8	Screw, countersunk, 4 B.A. ...	...	...	...	...	3	Brass	C.	5
5CW/6968	Dowty C.1223Y. Mk. 15N	Switch, flap lever (AS.900/52) ...	...	...	...	...	1	—	A.	
5CW/7748	—	Switch, D.P., change-over on centre "OFF" (Mod. 1041) ...	...	...	...	...	1	—	B.	
5CW/7541	—	Switch, S.P., "ON-OFF", upright "OFF" ...	...	...	...	...	1	—	B.	
5CW/6983	Dowty C.5182.Y Mk. 3D	Switch, undercarriage (Pre Mod. 1012) ...	...	...	...	...	1	—	A.	
5CW/8570	Dowty C.5182.Y Mk. 8D	Switch, undercarriage (Mod. 1012) ...	...	...	...	...	1	—	A.	
5CW/4327	—	Transfer, "ON" ...	...	...	...	...	1	—	C.	
5CW/4328	—	Transfer, "OFF" ...	...	...	...	...	—	—	C.	
5CW/4346	Rotax N.100397/20	Transfer, "IN" ...	...	...	...	...	1	—	C.	
5CW/4347	Rotax N.100397/43	Transfer, "OUT" ...	...	...	...	...	1	—	C.	
	A.225879	Plate, blanking ...	...	...	...	...	1	—		
1178	Std.1606/44/B.12	Screw, roundhead, 4 B.A. (Mod. 850) ...	...	...	...	...	1	Brass	C.	
4614	Std.1606/44/C16	Screw, roundhead, 2 B.A. ...	...	...	...	...	2	Brass	C.	
3856	Std.1606/44/C20	Screw, roundhead, 2 B.A. ...	...	...	...	...	4	Brass	C.	5
	D.222376	Shield, glare, centre, group ...	...	...	...	...	1	—		
—	D.222376/4	Strip, retaining (Local Manufacture) ...	...	...	...	...	1	L.72	—	
6656	Std.2088/2	Strip, sealing ...	...	...	...	...	1	Rubber	C.	
29G/2180	Carr Fastener 882	Stud, 2 B.A., securing windscreen reflector cover (Mod. 767) ...	...	...	...	...	3	—	C.	
	C.234817	Shield, glare, port, group (Mod. 803) ...	...	...	...	...	1	—		
—	C.234817/2	Strip, retaining (Local Manufacture) (Mod. 803) ...	...	...	...	...	1	L.72	—	
6656	Std.2088/2	Strip, sealing ...	...	...	...	...	1	Rubber	C.	
29G/2180	Carr Fastener 882	Stud, 2 B.A., securing windscreen reflector cover (Mod. 767) ...	...	...	...	...	3	—	C.	
	C.234316	Shield, glare, starboard, group (Mod. 779) ...	...	...	...	...	1	—		
5245	Std.1606/44/A10	Screw, roundhead, 6 B.A. ...	...	...	...	...	2	Brass	C.	
—	C.234316/2	Strip, retaining (Local Manufacture) (Mod. 779) ...	...	...	...	...	1	L.72	—	
6656	Std.2088/2	Strip, sealing ...	...	...	...	...	1	Rubber	C.	
29G/2180	Carr Fastener 882	Stud, 2 B.A., securing windscreen reflector cover (Mod. 767) ...	...	...	...	...	3	—	C.	
	A.223946	Shield, glare, side ...	...	...	...	...	1	—		
	A.221853	Strut, support, for bomb and R.P. panel ...	...	...	...	...	1	L.72		
	Std.1509/2/060	Tube, distance ...	...	...	...	...	1	—		
	Std.1509/3/026	Tube, distance at port panel mounting (Mod. 761) ...	...	...	...	...	3	T.4		
	Std.1509/3/076	Tube, distance at port panel mounting (Mod. 761) ...	...	...	...	...	3	T.4		
9777	F.231121	Washer, at port panel mounting (Mod. 761) ...	...	...	...	...	3	DTD.5509 C or D	C.	FC.1

EQUIPMENT AIRCRAFT—INSTRUMENT PANELS

[illegible]

RESTRICTED

EQUIPMENT AIRCRAFT-INSTRUMENT PANELS

Ref. No.	Part No.	Description								No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5	6	7	8				
		SUMMARY OF STOCK ITEMS											
28D/1007971	A25.½B	Bolt, 4 B.A.	...	...	...	...	...	...	...	—	—	—	
28D/1010658	A25.1B	Bolt, 4 B.A.	...	...	...	...	...	...	...	—	—	—	
28D/1008149	A25.2B	Bolt, 4 B.A.	...	...	...	...	...	...	...	—	—	—	
28D/9419452	A25.3B	Bolt, 4 B.A.	...	...	...	...	...	...	...	—	—	—	
28D/1011006	A25.5.B	Bolt, 4 B.A.	...	...	...	...	...	...	...	—	—	—	
28D/12625	A25.9.B	Bolt, 4 B.A.	...	...	...	...	...	...	...	—	—	—	
28D/9436920	A25.1.C	Bolt, 2 B.A.	...	...	...	...	...	...	...	—	—	—	
28D/9133011	A25.2.C	Bolt, 2 B.A.	...	...	...	...	...	...	...	—	—	—	
28D/12533	A25.5.C	Bolt, 2 B.A.	...	...	...	...	...	...	...	—	—	—	
28D/1010030	A25.7.C	Bolt, 2 B.A.	...	...	...	...	...	...	...	—	—	—	
28D/1011247	A25.13.E	Bolt, ¼" B.S.F.	...	...	...	...	...	...	...	—	—	—	
28D/8300	AS.1242/1B	Bolt, 4 B.A.	...	...	...	...	...	...	...	—	—	—	
28D/9131782	AGS.1242/2B	Bolt, 4 B.A.	...	...	...	...	...	...	...	—	—	—	
28D/9128739	AS.1248/½B	Bolt, 4 B.A.	...	...	...	...	...	...	...	—	—	—	
28D/8337	AS.1248/1B	Bolt, 4 B.A.	...	...	...	...	...	...	...	—	—	—	
28D/11981	AS.1248/12E	Bolt, ¼" B.S.F.	...	...	...	...	...	...	...	—	—	—	
28N/258	SP.58.G	Burr, ¼" dia.	...	...	...	...	...	...	...	—	—	—	
28F/13603	AGS.838/8	Bush	...	...	...	...	...	...	...	—	—	—	
28E/5452	AGS.895/1	Clip	...	...	...	...	...	...	...	—	—	—	
28E/18865	AS.1163/16	Clip	...	...	...	...	...	...	...	—	—	—	
5K/2903	SP.40/B10	Grommet	...	...	...	...	...	...	...	—	—	—	
5K/3404	AS.2360.E4.E	Lead, bonding	...	...	...	...	...	...	...	—	—	—	
5K/3355	AS.3360.B4.B	Lead, bonding	...	...	...	...	...	...	...	—	—	—	
28M/5236	A14.E.B	Nut	...	...	...	...	...	...	...	—	—	—	
28M/13978	A53.Z	Nut	...	...	...	...	...	...	...	—	—	—	
28M/13734	A54.B	Nut	...	...	...	...	...	...	...	—	—	—	
28M/14534	A54.C	Nut	...	...	...	...	...	...	...	—	—	—	
28F/5108	AGS.838/4	Nut	...	...	...	...	...	...	...	—	—	—	
28M/10286	AGS.2001/A1	Nut, 6 B.A.	...	...	...	...	...	...	...	—	—	—	
28M/10287	AGS.2001.B1	Nut, 4 B.A.	...	...	...	...	...	...	...	—	—	—	
28M/10290	AGS.2001/E1	Nut, ¼" B.S.F.	...	...	...	...	...	...	...	—	—	—	
28M/10326	AGS.2002/A1	Nut, 6 B.A.	...	...	...	...	...	...	...	—	—	—	
28M/10327	AGS.2002/B1	Nut, 4 B.A.	...	...	...	...	...	...	...	—	—	—	
28M/10309	AGS.2002/B4	Nut, 4 B.A.	...	...	...	...	...	...	...	—	—	—	
28M/10328	AGS.2002/C1	Nut, 2 B.A.	...	...	...	...	...	...	...	—	—	—	
28M/10310	AGS.2002/C4	Nut, 2 B.A.	...	...	...	...	...	...	...	—	—	—	
28M/7002430	AGS.2002/E1	Nut, ¼" B.S.F.	...	...	...	...	...	...	...	—	—	—	
28M/12344	AGS.2002/E4	Nut, ¼" B.S.F.	...	...	...	...	...	...	...	—	—	—	
28S/1200040	A.31.B.20	Screw	...	...	...	...	...	...	...	—	—	—	
28S/13887	A32.B.10	Screw	...	...	...	...	...	...	...	—	—	—	
28S/5694	A32.B.40	Screw	...	...	...	...	...	...	...	—	—	—	
28S/2856	A32.C.12	Screw	...	...	...	...	...	...	...	—	—	—	
28S/14373	A43.B.10	Screw	...	...	...	...	...	...	...	—	—	—	
28S/2063	A43.Z.8	Screw	...	...	...	...	...	...	...	—	—	—	
28F/5104	AGS.838.1	Union, straight	...	...	...	...	...	...	...	—	—	—	
28F/5105	AGS.838.2	Union, tee	...	...	...	...	...	...	...	—	—	—	
28F/5107	AGS.838.3	Union, elbow	...	...	...	...	...	...	...	—	—	—	
28W/9419473	SP.15.A	Washer, 6 B.A.	...	...	...	...	...	...	...	—	—	—	
28W/9419474	SP.15.B	Washer, 4 B.A.	...	...	...	...	...	...	...	—	—	—	
28W/9419475	SP.15.C	Washer, 2 B.A.	...	...	...	...	...	...	...	—	—	—	
28W/9419405	SP.15.E	Washer, ¼" dia.	...	...	...	...	...	...	...	—	—	—	
28W/9419486	SP.16.B	Washer, 4 B.A.	...	...	...	...	...	...	...	—	—	—	
28W/9419487	SP.16.E	Washer	...	...	...	...	...	...	...	—	—	—	
28W/3090	AGS.163.D	Washer, spring	...	...	...	...	...	...	...	—	—	—	

RESTRICTED

[illegible]

This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

