

EQUIPMENT S.O.O.—PYLONS—INBOARD

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
		1 2 3 4 5				
9105	E.221165	PYLON, INBOARD, PORT, GROUP (Mod. 463) ...	1	—	A.	HB.1
9106	E.221166	PYLON, INBOARD, STARBOARD, GROUP (Mod. 463) ...	1	—	A.	HB.1
7993	F.203800	Bolt, special ...	22	S.99.B	C.	HB.1
9536	B.223230	Pipes, fuel and air, port ...	1	—	B.	HB.1
9537	B.223231	Pipes, fuel and air, starboard ...	1	—	B.	HB.1
	E.203592	Pylon, inboard, port, group ...	1	—		
	E.203593	Pylon, inboard, starboard, group ...	1	—		
—	F.224996	Bar, security for transporting ... (Make from 30A/404, 2 $\frac{3}{4}$ " long)	2	S.1.B	—	
5X/3181	Plessey CZ.23212/1	Block, terminal, 20 way ...	2	—	B.	
5X/2863	Plessey CZ.24285	Block, terminal, 10 way ...	2	—	B.	
8011	F.205519	Bolt, special ...	4	S.99.B	C.	HB.1
10249	A.225520	Bracket, for forward fusing unit (Mod. 695) ...	2	L.72	C.	
	A.209895	Bracket, for aft fusing unit, port ...	1	L.72		
	A.209896	Bracket, for aft fusing unit, starboard ...	1	L.72		
	A.203226	Bracket, for switch ...	2	L.72		
9976	A.229226	Bracket, mounting, relay ...	2	S.510	C.	
9977	F.229227	Buffer, relay, anti-vibration ...	8	Rubazote Neoprene	C.	
	A.225464	Bush, spigot locating (Mod. 695) ...	2	—		
—	—	Cables, electrical (See Cable Chart) ...	—	—	—	
9522	B.208408	Cable, PY.1, group ...	2	—	B.	
8012	F.208578	Adaptor ...	3	Brass	C.	
7990	A.209704	Ferrule ...	1	—	C.	
9545	B.222678	Cable, PY.2, group ...	2	—	B.	
8012	F.208578	Adaptor ...	3	Brass	C.	
—	B.245145	Cable, PY.4, group (See Cable Chart) (Mod. 969) ...	1	—	—	
—	F.209901	Clip, support, for cable (Make from 30A/549) ...	4	S.3	—	
3736	Std.840/17	Clip, support for duct $\frac{7}{16}$" wide $\times$ 22 S.W.G. $\times$ 1' 7" long ...	4	DTD.610	C.	4
	F.208710	Cover ...	2	L.72		
9974	A.229902	Cover, cable (Mod. 814) ...	2	L.72	C.	
	F.203746	Duct, for P.Y.6, cable ...	2	L.54		
	B.203826	Fairlead ...	2	S.3		
	or					
5K/	A.221508	Grommet ...	2	—	C.	
	Hellermann R.2032 or					
5K/2950	SP40/B32					
8015	A.200777	Jettison and reset mechanism, group ...	2	—	B.	HB.1
	or					
10491	A.240267	Bracket ...	1	S.3		
	B.200778	Collar ...	2	T.26		
	F.200782	Lever ...	1	Casting		
	F.200779	Rod, push ...	2	S.I.B.		
	or					
	F.240268	Spring ...	2	Sp. St.	C.	HB.1
8016	F.200781	Link, commoning, 5 way ...	2	—	C.	
5X/6172	Plessey Z.50212					
8017	F.205520	Nut, special ...	4	S.11B	C.	HB.1
8018	C.202992	Panel, access, front, port, group ...	1	—	B.	HB.1
	or					
	C.221725					
8019	C.202993	Panel, access, front, starboard, group ...	1	—	B.	HB.1
	or					
	C.221726					
	A.203044	Catch ...	2	S.3 & S.21B		

RESTRICTED

Hunter T. Mk. 7
Issued with A/L No. 7

EQUIPMENT S.O.O.—PYLONS—INBOARD

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
8020	C.202999	Panel, access to cable, port, group	...	...	...	...	1	L.72	B.	HB.1
8021	C.203000	Panel, access to cable, starboard, group	...	...	...	...	1	L.72	B.	HB.1
	Fairey	Fastener, Type 3	...	...	...	...	4	—		
	F.S.430/D									
9975	F.229903	Pillar, for cable cover mounting (Mod. 814)	...	...	...	...	4	S.95.B	C.	
	F.163773	Pillar, for terminal block	...	...	...	...	4	Plastic		
9528	Chekaleke No. 10	Plug	...	...	...	...	4	—	C.	
10517	F.222276	Spigot, at release housing	...	...	...	...	2	S.96.B	C.	
10518	F.222277	Spigot, at release housing	...	...	...	...	2	S.96.B	C.	
	F.203747	Spigot, stores anti-swing	...	...	...	...	2	S.80		
	F.137371	Spring, lock, for cable	...	...	...	...	2	Sp. St.		
	A.203377	Strap, for relay (Pre Mod. 814)	...	...	...	...	2	—		
	D.205992	Member, top, port, group	...	...	...	...	—	—		
	D.205993	Member, top, starboard, group	...	...	...	...	—	—		
	F.206037	Bolt, special	...	...	...	...	56	S.99.B		
	C.202519	SUPPORT, RELEASE HOUSING, ASSEMBLY	...	...	...	...	—	—		
	A.223544	Block, trunnion (Mod. 658)	...	...	...	...	2	Stamping		
9934	F.218649	Block, packing (Mod. 520)	...	...	...	...	2	S.1.B	C.	
8022	A.202419	Bolt, hanger	...	...	...	...	2	Stamping	B.	HB.1
8023	F.202492	Bolt, special	...	...	...	...	4	S.99.B	C.	HB.1
9933	F.203112	Bolt, special (Mod. 520)	...	...	...	...	4	S.96.B	C.	
9538	B.220515	Cable, P.Y.3, group (Mod. 520)	...	...	...	...	2	—	B.	
	A.218537	Cover (Mod. 520)	...	...	...	...	1	—		HB.1
7989	A.209702	Ferrule	...	...	...	...	1	—	C.	HB.1
	F.218555	Plate, mounting (Mod. 520)	...	...	...	...	1	L.72		HB.1
	A.216578	Channel (Mod. 520)	...	...	...	...	2	L.72		
4545	Std.841/21	Clip, securing PY.3 cable (AS.740/5)	...	...	...	...	1	DTD.610	C.	4
9729	F.214788	Collar, stop, for hanger bolt	...	...	...	...	2	S.1	C.	
	F.222153	Fitting, stowage (Mod. 606)	...	...	...	...	2	I.C.I.		
								Alkathene		
11A/4396	—	Housing, release, No. 1, Mk. 2 (Mod. 520)	...	...	...	...	2	—	A.	
9551	A.223545	Housing, screw for hanger bolt (Mod. 658)	...	...	...	...	2	DTD.197	C.	HB.1
	F.220016	Packing (Pre Mod. 606)	...	...	...	...	2	L.72		
	F.220017	Packing	...	...	...	...	4	L.72		
9552	A.223906	Pawl (Mod. 658)	...	...	...	...	4	Casting	C.	HB.1
8002	Std.1961/N/135	Pin	...	...	...	...	2	S.99.B	C.	
	F.216694	Pin, special (Mod. 520)	...	...	...	...	2	DTD.215		
	F.203352	Plate, side	...	...	...	...	4	—		
8569	F.220075	Sleeve (Mod. 606)	...	...	...	...	2	Nylon	C.	HB.1
								Compound		
8027	F.204205	Spring	...	...	...	...	4	Sp. St.	C.	HB.1
	Std.1509/23/082	Tube, distance at relay mounting (Mod. 814)	...	...	...	...	4	T.4		
2141	Std.915/J.14	Washer, (Mod. 520)	...	...	...	...	2	DTD.610	C.	
5407	Std.915/T.18	Washer, for relay mounting (Mod. 814)	...	...	...	...	4	DTD.610	MR/C	
5D/1823	—	Unit, fusing No. 3 Mk. 1 (Alternative to 5D/2050)	...	...	...	...	4	—	B.	
5D/2050	—	Unit, fusing, No. 3 Mk. 1 (Alternative to 5D/1823)	...	...	...	...	4	—	B.	
26AQ/2908	Std.1335/F.18	Washer, for release housing spigot	...	...	...	...	2	L.4	C.	
	Dowty									
27QA/383	GD.1309/27	Ring, "O"	...	...	...	...	4	—	C.	HB.1


RESTRICTED

EQUIPMENT S.O.O.—PYLONS—INBOARD

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
9107	B.215283	Valve, fuel and air, group					2	—	B.	HB.1
	F.211845	Guide					1	S.1.B		
	A.215381	Nut, barrel					2	S.95		
	B.215283/1	Pin, dowel, $\frac{3}{32}$ " dia. $\times$ $\frac{3}{8}$ " long					1	Silver Steel		
	A.215290	Plate, sealing					1	DTD.166 & Rubber		
8005 27QA/363	A.206526	Plug, blanking					2	Brass	C.	HB.1
	Dowty GD.1308/5	Ring, " O "					2	—		
	A.215286	Sleeve					2	L.65C	C.	HB.1
	F.219598	Spring					1	Sp. Steel		
	F.215294	Spring					1	Sp. Steel		
	A.218673	VALVE, FLAP, AND SEALING PLATE, ASSEMBLY					—	—		
	F.215296	Pin, hinge					1	L.65		
	F.225421	Sleeve					1	L.65		
	F.225420	Spring					1	DTD.215		
	A.215287	Valve, flap					1	—		
	A.219054	Valve, group					1	L.65C		
	F.219592	Spring					1	Sp. Steel		
	F.221179	Valve					1	L.65C		
	or									
	F.220472									

EQUIPMENT S.O.O.—PYLONS—INBOARD

Ref. No.	Part No.	Description								No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5							
SUMMARY OF STOCK ITEMS													
28D/1010658	A25.1B	Bolt, 4 B.A.	...	...	...	...	...	...	...	—	—	—	
28D/9436920	A25.1C	Bolt, 2 B.A.	...	...	...	...	...	...	...	—	—	—	
28D/9133012	A25.3C	Bolt, 2 B.A.	...	...	...	...	...	...	...	—	—	—	
28D/1011019	A25.8C	Bolt, 2 B.A.	...	...	...	...	...	...	...	—	—	—	
28D/9435710	A25.11C	Bolt, 2 B.A.	...	...	...	...	...	...	...	—	—	—	
28D/12536	A25.13C	Bolt, 2 B.A.	...	...	...	...	...	...	...	—	—	—	
28D/8300	AS.1242.1B	Bolt, 4 B.A.	...	...	...	...	...	...	...	—	—	—	
28D/9294	AS.1242.5B	Bolt, 4 B.A.	...	...	...	...	...	...	...	—	—	—	
28D/12282	AS.1242.10B	Bolt, 4 B.A.	...	...	...	...	...	...	...	—	—	—	
28D/1007975	AS.1242.1C	Bolt, 2 B.A.	...	...	...	...	...	...	...	—	—	—	
28D/8307	AS.1242.2C	Bolt, 2 B.A.	...	...	...	...	...	...	...	—	—	—	
28D/8308	AS.1242.3C	Bolt, 2 B.A.	...	...	...	...	...	...	...	—	—	—	
28D/8309	AS.1242.4C	Bolt, 2 B.A.	...	...	...	...	...	...	...	—	—	—	
28D/1007978	AS.1242.7C	Bolt, 2 B.A.	...	...	...	...	...	...	...	—	—	—	
28D/8313	AS.1242.9C	Bolt, 2 B.A.	...	...	...	...	...	...	...	—	—	—	
28D/9128739	AS.1248.½B	Bolt, 4 B.A.	...	...	...	...	...	...	...	—	—	—	
28D/1007981	AS.1248.½C	Bolt, 2 B.A.	...	...	...	...	...	...	...	—	—	—	
28N/9156370	SP.21	Nipple	...	...	...	...	...	...	...	—	—	—	
28M/9403520	A.27.CP	Nut, 2 B.A.	...	...	...	...	...	...	...	—	—	—	
28M/1006473	A.27.CT	Nut, 2 B.A.	...	...	...	...	...	...	...	—	—	—	
28M/14833	A.58.JS	Nut, ¾" B.S.F.	...	...	...	...	...	...	...	—	—	—	
28M/10287	AGS.2001.B1	Nut, 4 B.A.	...	...	...	...	...	...	...	—	—	—	
28M/10288	AGS.2001.C1	Nut, 2 B.A.	...	...	...	...	...	...	...	—	—	—	
28M/10326	AGS.2002.A1	Nut, 6 B.A.	...	...	...	...	...	...	...	—	—	—	
28M/10327	AGS.2002.B1	Nut, 4 B.A.	...	...	...	...	...	...	...	—	—	—	
28M/10328	AGS.2002.C1	Nut, 2 B.A.	...	...	...	...	...	...	...	—	—	—	
28M/9144673	AGS.2019.C1	Nut, 2 B.A.	...	...	...	...	...	...	...	—	—	—	
28P/835	SP.4Y.B9	Pin, joint	...	...	...	...	...	...	...	—	—	—	
28P/840	SP.4.Y.B14	Pin, joint	...	...	...	...	...	...	...	—	—	—	
28P/874	SP.4.Y.D16	Pin, joint	...	...	...	...	...	...	...	—	—	—	
28P/19225	SP.90.C3	Pin, split	...	...	...	...	...	...	...	—	—	—	
28P/19152	SP.90.C4	Pin, split	...	...	...	...	...	...	...	—	—	—	
28P/19154	SP.90.C7	Pin, split	...	...	...	...	...	...	...	—	—	—	
28P/19196	SP.90.G14	Pin, split	...	...	...	...	...	...	...	—	—	—	
28S/1011487	A32.A32	Screw, 6 B.A.	...	...	...	...	...	...	...	—	—	—	
28S/1008152	A32.B6	Screw, 4 B.A.	...	...	...	...	...	...	...	—	—	—	
28S/1200062	A33.A20	Screw, 6 B.A.	...	...	...	...	...	...	...	—	—	—	
28S/9992531	A33.A24	Screw, 2 B.A.	...	...	...	...	...	...	...	—	—	—	
28W/9419486	SP.16B	Washer, 4 B.A.	...	...	...	...	...	...	...	—	—	—	
28W/9419475	SP.15.C	Washer, 2 B.A.	...	...	...	...	...	...	...	—	—	—	
28W/9419479	SP.15N	Washer, ½" dia.	...	...	...	...	...	...	...	—	—	—	



This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

