

Hunter T. Mk. 7
Issued with A/L No. 10

FUSELAGE—CENTRE PORTION

Ref No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Place No.
		1	2	3	4	5				
	E.219299 D.179303	CENTRE FUSELAGE STRUCTURE, ASSEMBLY ATTACHMENT OF STRINGERS FROM NOSE SPAR TO FRAME 20, ASSEMBLY					—	—		
960	F.184105	Bolt , special, at stringers 'C' and 'H' ...					2	S.95.B	C.	JB.3
	Std.1551/3/125	Bolt , special, at stringers 'C' and 'H' ...					8	S.99.B		
3825	Std.1551/3/105	Bolt , special, at stringers 'C' and 'H' ...					4	S.99.B	MR/C	5
	A.178936	Fitting , attachment, at stringers 'C' and 'H' ...					4	S.99.B		
7262	Std.1718/3	Nut , special ...					12	—	MR/C	5
963	F.170740	Nut , special, at stringers 'C' and 'H' ...					2	S.98.B	C.	JB.3
10607	F.240458	Nut , special for spigot at Stringer 'C' (Mod. 1032)					2	S.99	C.	
10606	A.240442	Spigot at stringer 'C' (Mod. 1032) ...					2	S.99	C.	
962	A.178929	Spigot , at stringers 'C' and 'H' ...					2	S.98.B	C.	JB.3
961	F.184104	Tab , locking, at stringers 'C' and 'H' ...					4	S.3	C.	JB.3
	F.178931	Tube , distance, at stringers 'C' and 'H' ...					2	DTD.364		
7263	Std.1208/62/24/20	Washer , shim, for Std. 1551 bolts ...					QR	Shim Steel	MR/C	4
	D.179304	ATTACHMENT OF STRINGERS AT FRAME 21, ASSEMBLY					—	—		
2418	F.178919	Angle , fitting, at stringer 'K' ...					4	Stamping	MR/C	JB.4
2419	F.178920	Angle , fitting, at stringer 'K' ...					4	Stamping	MR/C	JB.4
3832	Std.1553/E/65	Bolt , special, at stringer 'K' ...					8	S.99.B	MR/C	JB.4
3833	Std.1553/E/55	Bolt , special, at stringer 'K' ...					4	S.99.B	MR/C	JB.4
2420	B.182214	Fitting , for aircraft slinging bolt ...					2	Stamping	MR/C	JB.2
	D.179305	ATTACHMENT OF STRINGERS AT MAIN SPAR, ASSEMBLY					—	—		
4692	F.195546	Angle , attaching hydraulic pipes at stringer 'K,' port					1	DTD.610	MR/C	
4693	F.195547	Angle , attaching hydraulic pipes at stringer 'K,' starboard					1	DTD.610	MR/C	
2421	A.179650	Angle , fitting, at stringer 'K' ...					4	Stamping	MR/C	JB.4
2422	A.178809	Angle , fitting, at stringer 'K' ...					4	Stamping	MR/C	JB.4
4447	Std.1553/J/390	Bolt , at stringer 'K' ...					4	S.99.B	MR/C	JB.4
2423	F.179742	Tube , distance, at stringer 'K' ...					4	DTD.364	MR/C	JB.4
4691	Std.1547/26/12	Washer , profile, at stringer ...					4	DTD.610	MR/C	4
	D.179307	ATTACHMENT OF STRINGER AT REAR SPAR, ASSEMBLY					—	—		
3834	Std.1553/L/320	Bolt , at stringer 'K' ...					4	S.99.B	MR/C	JB.4
3824	Std.1551/2/85	Bolt , at stringer 'K' ...					8	S.99.B	MR/C	JB.4
3825	Std.1551/3/105	Bolt , at stringer 'K' ...					8	S.99.B	MR/C	JB.4
3835	Std.1553/J/300	Bolt , at stringer 'J' ...					4	S.99.B	C.	JB.4
2424	A.178816	Fitting , attachment, at stringer 'K' ...					4	Stamping	MR/C	JB.4
2425	A.168436	Fitting , attachment, at stringer 'J' ...					4	Stamping	MR/C	JB.4
2427	F.178881	Tube , distance, at stringer 'K' ...					4	DTD.364	MR/C	JB.4
2426	F.178865	Tube , distance, at stringer 'J' ...					4	DTD.364	MR/C	JB.4
4691	Std.1547/26/12	Washer , profile, at stringer 'H' ...					6	DTD.610	MR/C	4
	D.183494	ATTACHMENT OF STRINGERS, FRAME 33 AND 36, ASSEMBLY					—	—		
5721	F.197126	Stud , earthing, at stringer 'K,' frame 35 ...					2	S.94.B	MR/C	
4619	Std.1335/E/18	Washer ...					2	L.4	C.	4

FUSELAGE—CENTRE PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	D.184380	BRACKET, FOR AILERON CONTROL, REAR SPAR TO FRAME 33, ASSEMBLY					—	—		
	B.184389	Bracket, mounting, for air supply valve ...					1	—		
	B.220967	BRACKETS, FOR BY-PASS VALVE AND FLOW CONTROLLER, ASSEMBLY					—	—		
	A.212818	Bracket ...					1	L.72		
	F.212819	Bracket ...					1	L.72		
	D.184139	BRACKET, FOR FLYING CONTROLS, FRAMES 27 TO 28, ASSEMBLY					—	—		
	B.184140	Bracket, port, group ...					1	DTD.610		
	B.184141	Bracket, starboard, group ...					1	DTD.610		
2428	F.184144	Plate, nut, port ...					1	DTD.610	MR/C	
2429	F.184145	Plate, nut, starboard ...					1	DTD.610	MR/C	
2430	F.184005	Plate, nut ...					2	DTD.610	MR/C	
	D.184002	BRACKET, FOR FLYING CONTROLS, FRAMES 23 TO 24, ASSEMBLY					—	—		
	B.184003	Bracket, port ...					1	DTD.610		
	B.184004	Bracket, starboard ...					1	DTD.610		
2430	F.184005	Plate, nut ...					2	DTD.610	MR/C	
2431	C.176110	Channel, mounting, for engine, port, group ...					1	—	MR/C	JB.6
2432	C.176111	Channel, mounting, for engine, starboard, group ...					1	—	MR/C	JB.6
985	F.176114	Block ...					2	S.97	C.	JB.6
4025	F.195141	Clamp, half, for wiring ducts ...					4	LFS.21	MR/C	
	D.184861	DOORS AND ACCESS PANELS, ASSEMBLY					—	—		
4633	F.197909	Bolt, for access panels... ..					74	S.95	C.	
7835	Std.1700/4/E	Bolt, attaching fuel system access panel ...					12	—	C.	5
3	D.177203	Door, access, for gear box, group ...					1	—	A.	JB.1
966	A.188142	Hinge ...					1	DTD.166	C.	
965	King Aircraft Corp. C.3099	Toggle, housing ...					2	—	C.	JB.5
10451	D.235372	Door, access to engine starter group (Mod. 857)					1	—	A.	JB.5
9358	D.221695	Door, access, to engine starter, group (Pre Mod. 857)					1	—	A.	
10AD/113616	5935/113616	Adaptor, bulkhead ...					1	—	C.	
4844	F.203030	Angle, for spring clip ...					1	LA	MR/C	JB.5
	F.201721	Channel ...					1	L.72		
5720	Std.842/11	Clip, cable ...					4	S.510	MR/C	
10HB/1205	E.227265/36	Connector, aerial ...					1	—	B.	
981	A.188500	Hinge ...					1	DTD.166	C.	JB.5
5854	C.202812	Insulator, aerial ...					1	DTD.5518	C.	JB.5

FUSELAGE—CENTRE PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
9360	C.222422	Lid, aerial box, and stowage for engine starter cartridges, group					1	—	B.	JB.5
4252	C.199786/1	Clip					2	DTD.610	C.	JB.5
4253	C.199786/2	Clip					4	DTD.610	C.	JB.5
	B.222420	Lid					1	DTD.610		
4599	A.201719	Stay, support					1	L.72	C.	JB.5
5853	F.202811	Strap, aerial					1	DTD.5518	C.	JB.5
980	A.188515	Strip, aerial					1	L.16	C.	JB.5
965	K.A.C. C.3099	Toggle, housing					2	—	C.	JB.5
28FP/594	Oddie No. 219	Washer					2	—	C.	
6743	C.208737 or C.208939	Duct, access, to engine bleed valve, port					①	L.16	B.	JB.1
6744	C.208738 or C.208940	Duct, access, to engine bleed valve, starboard					1	L.16	B.	JB.1
8382	D.213252	Panel, access to cold air unit and outlet duct, port, group (Mod. 541)					1	—	B.	JB.1
8383	B.213163	Duct, outlet					1	T.6	C.	
8380	C.213241	Panel, access to cold air unit and outlet duct, starboard, group (Mod. 541)					1	—	B.	
8381	B.213200	Duct, outlet					1	TC	C.	
4241	A.199308	Panel, access to engine oil filter					1	—	C.	JB.5
1	C.177201	Panel, access, for fuel pump					1	DTD.610	B.	JB.1
63	C.179791	Panel, access, for fuel system, group					1	DTD.610	B.	JB.1
4448	F.199061	Cover, for pitot drain valve					2	—	MR/C	JB.1
964	C.179793	Panel, access, for services					1	DTD.610	B.	JB.1
967	B.179781	Panel, access to front engine mounting, port					1	DTD.610	C.	JB.1
968	B.179782	Panel, access to front engine mounting, starboard					1	DTD.610	C.	JB.1
10279	B.239726	Panel, access to fuel vent connections and fatigue meter, Port (Mod. 915)					1	—	C.	JB.5
969	B.179779	Panel, access to fuel vent connections, starboard (Mod. 915)					1	DTD.620	C.	JB.1
970	B.179777	Panel, access to fuel level switches					2	DTD.610	C.	JB.2
974	B.186939	Panel, access to igniter plug, port					1	DTD.610	C.	JB.1
975	B.186940	Panel, access to igniter plug, starboard					—	DTD.610	C.	JB.1
976	A.186941	Panel, access to hydraulic filter, port only					1	DTD.610	C.	JB.1
977	F.187455	Panel, access to suction relief valve					2	DTD.546	C.	JB.1
10449	E.235375	Panel, access to engine group (Mod. 857)					1	—	A.	JB.5
10899	A.209971	Stiffener (Mod. 857)					1	L.72	C.	
9356	E.221696	Panel, access to engine, group (Pre Mod. 857)					1	—	A.	
10H/	5935/113616	Adaptor, bulkhead					1	—	C.	
10712	F.219432	Clamp, cable, group					1	—	C.	
	F.219447	Block, clamp					2	LFS.21		
	F.219433	Stud, anchor					1	—		
28E/10031	Terry 80 x /2	Clip, for handle stowage					2	—	C.	
5720	Std.842/11	Clip, cable					2	S.3	MR/C	
10HB/1096	E.227265/37	Connector, aerial					1	—	B.	
984	B.188540	Hook, securing panel to fuselage					2	Stamping	C.	JB.5
9362	B.222506	Lid, for serial box					1	DTD.610	C.	JB.5
4737	F.197737	Plate, retaining "Terry" clips					2	DTD.610	C.	JB.5
10795	F.210552	Seal					1	Neoprene	C.	
5853	F.202811	Strap, aerial					1	DTD.5518	C.	JB.5
980	A.188515	Strip, aerial					1	L.16	C.	JB.5
965	K.A.C. C.3099	Toggle, housing					2	—	C.	JB.5

FUSELAGE—CENTRE PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
4026	Std.1507/23/080	Tube, distance, $\frac{5}{16}$ " o/d $\times$ 17 s.w.g. $\times$ 8" long (Make from 30A/975)					4	T.26	MR/C	4
4027	Std.1507/23/060	Tube, distance, $\frac{5}{16}$ " o/d $\times$ 17 s.w.g. $\times$ 6" long (Make from 30A/975)					2	T.26	MR/C	4
5269	Fairey FS.553	Ring, retaining screws					40	—	C.	
	C.188170	DUCTS, FOR ENGINE CONTROLS, ASSEMBLY					—	—		
3741	Std.840/20	Clip, securing, $\frac{7}{16}$ " wide strip $\times$ 22 s.w.g. $\times$ 2" long					21	DTD.610	C.	4
2440	C.188170/1	Duct, forward, $\frac{1}{2}$ " o/d $\times$ 22 s.w.g. $\times$ 31.8" long					3	T.4	MR/C	JB.3
2441	C.188170/2	Duct, centre, $\frac{1}{2}$ " o/d $\times$ 22 s.w.g. $\times$ 6" long ...					3	T.5	MR/C	
2442	C.188170/3	Duct, aft, $\frac{1}{2}$ " o/d $\times$ 22 s.w.g. $\times$ 12" long ...					3	T.4	MR/C	
	D.203139	DUCTS, SERVICE, BETWEEN FRAMES 37-40, ASSEMBLY					—	—		
1755	B.191117	Duct, for electric cables, port					1	T.26	C.	JB.4
1756	B.191118	Duct, for electric cables, starboard					1	T.26	C.	JB.4
1757	A.191119	Duct, for electric cables					4	T.26	C.	JB.4
1758	B.191592	Duct, for electric cables, port					1	T.26	C.	JB.4
1759	B.191593	Duct, for electric cables, starboard					1	T.26	C.	JB.4
	B.195155-6	DUCT, FOR FUEL LEVEL SWITCH CABLES, ASSEMBLY					—	—		
	F.195157	Duct					2	T.9		
4028	B.195153	Duct, for rear fuel tank gauge wiring, port, group ... (F.194034 Socket to be supplied loose)					1	L.54	MR/C	JB.3
4029	B.195154	Duct, for rear fuel tank gauge wiring, starboard, group (F.194035 Socket to be supplied loose)					1	L.54	MR/C	JB.3
	D.218609	FAIRINGS, AFT OF HOOD, ASSEMBLY ...					—	—		
	E.217482	Fairing, aft of hood, frame 18 to 24, group ...					1	—		
	C.219530	Bracket, mounting, for aerial, port					1	L.72		
	C.219531	Bracket, mounting, for aerial, starboard					1	L.72		
8898	E.217482/43	Panel, access, port					1	L.72	C.	JB.1
8899	E.217482/44	Panel, access, starboard					1	L.72	C.	JB.1
2438	B.184977	Landing, rear, port, group					1	DTD.610	MR/C	JB.2
2439	B.184978	Landing, rear, starboard, group					1	DTD.610	MR/C	JB.2
28FP/341	Dzus S.5325	Spring					3	—	C.	
1754	B.193293	Panel, access, for flying controls					1	DTD.610	C.	JB.1
8615	D.217722	Spine, forward portion, frame 24 to 26					1	L.72	B.	JB.1
8616	C.217484	Spine, 1st intermediate, frame 26 to 33					1	L.72	B.	JB.1
8617	C.217755	Spine, 2nd intermediate, frame 33 to 38					1	L.72	B.	JB.1
7845†	C.213452	Spine, 3rd intermediate, frame 38 to 40, group ... (0.10" trimming allowance)					1	L.72	B.	JB.1
28FP/617	Dzus EF.545B	Fastener					12	—	C.	
	C.204438	FIRE PROTECTION AT FRAME 37, ASSEMBLY					—	—		
8328	F.204565	Plate, blanking					1	L.72	MR/C	
	D.202335	Plate, centre					1	DTD.171		
	D.202338	Plate, patch, lower, port					1	S.3		
	D.202339	Plate, patch, lower, starboard					1	S.3		
	D.202340	Plate, side, port					1	DTD.171		
	D.202341	Plate, side, starboard					1	DTD.171		

FUSELAGE—CENTRE PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
4460	F.189597	Sealing,	at stringer "A"	...	...	...	1	Plastic	MR/C	
4461	F.189598	Sealing,	at stringer "B"	...	...	...	2	Plastic	MR/C	JB.7
4459	F.199789	Sealing,	at stringer "H" starboard	...	...	...	1	Plastic	MR/C	
7100	Std.915/B10	Washer,	packing	...	...	...	9	DTD.364	MR/C	4
5785	Std.915/C16	Washer,	packing	...	...	...	4	DTD.364	C.	4
	D.176274	Frame, 18B,	top portion	...	...	...	1	DTD.364		
2443	D.176275	Frame, 18B,	lower portion, port	...	...	...	1	DTD.364	MR/B	JB.3
2444	D.176276	Frame, 18B,	lower portion, starboard	...	...	...	1	DTD.364	MR/B	JB.3
	D.219332	Frame, 19,	nose spar, group	...	...	...	1	—		
2446	A.181165	Angle,	support, at bottom diaphragm, port	...	...	...	1	DTD.610	MR/C	JB.8
2445	A.181166	Angle,	support, at bottom diaphragm, starboard	...	...	...	1	DTD.610	MR/C	JB.8
7289	A.202682	Angle,	support, for junction box	...	...	...	1	—	MR/C	
	A.181153	Angle,	bottom, for skin attachment, port	...	...	...	1	DTD.610		
	A.181154	Angle,	bottom, for skin attachment, starboard	...	...	...	1	DTD.610		
4694	A.195545	Angle,	support, at bottom diaphragm	...	...	...	1	DTD.610	MR/C	
	B.181157	Angle,	front, at bottom boom attachment, port	...	...	...	1	DTD.610		
	B.181158	Angle,	front, at bottom boom attachment, starboard	...	...	...	1	DTD.610		
2447	C.181163	Angle,	lower, for tank skin attachment, port	...	...	...	1	DTD.610	MR/C	JB.8
2448	C.181164	Angle,	lower, for tank skin attachment, starboard	...	...	...	1	DTD.610	MR/C	JB.8
2449	F.182169	Angle,	for stringer attachment, port	...	...	...	3	DTD.610	MR/C	JB.8
2450	F.182170	Angle,	for stringer attachment, starboard	...	...	...	3	DTD.610	MR/C	JB.8
4695	F.197436	Angle,	bracket, securing gun heating pipe	...	...	...	1	DTD.610	MR/C	
2451	F.182166	Bolt,	at bottom boom joint	...	...	...	10	S.2	MR/C	JB.3
2452	F.187392	Bracket,	at bottom diaphragm	...	...	...	1	DTD.610	MR/C	JB.3
2453	F.187393	Bracket,	at bottom diaphragm	...	...	...	1	DTD.610	MR/C	JB.3
	B.211968	Bracket,	for aerial, V.H.F.	...	...	...	1	DTD.610		JB.3
2455	F.187397	Bracket,	at bottom diaphragm	...	...	...	1	DTD.610	MR/C	JB.3
	A.221112	Bracket,	mounting, for inertia switch	...	...	...	1	L.72	MR	
2456	F.187396	Channel,	at bottom stiffener	...	...	...	1	DTD.610	MR/C	
2457	A.181119	Channel,	at bottom diaphragm	...	...	...	1	DTD.610	MR/C	JB.8
2459	A.181145	Channel,	reinforcing, bottom, port	...	...	...	1	DTD.610	MR/C	JB.8
2460	A.181146	Channel,	reinforcing, bottom, starboard	...	...	...	1	DTD.610	MR/C	JB.8
2461	B.181112	Channel,	cross, at bottom diaphragm	...	...	...	1	DTD.610	MR/C	JB.8
2462	A.181120	Channel,	at bottom diaphragm	...	...	...	1	DTD.610	MR/C	JB.8
2463	B.181115	Channel,	lower, inner, port	...	...	...	1	DTD.610	MR/C	JB.8
2464	B.181116	Channel,	lower, inner, starboard	...	...	...	1	DTD.610	MR/C	JB.8
2458	A.181121	Channel,	lower, outer	...	...	...	2	DTD.610	MR/C	JB.8
8230	D.216907	Diaphragm,	bottom, front	...	...	...	1	DTD.610	MR/C	JB.8
2467	D.181102	Diaphragm,	bottom, rear	...	...	...	1	DTD.610	MR/C	JB.8
	B.181141	Finisher,	bottom, at tank door landing, port	...	...	...	1	DTD.364		
	B.181142	Finisher,	bottom, at tank door landing, starboard	...	...	...	1	DTD.364		
2468	B.181167	Landing,	for fuel pump access door	...	...	...	1	DTD.610	MR/C	JB.8
	B.181133	Landing,	bottom, for tank door	...	...	...	2	DTD.364		
	F.212019	Packing,	below aerial bracket	...	...	...	1	L.72		
	C.181123	Plate,	reinforcing, front, at lower boom joint, port	...	...	...	1	DTD.166		
	C.181124	Plate,	reinforcing, front, at lower boom joint, starboard	...	...	...	1	DTD.166		
	C.181125	Plate,	reinforcing, rear, at lower boom joint, port	...	...	...	1	DTD.166		
	C.181126	Plate,	reinforcing, rear, at lower boom joint, starboard	...	...	...	1	DTD.166		
2469	B.181106	Stiffener,	bottom	...	...	...	1	DTD.610	MR/C	JB.8
	C.181198	Spigot,	fitting, port	...	...	...	1	Stamping		
	C.181199	Spigot,	fitting, starboard	...	...	...	1	Stamping		
2470	F.178982	Stud,	for fairlead	...	...	...	4	S.1 & S.3	MR/C	JB.8

FUSELAGE—CENTRE PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
2471	A.182167	Strip, fairing, at bottom boom attachment, port					1	DTD.364	MR/C	JB.8
2472	A.182168	Strip, fairing, at bottom boom attachment, starboard					1	DTD.364	MR/C	JB.8
2473	B.181160	Strap, at bottom diaphragm					1	DTD.610	MR/C	JB.8
—	Std.1509/24/098	Tube, distance, $\frac{3}{8}$ " x 17 s.w.g. x .98" long					2	T.4	—	
		(Make up from 30B/557)								
—	Std.1509/24/104	Tube, distance, $\frac{3}{8}$ " x 17 s.w.g. x 1.04" long					1	T.4	—	
		(Make up from 30B/557)								
	Std.1549/28/10	Washer, packing					2	DTD.610		
	D.178147	Frame 20, group					1	—		
	A.177464	Angle, port					2	DTD.364		
	A.177465	Angle, starboard					2	DTD.364		
2474	F.177466	Block, distance					2	L.F.2	MR/C	JB.8
2475	D.178147/4	Bottom, portion					1	DTD.610	MR/C	JB.8
2476	D.178147/5	Bottom, portion					1	DTD.610	MR/C	JB.8
2477	D.178147/6	Channel					2	DTD.610	MR/C	JB.8
2478	D.178147/7	Plate, doubling					2	DTD.610	MR/C	JB.8
8216	D.215747	Frame 21, group					1	—	MR/B	JB.8
—	D.215747/4	Angle, port (supply 26FX/2479 for spares)					1	DTD.610	—	JB.8
—	D.215747/5	Angle, starboard (supply 26FX/2480 for spares)					1	DTD.610	—	JB.8
—	D.215747/7	Angle, bottom (supply 26FX/2481 for spares)					1	DTD.610	—	JB.8
—	D.215747/8	Angle, (supply 26FX/2482 for spares)					2	DTD.610	—	JB.8
—	D.215747/2	Diaphragm, bottom, port (supply 26FX/2484 for spares)					1	DTD.610	—	JB.8
—	D.215747/3	Diaphragm, bottom, starboard (supply 26FX/2485 for spares)					1	DTD.610	—	JB.8
4696	D.186837	Plate, reinforcing					1	DTD.166	MR/C	JB.8
2486	B.178914	Stiffener, front					1	DTD.610	MR/C	JB.8
2487	B.178915	Stiffener, rear					1	DTD.610	MR/C	JB.8
	E.177458	Frame 22, group					1	—		
4699	F.195550	Angle, for attaching hydraulic pipes					1	DTD.610	MR/C	JB.8
4695	F.197436	Bracket, for attaching gun heating pipes					1	DTD.610	MR/C	
4901	B.177902	Channel					2	DTD.610	MR/C	JB.8
	F.206125	Channel					1	L.72		
8219	E.177458/9	Diaphragm, bottom portion					1	DTD.610	MR/C	JB.8
	F.206122	Packing,					1	L.72		
2489	A.178505	Piece, distance					2	L.F.2	MR/C	JB.8
	B.206108	Piece, bridge aft					1	DTD.166		
	B.209407	Piece, bridge forward					1	DTD.166		
8223	C.215748	Plate, reinforcing					1	DTD.610	MR/C	JB.8
	E.177459	Frame 23, group					1	—		
4700	F.195241	Angle, for attaching hydraulic pipes					1	DTD.610	MR/C	JB.8
	F.206123	Bracket,					1	L.56.C		
2491	B.177903	Channel					2	DTD.610	MR/C	JB.8
8220	E.177459/9	Diaphragm, bottom portion					1	DTD.610	MR/C	JB.8
2493	A.178546	Piece, distance					2	L.F.S.	MR/C	JB.8
8222	C.215749	Plate, reinforcing					1	DTD.610	MR/C	JB.8
	E.177460	Frame 24, group					1	—		
2495	E.177460/4	Diaphragm, bottom portion, port ...					1	DTD.610	MR/C	JB.8
2496	E.177460/5	Diaphragm, bottom portion, starboard ...					1	DTD.610	MR/C	JB.8

FUSELAGE-CENTRE PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	D.177175	Frame 25 , main spar, group					1	—		
2497	D.177970	Angle , for tank support skin, port					1	DTD.610	MR/C	JB.9
2498	D.177971	Angle , for tank support skin, starboard					1	DTD.610	MR/C	JB.9
	D.177968	Angle , for tank support skin, port					1	DTD.610		
	D.177969	Angle , for tank support skin, starboard					1	DTD.610		
2499	D.177961	Angle , bottom, for tank support skin					1	DTD.610	MR/C	JB.9
2500	D.177959	Angle , centre, for tank support skin, port					1	DTD.610	MR/C	JB.9
5722	B.177827	Angle , at bottom portion of frame					1	DTD.610	MR/C	
2501	D.177960	Angle , centre, for tank support skin, starboard					1	DTD.610	MR/C	JB.9
4703	F.195554	Angle , at bottom portion of frame					1	DTD.610	MR/C	
2502	D.177182	Boom , bottom, front					1	DTD.364	MR/C	JB.9
2503	D.177188	Boom , bottom, rear					1	DTD.364	MR/C	
7300	Std.1551/8/310	Bolt , fork fitting					8	S.99.B	MR/C	5
3826	Std.1551/8/315	Bolt , fork fitting					14	S.99.B	MR/C	5
1762	F.190266	Bolt , special, for fire extinguisher mounting					2	S.95, S.96	C.	JB.9
3842	Std.1639/7.N	Bolt , for fork fitting					8	S.2 or S.11	MR/C	5
1764	B.190273	Bracket , locating, for fire extinguisher mounting					1	S.3, T.26	C.	
4697	A.197977	Bracket , mounting, for relay or lower portion of frame					1	DTD.610	MR/C	JB.9
4698	A.196361	Bracket , mounting, for relays at lower portion of frame					1	DTD.610	MR/C	JB.9
5723	F.177893	Bracket , for attaching stringers					4	DTD.610	MR/C	
5724	F.177894	Bracket , for attaching stringers					4	DTD.610	MR/C	
2504	A.177433	Channel , centre, at lower portion of frame					2	DTD.610	MR/C	
4704	F.193326	Channel , mounting, for J.B.1					1	DTD.610	MR/C	JB.9
2505	A.177432	Channel , outer, at lower portion of frame					2	DTD.610	MR/C	
4705	F.193327	Channel , mounting, for J.B.1					1	DTD.610	MR/C	JB.9
2506	A.177434	Channel , inner, at lower portion of frame					2	DTD.610	MR/C	
2507	B.177191	Channel , at bottom centre of frame					2	DTD.610	MR/C	JB.9
28E/10031	Terry 80 x/2	Clip , centre portion of frame					2	—	C.	
28E/10027	Terry 80/000	Clip , upper portion of frame (alternative to AS.2295/1)					3	—	C.	
28E/10037	Terry 80/5	Clip , centre portion of frame (alternative to AS.2295/9)					1	—	C.	
28E/10036	Terry 80/4	Clip , centre and upper portion of frame (alternative to AS.2295/8)					3	—	C.	
	D.177178	Fork , fitting, top port, bottom starboard					2	Stamping		
	D.177179	Fork , fitting, top starboard, bottom port					2	Stamping		
	E.177177	Member , cross, for hinge fitting attachment					2	Stamping		
7302	Std.1718/8	Nut , for fork fitting					12	S.1	MR/C	5
4706	F.193436	Packing , at mounting channel, for J.B.1					1	DTD.610	MR/C	
	A.177710	Piece , packing, at lower portion of frame					2	DTD.610		
4436	B.198017	Plate , reinforcing, at bottom rear of frame					1	DTD.610	MR/C	
4437	B.198018	Plate , reinforcing, at bottom rear of frame					1	DTD.610	MR/C	
4033	B.177184	Plate , reinforcing, at bottom forward of frame, starboard					1	DTD.546	MR/C	JB.9
2509	B.177185	Plate , reinforcing, at bottom forward of frame, port					1	DTD.546	MR/C	JB.9
4211	Std.1687/2	Saddle					1	—	C.	5
4707	Std.915/A/14	Washer , for relay mounting, bracket					4	DTD.610	MR/C	4
	Std.1208/125/52/20	Washer , shim, for bolts, Std. 1551					QR	Shim Steel		
2510	D.177180	Web , forward					1	DTD.610	MR/C	JB.9
2511	D.177186	Web , rear					1	DTD.610	MR/C	

RESTRICTED

Hunter T .Mk. 7
Issued with A/L No. 3

FUSELAGE—CENTRE PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	E.178765	Frame 26, group					1	—		
4702	F.195553	Angle , at starboard side of frame, for hydraulic pipes					1	DTD.610	MR/C	
2512	B.178772	Angle , at bottom, diaphragm					1	DTD.610	MR/C	JB.9
	C.178766	Angle , for air intake, port					1	DTD.610		
	C.178767	Angle , for air intake, starboard					1	DTD.610		
2513	E.178765/2	Diaphragm , bottom					1	DTD.610	MR/C	JB.9
2514	A.178778	Stiffener , at bottom diaphragm, port					1	DTD.610	MR/C	JB.9
2515	A.178779	Stiffener , at bottom diaphragm, starboard					1	DTD.610	MR/C	JB.9
2470	F.178982	Stud , for fairlead					4	S.1 & S.3	MR/C	
	E.179520	Frame 27, group					1	—		
2516	B.179527	Angle , for tank support skin, port					1	DTD.610	MR/C	JB.9
2517	B.179528	Angle , for tank support skin, starboard					1	DTD.610	MR/C	JB.9
2518	A.179531	Angle , for tank support skin, port					1	DTD.610	MR/C	
2519	A.179532	Angle , for tank support, skin, starboard					1	DTD.610	MR/C	
4708	F.194971	Angle , for clipping hydraulic pipes					1	DTD.610	MR/C	
4709	F.194972	Angle , for clipping hydraulic pipes					1	DTD.610	MR/C	
2520	C.179525	Channel , centre, port					1	DTD.610	MR/C	JB.9
2521	C.179526	Channel , centre, starboard					1	DTD.610	MR/C	JB.9
	C.179522	Channel , outer, port					1	DTD.610		
	C.179523	Channel , outer, starboard					1	DTD.610		
2522	E.179520/4	Diaphragm , bottom, port					1	DTD.610	MR/C	JB.9
2523	E.179520/5	Diaphragm , bottom, starboard					1	DTD.610	MR/C	JB.9
	C.179521	Diaphragm , centre					1	DTD.610		
2524	F.179541	Plate , joint					1	DTD.610	MR/C	JB.9
2525	F.179543	Spigot , locating air intake and centre tank supporting skin					2	S.3, S.21	MR/C	JB.9
2526	F.179544	Spigot , locating air intake and centre tank supporting skin					2	S.3, S.21	MR/C	JB.9
2527	F.179546	Spigot , locating air intake and centre tank supporting skin					2	S.3, S.21	MR/C	JB.9
2528	A.179533	Stiffener , at bottom diaphragm, port					1	DTD.610	MR/C	JB.9
2529	A.179534	Stiffener , at bottom diaphragm, starboard					1	DTD.610	MR/C	JB.9
	D.200960	Frame 28, group					1	—		
2530	A.177853	Angle					2	DTD.610	MR/C	JB.9
6040	A.201621	Angle , joint, port					1	L.72	MR/C	JB.9
6041	A.201620	Angle , joint, starboard					1	L.72	MR/C	JB.9
6042	A.200873	Angle , joint, port					1	L.72	MR/C	
6043	A.200872	Angle , joint, starboard					1	L.72	MR/C	
2532	D.177850/4	Bottom portion					1	DTD.610	MR/C	JB.9
2533	B.177852	Channel , reinforcing					1	DTD.610	MR/C	JB.9
	D.200961	Frame 29, forward portion, group					1	—		
2534	D.177532/4	Bottom portion of frame					1	DTD.610	MR/C	JB.9
	D.177533	Frame 29, rear portion, group					1	—		
2535	D.177533/4	Bottom portion of frame					1	DTD.610	MR/C	JB.9
2536	B.177537	Stiffener , bottom					1	DTD.610	MR/C	JB.4
2537	B.177536	Stiffener , bottom					1	DTD.610	MR/C	JB.9
	D.177531	Frame 30, group					1	—		
2538	D.177531/4	Bottom portion					1	DTD.610	MR/C	JB.9

RESTRICTED

FUSELAGE—CENTRE PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	D.177547	Frame 31, group					1	—		
4710	F.177681	Angle					2	DTD.610	C.	
2539	D.177547/4	Bottom portion					1	DTD.610	MR/C	JB.9
4711	D.177547/5	Stiffener, bottom, port					1	DTD.610	MR/C	
4712	D.177547/6	Stiffener, bottom, starboard					1	DTD.610	MR/C	
	E.178937	Frame 32, rear spar, group					1	—		
2540	A.178974	Angle, at lower portion of frame					1	DTD.610	MR/C	JB.9
2541	A.178966	Angle, for attaching tank skin, port					2	DTD.610	MR/C	JB.9
2542	A.178967	Angle, for attaching tank skin, starboard					1	DTD.610	MR/C	JB.9
2543	B.179420	Angle, at lower portion of frame and inner channel					1	DTD.610	MR/C	JB.9
2544	B.178961	Angle, for attaching tank skin, port					1	DTD.610	MR/C	JB.9
2545	A.179456	Angle, at bottom portion of frame (port only)					1	DTD.610	MR/C	
2546	F.178976	Angle, for attaching tank skin, starboard					1	DTD.610	MR/C	JB.9
986	A.180777	Block, for gear box mounting					1	Stamping	C.	JB.9
987	A.179999	Block, for gear box mounting					1	Stamping	C.	JB.9
3827	Std.1551/7/265	Bolt, at top fork fitting					2	S.99.B	MR/C	5
3828	Std.1551/7/270	Bolt, at top fork fitting					1	S.99.B	MR/C	5
84	Std.1551/7/245	Bolt, at top fork fitting					1	S.99.B	C.	5
3829	Std.1551/7/215	Bolt, at top and bottom fork fittings					4	S.99.B	MR/C	5
3830	Std.1551/7/260	Bolt, at top and bottom fork fittings					3	S.99.B	MR/C	5
3831	Std.1551/7/205	Bolt, at top and bottom fork fittings					3	S.99.B	MR/C	5
2547	F.180826	Bolt, special, at bottom fork fitting					2	S.99.B	MR/C	JB.9
2548	B.178955	Boom, forward, bottom outer					1	DTD.361	MR/C	JB.9
2549	B.178956	Boom, rear, bottom, outer					1	DTD.364	MR/C	JB.9
2550	D.178943	Boom, rear outer, port					1	DTD.364	MR/C	JB.9
2551	D.178944	Boom, rear outer, starboard					1	DTD.364	MR/C	JB.9
2552	D.178945	Boom, forward, outer, port					1	DTD.364	MR/C	JB.9
2553	D.178946	Boom, forward, outer, starboard					1	DTD.364	MR/C	JB.4
	C.178949	Boom, forward, inner, port					1	DTD.364		
	C.178950	Boom, rear, inner, port					1	DTD.364		
	B.178951	Boom, forward, inner, starboard					1	DTD.364		
	B.178952	Boom, rear, inner, starboard					1	DTD.364		
983	A.180990	Bracket, steady, for gear box					1	Stamping	C.	JB.9
2554	A.179994	Channel, at lower portion of frame					1	DTD.610	MR/C	JB.9
2555	A.179370	Channel, at lower portion of frame, port					1	DTD.610	MR/C	
2556	A.179373	Channel, at lower portion of frame, starboard					1	DTD.610	MR/C	
2557	A.179374	Channel, at lower portion of frame					1	DTD.610	MR/C	
2558	A.179993	Channel, at lower portion of frame					1	DTD.160	MR/C	
2559	A.179990	Channel, at lower portion of frame					1	DTD.610	MR/C	JB.9
2560	A.179451	Channel, at lower portion of frame					1	DTD.610	MR/C	
2561	A.179991	Channel, at lower portion of frame					1	DTD.610	MR/C	JB.9
	B.178958	Channel, bottom, inner					1	DTD.364		
2562	A.179376	Channel, below bottom fork fitting					1	DTD.610	MR/C	JB.9
2563	A.179995	Channel, for gear box mounting					1	S.3	MR/C	JB.9
2564	A.179996	Channel, for gear box mounting					1	S.3	MR/C	JB.9
2565	A.179997	Channel, for gear box mounting					1	S.3	MR/C	JB.9
4206	B.183479	Channel, for gear box mounting					1	S.3	MR/C	JB.9
4713	A.196973	Channel, blanking, for sealing at lower portion of frame					1	DTD.610	MR/C	JB.9
4714	A.196974	Channel, blanking, for sealing at lower portion of frame					1	DTD.610	MR/C	
	A.180534	Cover, for bolts, upper, port					1	DTD.610		
	A.180535	Cover, for bolts, upper, starboard					1	DTD.610		
	A.180536	Cover, for bolts, lower, port					1	DTD.610		
	A.180537	Cover, for bolts, lower, starboard					1	DTD.610		

RESTRICTED

Hunter T. Mk. 7
Issued with A/L No. 3

FUSELAGE—CENTRE PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	C.180497					Fork fitting, lower, port	1	Stamping		
	C.180498					Fork fitting, lower, starboard	1	Stamping		
	C.180495					Fork fitting, top, port	1	Stamping		
	C.180496					Fork fitting, top, starboard	1	Stamping		
2566	F.180092					Packing, at bottom joint plates, port only	2	DTD.610	MR/C	JB.9
2567	A.178971					Plate, joint, at lower portion of frame, port	2	DTD.166	MR/C	JB.9
2568	A.178972					Plate, joint, at lower portion of frame, starboard	2	DTD.166	MR/C	JB.9
2569	A.178973					Plate, joint, at lower portion of frame	4	DTD.166	MR/C	
2570	C.180089					Plate, reinforcing, bottom, forward	1	DTD.166	MR/C	JB.9
2571	C.180090					Plate, reinforcing, bottom, aft	1	DTD.166	MR/C	JB.9
2572	F.178981					Plate, nut	2	S.3	MR/C	JB.9
	C.197248					SEALING, AT REAR SPAR, ASSEMBLY	—	—		
4634	F.197153					Cleat	1	LFS.21	C.	
4635	F.197154					Cleat	1	LFS.21	C.	
4636	F.197155					Cleat	1	LFS.21	C.	
4637	F.197156					Cleat	1	LFS.21	C.	
4638	F.197157					Cleat	1	LFS.21	C.	
4639	F.197158					Cleat	1	LFS.21	C.	
4640	F.197159					Cleat	1	LFS.21	C.	
4641	F.197160					Cleat	1	LFS.21	C.	
4642	F.197161					Cleat	1	LFS.21	C.	
4643	F.197162					Cleat	2	LFS.29	C.	
4644	F.196784					Plate, clamping	6	DTD.610	C.	
4645	F.197058					Plate, clamping	2	DTD.610	C.	
990	F.180319					Shim, for gear box mounting block	QR	Laminated Sheet	C.	
2470	F.178982					Stud, for fairlead	3	S.1 & S.3	MR/C	
989	F.180664					Washer, special, for gear box steady bracket	1	DTD.364	C.	JB.9
2573	D.178939					Web, forward, port	1	DTD.610	MR/C	JB.9
2574	D.178940					Web, forward, starboard	1	DTD.610	MR/C	JB.9
2575	D.178941					Web, rear, port	1	DTD.610	MR/C	JB.9
2576	D.178942					Web, rear, starboard	1	DTD.610	MR/C	JB.9
	B.205513					Frame 33, group	1	—		
4874	F.195549					Angle, supporting hydraulic pipe clipping	4	DTD.610	MR/C	JB.10
4785	F.196959					Bracket, for electrical cables	1	DTD.610	MR/C	
2577	D.176661/2					Diaphragm, port	1	DTD.610	MR/C	JB.10
2578	D.176661/3					Diaphragm, starboard	1	DTD.610	MR/C	JB.10
2579	F.176665					Plate, reinforcing	2	DTD.610	MR/C	JB.10
4211	Std.1687/2					Saddle, securing flame switch cable	2	DTD.610	C.	5
	A.220932					Frame 34, group	1	—		
2589	F.190388					Angle, mounting, port	1	DTD.610	MR/C	JB.10
2590	F.190389					Angle, mounting, starboard	1	DTD.610	MR/C	JB.10
2591	A.190334					Angle, mounting, port	1	DTD.610	MR/C	JB.10
2592	A.190335					Angle, mounting, starboard	1	DTD.610	MR/C	JB.10
4030	A.196370					Bracket, support, for by-pass valve	1	DTD.610	MR/C	
4785	F.196959					Bracket, for attaching electrical cables	1	DTD.610	MR/C	
8227	B.214195					Bracket, mounting, for external supply valves	1	—	MR/C	JB.10
4715	F.197167					Bracket, attaching suppressor cables	1	S.3	MR/C	
2582	A.177104					Butt-strap, outer	2	DTD.546	MR/C	JB.10
2581	A.177105					Butt-strap, inner	2	DTD.546	MR/C	

RESTRICTED

Hunter T. Mk. 7
Issued with A/L No. 3

FUSELAGE-CENTRE PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
2583	D.177095/6	Channel, bottom	...	...	...	...	1	DTD.364	MR/C	JB.10
2584	D.177095/1	Diaphragm, port	...	...	...	...	1	DTD.610	MR/C	JB.10
2585	D.177095/2	Diaphragm, forward, starboard	...	...	...	...	1	DTD.610	MR/C	JB.10
2586	D.177095/3	Diaphragm, aft, port	...	...	...	...	1	DTD.610	MR/C	JB.10
2587	D.177095/4	Diaphragm, aft, starboard	...	...	...	...	1	DTD.610	MR/C	JB.10
2588	F.177101	Ferrule, at bearing plate	...	...	...	...	4	S.96.B	MR/C	
2593	A.179364	Guide, at bottom frame joint	...	...	...	...	1	S.3	MR/C	
993	F.177106	Nut, at lower portion of frame, for screw jack adjusting detachable engine rail	...	...	...	...	1	S.3	C.	JB.10
2594	C.177096	Plate, reinforcing, forward port, aft starboard	...	...	...	...	2	DTD.610	MR/C	JB.10
2595	C.177097	Plate, reinforcing, forward port, aft starboard	...	...	...	...	2	DTD.610	MR/C	JB.10
2596	A.177100	Plate, joint, at bottom frame joint	...	...	...	...	2	DTD.610	MR/C	JB.10
2597	F.177108	Plate, bearing, for engine mounting attachments	...	...	...	...	4	DTD.610	MR/C	JB.10
	F.196368	Plate, locating frame switch cable	...	...	...	...	2	DTD.610	—	
—	Std.1509/23/084	Tube, distance, $\frac{5}{16}$ " o/d $\times$ 17 s.w.g. $\times$.84" long (Make from 30B/556)	...	...	...	...	4	T.4	—	
—	Std.1509/3/112	Tube, distance, $\frac{5}{16}$ " o/d $\times$ 17 s.w.g. $\times$ 1.12" long (Make from 30B/556)	...	...	...	...	1	T.4	—	4
3729	Std.184/11B	Washer, at bearing plate	...	...	...	...	4	S.2	MR/C	4
	B.220966	Frame 35, group	...	...	...	...	1	—		
2598	D.178028/4	Bottom portion of frame, port	...	...	...	...	1	DTD.610	MR/C	JB.10
2599	D.178028/5	Bottom portion of frame, starboard	...	...	...	...	1	DTD.610	MR/C	JB.10
	D.178029	Frame 36, group	...	...	...	...	1	—		
2600	D.178029/4	Bottom portion of frame, port	...	...	...	...	1	DTD.610	MR/C	JB.10
2601	D.178029/5	Bottom portion of frame, starboard	...	...	...	...	1	DTD.610	MR/C	JB.10
	F.219864	Boss, mounting, upper, for hydraulic tank	...	...	...	...	1	S.3 & S.21		
	F.219863	Boss, mounting, lower, for hydraulic tank	...	...	...	...	1	S.3 & S.21		JB.10
	F.219862	Boss, mounting, lower, for hydraulic reservoir	...	...	...	...	1	M. Steel		
	F.219865	Boss, mounting, upper, for hydraulic reservoir	...	...	...	...	1	M. Steel		
4297	Std.843/11	Clip, securing fuel contents cable	...	...	...	...	1	DTD.610	MR/C	4
	F.219861	Plate, nut, upper, for hydraulic tank	...	...	...	...	1	—		JB.10
	F.219860	Plate, nut, lower, for hydraulic tank	...	...	...	...	1	—		JB.10
4211	Std.1687/2	Saddle, securing cables	...	...	...	...	1	DTD.610	C.	5
2795	F.190690	Strip, rubbing	...	...	...	...	1	Durestos FEROBESTOS	MR/C	
	D.175981	Frame 37, group	...	...	...	...	1	—		
2796	D.175981/4	Angle, stiffener, port	...	...	...	...	1	DTD.610	MR/C	JB.10
2797	D.175981/5	Angle, stiffener, starboard	...	...	...	...	1	DTD.610	MR/C	JB.10
2798	A.175984	Angle, at bottom of frame	...	...	...	...	1	DTD.610	MR/C	JB.10
	A.220498	Bracket, support, for hydraulic oil filter	...	...	...	...	1	L.72		JB.10
8237	A.204563	Bracket, for flame switch	...	...	...	...	1	L.72	MR/C	JB.10
	B.191742	Bracket, stiffening	...	...	...	...	1	DTD.610		
6045	B.203505	Bracket, stiffening	...	...	...	...	1	S.3	MR/C	
2800	D.175981/3	Diaphragm, bottom	...	...	...	...	1	DTD.610	MR/C	JB.10
2801	F.175986	Plate, joint	...	...	...	...	2	DTD.610	MR/C	JB.10
2802	A.175983	Plate, reinforcing, at bottom of frame	...	...	...	...	1	DTD.166	MR/C	JB.10
2803	C.175982	Plate, reinforcing, at lower portion of frame	...	...	...	...	1	DTD.166	MR/C	JB.10
	F.204568	Plate, reinforcing	...	...	...	...	1	L.72		
4211	Std.1687/2	Saddle, securing cables	...	...	...	...	1	DTD.610	C.	5

RESTRICTED

Hunter T. Mk. 7
Issued with A/L No. 3

FUSELAGE—CENTRE PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	D.176012	Frame 38, group					1	—		
2804	D.176012/5	Angle, lower, centre					1	DTD.610	MR/C	JB.10
2805	D.176012/9	Angle, lower, port					1	DTD.610	MR/C	JB.10
4036	D.176012/10	Angle, lower, starboard					1	DTD.610	MR/C	JB.10
4008	F.195286	Angle, port					1	DTD.610	MR/C	JB.10
4009	F.195287	Angle, starboard					1	DTD.610	MR/C	JB.10
2806	D.176012/4	Bottom portion					1	DTD.610	MR/C	JB.10
	D.176255	Frame 39, top portion					1	DTD.610		
	D.176256	Frame 39, bottom portion, group					1	—		
2807	D.176256/2	Angle, lower, port					1	DTD.610	MR/C	JB.10
2808	D.176256/3	Angle, lower, starboard					1	DTD.610	MR/C	JB.10
2809	D.176256/1	Diaphragm, lower					1	DTD.610	MR/C	JB.10
2810	B.176254	Plate, reinforcing					1	DTD.610	MR/C	JB.10
	F.196368	Plate, locating flame switch cable					1	DTD.610		
4211	Std.1687/2	Saddle, securing cables					9	DTD.610	C.	5
	E.175941	Frame 40A, group					2	—		
	A.175938	Angle, attachment, at engine mounting fitting, port					2	DTD.364		
	A.175939	Angle, attachment, at engine mounting fittings, starboard					2	DTD.364		
1264	F.163972	Angle, at transport joint fittings					8	DTD.364	C.	
1765	F.191864	Angle, at transport joint fittings					22	DTD.364	C.	JB.3
4716	A.196782	Channel, sealing, at bottom portion of frame, port					1	DTD.610	MR/C	
4717	A.196783	Channel, sealing, at bottom portion of frame, starboard					1	DTD.610	MR/C	
2811	E.175941/3	Diaphragm, forward, starboard					1	DTD.610	MR/C	JB.10
2812	E.175941/4	Diaphragm, rear, starboard					1	DTD.610	MR/C	JB.10
2813	E.175941/5	Diaphragm, forward, port					1	DTD.610	MR/C	JB.10
2814	E.175941/6	Diaphragm, rear, port					1	DTD.610	MR/C	JB.10
1003	B.177308	Fitting, for rear transport joint					4	Stamping	C.	JB.10
1004	B.177306	Fitting, for rear transport joint					7	Stamping	C.	JB.3
1005	B.177307	Fitting, for rear transport joint					4	Stamping	C.	JB.10
	B.166524	Fitting, for engine mounting, at centre of frame					2	Stamping		
2815	B.177323	Lug, for engine rail					1	Stamping	MR/C	JB.6
2816	F.175844	Plate, nut, at bottom centre of frame					1	—	MR/C	JB.10
2817	E.175941/9	Strap					1	DTD.601	MR/C	JB.10
—	Std.1509/24/150	Tube, distance, $\frac{3}{8}$ " o/d $\times$ 17 s.w.g. $\times$ 1.5" long (Make from 30B/557)					60	T.4	—	
	B.196633-4	MOUNTING, FOR SUPPRESSOR, ASSEMBLY					—	—		
4010	F.196834	Angle, support, at stringer "K," port					2	DTD.364	MR/C	JB.3
4011	F.196835	Angle, support, at stringer "K," starboard					2	DTD.364	MR/C	JB.3
4012	F.196644	Angle, support, at stringer "J"					4	DTD.364	MR/C	JB.3
4013	B.196636	Rail, assembly, port, group					1	—	MR/C	JB.3
4014	B.196637	Rail, assembly, starboard, group					1	—	MR/C	JB.3
—	Aerolex F.48.7.508	Pin, quick release (Use 28FP/15)					1	—	—	
	C.188601	MOUNTING, FOR COLD AIR UNIT, ASSEMBLY					—	—		
2822	F.188604	Angle					2	DTD.610	MR/C	
2823	F.188605	Angle					2	DTD.610	MR/C	
2824	B.188602	Channel, inboard					1	DTD.610	MR/C	JB.3
2825	B.188603	Channel, outboard					1	DTD.610	MR/C	JB.3

RESTRICTED

FUSELAGE-CENTRE PORTION

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
		1 2 3 4 5				
	C.192896	MOUNTING, FOR HIGH ENERGY IGNITION UNITS, ASSEMBLY	—	—		
5812	A.197467	Angle, support, lower	1	DTD.610	C.	
5813	A.197466	Angle, support, upper	1	DTD.610	C.	
2827	F.192898	Bracket, support, at upper mounting	2	DTD.610	MR/C	
2829	A.192897	Bracket, support, at upper mounting	1	DTD.610	MR/C	JB.3
	D.191929	OUTLET, FOR STARTER EXHAUST, ASSEMBLY	—	—		
1766	A.192787	Bracket, attachment	1	S.3	C.	JB.5
—	Aerolex F.48.7.411	Pin, quick release (Use 28FP/6)	1	—	—	
2736	C.195168	Plate, sealing	1	S.3	C.	JB.5
2734	A.195012	Sleeve, flexible, for sealing starter exhaust	1	Moulded Silicone	C.	JB.5
2735	F.191935	Strip, retaining	1	S.3	MR/C	JB.5
1768	B.191932	Tube, exhaust	1	—	B.	JB.5
	E.201817	Panel, support, for centre tank, group	1	—		
996	F.182738	Bolt, special	48	S.95	C.	JB.6
8468	E.220789	Panel, support, detachable, for centre tank, port, group	1	—	B.	JB.6
994	B.184014	Panel, side, port, group	1	DTD.610	C.	JB.6
28FP/146	Dzus A4.25	Fastener	4	—	C.	
	F.182656	Plate, joint, top	1	DTD.610		
	F.182657	Plate, joint, centre	1	DTD.610		
	F.182658	Plate, joint, centre	1	DTD.610		
	F.182659	Plate, joint, centre	2	DTD.610		
28FP/329	Dzus S4.200	Spring	10	—	C.	
8469	E.220790	Panel, support, detachable, for centre tank, star- board, group	1	—	B.	JB.6
995	B.184015	Panel, side, starboard, group	1	DTD.610	C.	JB.6
28FP/147	Dzus A4.30	Fastener	2	—	C.	
28FP/148	Dzus A4.35	Fastener	2	—	C.	
	F.182657	Plate, joint, centre	1	DTD.610		
	F.182658	Plate, joint, centre	1	DTD.610		
	F.182659	Plate, joint, centre	2	DTD.610		
28FP/329	Dzus S4.200	Spring	8	—	C.	
8470	C.220791	Panel, for centre tank detachable support panel group	1	DTD.610	B.	JB.6
28FP/147	Dzus A4.30	Fastener	4	—	C.	
27FP/329	Dzus S4.200	Spring	3	—	C.	
1000	A.183303	Panel, top, group	1	DTD.610	C.	JB.6
28FP/146	Dzus A4.25	Fastener	4	—	C.	
997	F.183770	Plate, nut, port	1	S.3	C.	JB.6
998	F.183771	Plate, nut, starboard	1	S.3	C.	JB.6
1001	C.183768	Ring, sealing, at forward end, port, group	1	DTD.610	C.	JB.6
1002	C.183769	Ring, sealing, at forward end, starboard, group	1	DTD.610	C.	JB.6
28FP/147	Dzus A4.30	Fastener	21	—	C.	

RESTRICTED

Hunter T. Mk. 7
Issued with A/L No. 3

FUSELAGE-CENTRE PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
9501	B.213427	Panel, access, for main fuel tank, port, group ...					1	—	B.	JB.1
	A.211662	Bracket, mounting ...					1	DTD 364		
	A.211663	Bracket, mounting ...					1	DTD.364		
7836	C.210032	Panel, access, for main tank, starboard, group ...					1	—	B.	JB.1
	F.200150	Bracket, support, for strap ...					4	L.72		
	F.207759	Guard, cable (Port only) ...					1	—		
	A.200153	Strap ...					2	Webbing		
6046	F.203116	Plate, blanking, at frame 37 ...					2	S.3	MR/C	
9909	F.231539	Plug (AS.760/83) ...					2	L.65C	C.	
	B.176816	RAIL, FOR ENGINE, ASSEMBLY ...					—	—		
2737	B.166532	Mounting, for engine rail ...					1	Stamping	MR/C	JB.4
2738	B.176175	Rail ...					1	DTD.364	MR/C	JB.6
—	Std.1509/23/034	Tube, distance, $\frac{5}{16}$ " o/d $\times$ 17 s.w.g. $\times$ 0.34" long (Make from 30B/556)					4	T.4	—	
3811	Std.1547/32/12	Washer, for rear end joint ...					2	DTD.610	MR/C	4
2739	A.176169	Web, forward, port ...					1	DTD.610	MR/C	JB.6
2740	A.176170	Web, forward, starboard ...					1	DTD.610	MR/C	JB.6
2741	A.176171	Web, centre, port ...					1	DTD.610	MR/C	JB.6
2742	A.176172	Web, centre, starboard ...					1	DTD.610	MR/C	JB.6
2743	A.176173	Web, aft, port ...					1	DTD.610	MR/C	JB.6
2744	A.176174	Web, aft, starboard ...					1	DTD.610	MR/C	JB.6
	C.189596	SEALING PLATE, FOR STRINGERS AT FRAMES 37, ASSEMBLY ...					—	—		
4462	F.189599	Sealing, at stringer "C" ...					2	Plastic	MR/C	JB.10
4466	F.189684	Sealing, at stringer "D" ...					2	Plastic	MR/C	JB.10
4465	F.189602	Sealing, at stringer "E" ...					2	Plastic	MR/C	JB.10
4463	F.189600	Sealing, at stringer "F" ...					2	Plastic	MR/C	JB.10
4464	F.189601	Sealing, at stringer "F" ...					2	Plastic	MR/C	JB.10
4455	F.189603	Sealing, at stringer "G" ...					2	Plastic	MR/C	JB.10
4456	F.189604	Sealing, at stringer "H," port ...					1	Plastic	MR/C	JB.10
4457	F.189605	Sealing, at stringer "J" ...					2	Plastic	MR/C	
4458	F.189606	Sealing, at stringer "K" ...					2	Plastic	MR/C	
4015	F.195812	Shim, at engine mounting channel, frame 40A ...					2	Brass Laminum	C.	
	E.200955	SKIN, COVERING, ASSEMBLY ...					—	—		
4718	A.196875	Bracket, mounting, for engine pump non-return valve, between frames 33 and 34					1	DTD.610	MR/C	
6047	A.201094	Bracket, mounting, at frame 31 ...					3	L.72	MR/C	
4648	F.192047	Clip, securing hydraulic pipes, between frames 36 and 37					1	S.84	C.	
4649	F.193862	Clip, securing hydraulic pipes, between frames 33 and 34					2	S.84	C.	
	E.234967	DUCT, COOLER EXIT, PORT, SUB-ASSEMBLY (Mod. 804) ...					—	—		
	E.234968	DUCT, COOLER EXIT, STARBOARD SUB-ASSEMBLY (Mod. 804) ...					—	—		
	B.180907	Duct, fixed, port ...					1	L.16		
	B.180908	Duct, fixed, starboard ...					1	L.16		
10141	C.233302	Duct, exit (Mod. 804) ...					2	—	C.	JB.6
10142	C.233317	Fairing, for duct exit (Mod. 804) ...					2	L.59	C.	JB.6
	A.180727	Landing, for panel, port ...					1	DTD.610		
	A.180728	Landing, for panel, starboard ...					1	DTD.610		
1010	B.180863	Panel, port ...					1	DTD.610	C.	JB.6

RESTRICTED

Hunter T. Mk. 7
Issued with A/L No. 3

FUSELAGE—CENTRE PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
1011	B.180864					Panel, starboard	1	DTD.610	C.	JB.6
3843	King Aircraft Corp. C3903/1					Fitting, attachment	4	—	C.	JB.5
3844	King Aircraft Corp. C3903/2					Fitting, attachment	1	—	C.	JB.5
3845	King Aircraft Corp. C3903/3					Fitting, attachment	1	—	C.	JB.5
	C.187577					Intake, for cooling air, bottom port, group ...	1	—		
	C.187578					Intake, for cooling air, bottom starboard, group ...	1	—		
1007	C.188060					Duct	2	S.3	C.	JB.1
2745	C.180542					Landing, for front engine mountings access panel, port	1	DTD.610	MR/C	JB.2
2746	C.180543					Landing, for front engine mountings access panel, starboard	1	DTD.610	MR/C	JB.2
2747	C.186937/1					Landing, for igniter plugs access panel, port ... (Known as C.186937/A)	1	DTD.610	MR/C	JB.2
6048	C.186937/2					Landing, for hydraulic filter access panel, port ... (Known as C.186937/B)	1	DTD.610	MR/C	JB.2
2748	C.186938/1					Landing, for igniter plugs access panel, starboard (Known as C.186938/A)	1	DTD.610	MR/C	JB.2
	B.204979					LEVELLING, POINTS SUB-ASSEMBLY ...	—	—		
	F.184598					Bearing, aft, levelling point	2	Stamping		
	A.184835					Bracket, bearing, forward levelling point, port	1	S.3 & S.21		
	A.184836					Bracket, bearing, forward levelling point, starboard	1	S.3 & S.21		
1024	King Aircraft Corp. C.3100					Lever and catch pin	6	—	C.	JB.5
2749	A.186459					Mounting, for suction relief valve	2	—	MR/C	JB.3
6049	F.197018					Mounting, for terminal blocks	2	DTD.610	MR/C	
1023	F.173505					Nut, retaining, for fuel tank	16	S.3 & S.21	C.	JB.2
2750	A.187454					Plate, reinforcing, for suction relief valve ...	2	DTD.546	MR/C	JB.2
2751	C.184586					Plate, reinforcing, port	1	DTD.546 & DTD.610	MR/C	JB.2
2752	C.184587					Plate, reinforcing, starboard	1	DTD.546 & DTD.610	MR/C	JB.2
	C.199414					PLATE, REINFORCING, FOR OIL FILLER ACCESS DOOR, ASSEMBLY	—	—		
6050	C.199414/2					Angle	1	DTD.166	MR/C	
4242	Std.1231/7					Lug	1	S.3	C.	4
6051	C.199414/3					Packing	1	L.72	MR/C	
6052	C.199414/1					Plate, reinforcing	1	L.72	MR/C	JB.5

RESTRICTED

Hunter T. Mk. 7
Issued with A/L No. 3

FUSELAGE—CENTRE PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
5711	A.197762	Plate, re-inforcing, for relief valve support tube					4	DTD.610	MR/C	
1009	F.184599	Ring, reinforcing					1	DTD.610	C.	JB.2
4211	Std.1687/2	Saddle, for clipping fuel contents cable					4	DTD.610	C.	5
1025	King Aircraft Corp. D30£0/2	Screw, locking					6	—	C.	JB.5
9402	A.221538	Sealing, for hydraulic reservoir access					1	Rubber	C.	JB.2
	E.183424	SKIN COVERING, TOP PORTION, SUB-ASSEMBLY					—	—		
2756	A.192906	Bracket, mounting, for tank pressurising connection					1	DTD.610	MR/C	JB.2
2757	B.193594	Bracket, mounting, between frames 39 and 40A					1	DTD.610	MR/C	JB.2
	A.220936	Bracket, mounting, C48 cable at frame 40A (Mod. 629)					1	L.72		
	C.188312-3	LANDING, FOR BLEED VALVE EXHAUST, ASSEMBLY					—	—		
2753	B.188314	Landing, port					1	DTD.610	MR/C	JB.2
2754	B.188315	Landing, starboard					1	DTD.610	MR/C	JB.2
2755	C.181728	Landing, for fuel level switch access panel, port					2	DTD.610	MR/C	JB.2
—	F.205515	Sealing, at transport joint, frame 18 (Make from 32C/574, Q.R.)					2	Rubber	—	
	E.183421	SKIN COVERING, BOTTOM PORTION, SUR-ASSEMBLY					—	—		
6053	A.204966	Angle, stiffening					1	L.72	MR/C	
	A.215063	Bracket, mounting, for fuel filter de-icing solenoid					1	—		
4719	A.197061	Bracket, for cable C3 and C4, also TS3 and TS4					1	DTD.610	MR/C	
4600	F.201722	Catch, for starter access door stay					1	L.72	C.	
2758	F.189545	Connection, for centre fuel tank drain pipes					1	L.16 & L.54	MR/C	JB.5
1773	A.192320	Connection, end, for overboard drain and starter exhaust outlet					1	T.35	C.	JB.5
3370	F.184563	Landing, for fuel pump access panel, port ...					1	DTD.610	MR/C	JB.5
3371	F.184564	Landing, for fuel pump access panel, starboard					1	DTD.610	MR/C	JB.5
	A.182100	Landing, at stringer 'M'					1	DTD.610		
	A.183429	Landing, for gearbox access door					1	DTD.610		
	A.183430	Landing, for gearbox access door					1	DTD.610		
2759	A.183418	Landing, for engine access door, frame 34, starboard					1	L.72	MR/C	JB.5
2760	A.183419	Landing, for engine access door, frame 34, port					1	L.72	MR/C	JB.5
2761	A.183428	Landing, for engine access door, frame 37 ...					1	L.72	MR/C	JB.5
4275	B.183416	Landing, for engine access door, frame 34 and 37, port					1	DTD.610	MR/C	
2762	B.183417	Landing, for engine access door, frame 34 and 37, starboard					1	DTD.610	MR/C	JB.5
2763	B.183431	Landing, for engine starter access door ...					1	DTD.610	MR/C	
1774	B.188562/A	Pipe, drain, for combustion chamber and turbine, group					1	—	C.	JB.6
		Consisting of :—								
	B.188562/2	Bracket, support					1	DTD.283 or DTD.265		
	B.188562/1	Pipe, $\frac{3}{8}$ " o/d x 22 S.W.G.					1	DTD.253		
	B.188562/3	Ring					1	DTD.283 or DTD.265		

RESTRICTED

FUSELAGE—CENTRE PORTION

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
		1 2 3 4 5				
	B.192037	PLATFORM, FOR STARTER EXHAUST, OUTLET, SUB-ASSEMBLY	—	—		
1775	B.191931	Platform	1	S.3	C.	JB.5
1776	A.192788	Ring, guide	1	DTD.571	C.	JB.5
2764	C.182823	Plate, reinforcing, at frames 22 and 24, port ...	1	DTD.610	MR/C	JB.5
2156	C.182824	Plate, reinforcing, at frames 22 and 24, starboard	1	DTD.610	MR/C	JB.5
2157	C.182692	Plate, reinforcing, at frames 37 and 40, port	1	DTD.546	MR/C	JB.5
2158	C.182693	Plate, reinforcing, at frames 37 and 40 ...	1	DTD.546	MR/C	JB.5
2765	F.194029	Plate, nut, at main spar	2	S.3	MR/C	
2159	C.183432	Plate, joint, for bottom main skin to rear spar, port	1	DTD.610	MR/C	
2160	C.183433	Plate, joint, for bottom main skin to rear spar, starboard	1	DTD.610	MR/C	
	A.182101	Plate, gusset, at frame 31	1	DTD.610		
2161	F.189753	Ring, reinforcing, between frames 27 and 28 ...	1	DTD.610	MR/C	
1833+	E.183421/1	Skin, bottom, between frame 27 and rear spar	1	DTD.610	B.	JB.1
1834+	E.183421/2	Skin, bottom, between frames 37 and 40A ...	1	DTD.610	B.	JB.1
2162	E.183421/3	Skin, bottom, at main spar	1	DTD.610	MR/B	JB.1
2163	E.183421/4	Skin, bottom, at frame 34	1	DTD.610	MR/B	JB.1
2164	B.184367	Stringer 'L,' aft of frame 29, port	1	DTD.610	MR/C	JB.4
2165	B.184368	Stringer 'L,' aft of frame 29, starboard ...	1	DTD.610	MR/C	JB.4
2166	B.184366	Stringer 'M,' frame 29 to rear spar	1	DTD.610	MR/C	JB.4
	F.184369	Stringers, for bottom skin, between frames 27 and 28	3	DTD.610		
	F.184370	Stringers, for bottom skin, between frames 28 and 29	3	DTD.610		
	D.186527	TOGGLE, ATTACHMENTS, AT DOOR OPENINGS, SUB-ASSEMBLY	—	—		
5855	A.205075	Cable, retaining, engine access panel ...	1	—	C.	JB.7
2167	A.188887	Fitting, hinge, for engine access door ...	1	Stamping	MR/C	JB.7
2168	A.188888	Fitting, hinge, for engine access door ...	1	Stamping	MR/C	
2171	A.189447	Stiffener, for gearbox access door	1	L.72	MR/C	
2172	A.189446	Stiffener, for engine starter access door ...	1	L.72	MR/C	
2147	Std.915/C/20	Washer, at 'King Aircraft' attachment fitting;	6	DTD.610	C.	4
2173	E.183420/1	Skin, top, nose spar to main spar, port ... (Alternative D.203702/1, Ref. 26FX/7558)	1	DTD.546	MR/B	JB.2
2174	E.183420/2	Skin, top, nose spar to main spar, starboard ... (Alternative D.203702/2, Ref. 26FX/7559)	1	DTD.546	MR/B	JB.2
1825	E.183420/3	Skin, side, nose spar to frame 21, port ... (Alternative D.203702/3, Ref. 26FX/7560)	1	DTD.546	B.	JB.2
1826	E.183420/4	Skin, side, nose spar to frame 21, starboard ... (Alternative D.203702/4, Ref. 26FX/7561)	1	DTD.546	B.	JB.2
1827	E.183420/5	Skin, side, frame 21 to main spar, port ... (Alternative D.203702/5, Ref. 26FX/7562)	1	DTD.546	B.	JB.2
1828	E.183420/6	Skin, side, frame 21 to main spar, starboard ...	1	DTD.546	B.	JB.2
4529	E.200955/1	Skin, top, main spar to rear spar, port ...	1	DTD.546	B.	JB.2
4530	E.200955/2	Skin, top, main spar to rear spar, starboard ...	1	DTD.546	B.	JB.2
4531	E.200955/3	Skin, side, main spar to rear spar, port ...	1	DTD.546	B.	JB.2
4532	E.200955/4	Skin, side, main spar to rear spar, starboard ...	1	DTD.546	B.	JB.2
2177	E.183420/13	Skin, top, rear spar to frame 40A, port ... (Alternative E.201049/1, Ref. 26FX/7541)	1	DTD.610	MR/B	JB.2
2178	E.183420/14	Skin, top, rear spar to frame 40A, starboard ... (Alternative E.201049/2, Ref. 26FX/7542)	1	DTD.610	MR/B	JB.2
1831	E.183420/15	Skin, side, rear spar to frame 40A, port ... (Alternative E.201049/3, Ref. 26FX/7543)	1	DTD.610	B.	JB.2
1832	E.183420/16	Skin, side, rear spar to frame 40A, starboard ... (Alternative E.201049/4, Ref. 26FX/7544)	1	DTD.610	B.	JB.2
9401	F.221636	Socket, for engine oil filler drain pipe	2	S.3 & T.26	C.	

FUSELAGE—CENTRE PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	C.205785-6	STOP, FOR UNDERCARRIAGE FAIRING DOOR AND SEQUENCE VALVE MOUNTING, SUB-ASSEMBLY					—	—		
5177†	B.201691	Bracket, forward, port (8 morse No. 21 holes omitted)					1	L.72	C.	JB.2
5178†	B.201692	Bracket, forward, starboard (8 morse No. 21 holes)					1	L.72	C.	JB.2
5179†	B.201693	Bracket, aft, port (8 morse No. 21 holes) ...					1	L.72	C.	JB.2
5180†	B.201694	Bracket, aft, starboard (8 morse No. 21 holes)					1	L.72	C.	JB.2
5815	A.189625	Bracket, mounting, for sequence valve, port					1	DTD.610	C.	JB.2
5816	A.189626	Bracket, mounting, for sequence valve, starboard					1	DTD.610	C.	JB.2
5732	A.201677	Bracket, reinforcing, port					1	S.3	MR/C	JB.2
5733	A.201678	Bracket, reinforcing, starboard					1	S.3	MR/C	JB.2
5734	C.201673	Bracket, lower, forward, port					1	L.72	MR/C	JB.2
5735	C.201674	Bracket, lower, forward, starboard					1	L.72	MR/C	JB.2
5736	C.201675	Bracket, lower, aft, port					1	L.72	MR/C	JB.2
5737	C.201676	Bracket, lower, aft, starboard					1	L.72	MR/C	JB.2
5738	A.202891	Bracket, guide, port					1	DTD.364 & St. St.	MR/C	JB.2
5739	A.202892	Bracket, guide, starboard					1	DTD.364 & St. St.	MR/C	JB.2
1021	A.189619	Lever, operating sequence valve, port ...					1	—	C.	JB.2
	A.192328									
1022	A.189620	Lever, operating sequence valve, starboard ...					1	—	C.	JB.2
	A.192329									
1014	F.189628	Rod, operating					2	S.95.B	C.	JB.2
1013	F.189627	Screw, special					2	S.95.B	C.	JB.2
4650	F.198997	Screw, special, for stop adjustment					2	S.95.B	C.	JB.2
1015	F.189629	Stop, at top of operating rod					2	S.95.B	C.	JB.2
4651	F.196854	Stud, special					2	S.3 & S.21	C.	JB.2
1016	F.187086	Trunnion					2	S.94.B	C.	JB.2
	Std.1507/23/032	Tube, distance, $\frac{5}{16}$ " o/d $\times$ 17 SWG $\times$ 0.32" long					2	T.26		
	C.205785/1	Tube, distance (may be made from 1507/23/060)					2	T.26		
26FH/3474	Std.1547/20/12	Washer, for guide bracket					6	DTD.364	MR/C	4
2179	E.183420/18	Strap, bottom, at frame 34					1	DTD.610	MR/C	JB.4
2180	D.182826	Strap, reinforcing, at frame 21, bottom portion					1	DTD.546	MR/C	JB.34
2183	C.182636	Strap, reinforcing, at rear spar, bottom portion					1	DTD.546	MR/C	JB.4
2181	C.182631	Strap, reinforcing, at main spar, bottom portion, port					1	DTD.546	MR/C	JB.4
2182	C.182632	Strap, reinforcing, at main spar, bottom portion, starboard					1	DTD.546	MR/C	JB.4
	C.197867	TRAY, DRIP, FOR HYDRAULIC RESERVOIR, ASSEMBLY					—	—		
	F.197869	Socket					1	S.3 & T.26		
	B.197868	Tray, drip					1	L.59 & L.54		
	B.199734	Vent-pipe, for wheel case breather, group ...					1	—		
5817	A.193564	Sleeve					1	T.45 & S.3	C.	JB.7
1753	A.192205	Spring					1	SP. St.	C.	JB.7
1752	A.192204	Vent-pipe					1	S.3	C.	JB.7

Hunter T. Mk. 7
Issued with A/L No. 10

FUSELAGE—CENTRE PORTION

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
		1 2 3 4 5				
	E.182426	SKIN, SUPPORTING, FOR AIR INTAKE AND CENTRE FUEL TANK, ASSEMBLY	—	—		
4720	F.194933	Angle, for attaching hydraulic pipes	1	DTD.610	MR/C	
	E.180947	BREECHES-PIECE, ASSEMBLY	—	—		
2184	B.189308	Ring, retaining sealing rubber at frame 29, aft	1	DTD.610	MR/C	JB.6
6758	A.213115	Ring, sealing, at frame 28, aft	1	Rubber	C.	JB.6
10925	B.181795	Trailing Edge, top	1	L.16	MR/C	
10926	B.181796	Trailing Edge, bottom	1	L.16	MR/C	
2185	C.178230	Diaphragm, at frame 28, group	—	—	MR/B	JB.7
	B.178235	Angle, port	1	DTD.546		
	B.178236	Angle, starboard	1	DTD.546		
	B.178231	Diaphragm	1	DTD.610		
	B.186121	Ring, supporting, port	1	DTD.610		
	B.186122	Ring, supporting, starboard	1	DTD.610		
2186	B.177538	Member, bottom, for frame 29, forward	1	DTD.166	MR/C	JB.7
2187	B.177539	Member, bottom, for frame 29, aft	1	DTD.166	MR/C	JB.7
6054	A.204325	Packing, at frame 29	1	L.72	MR/C	
2188	B.182435	Stiffener, bottom, for frame 30	1	DTD.610	MR/C	JB.7
2189	C.182434	Stiffener, bottom, for frame 31	1	DTD.610	MR/C	JB.7
	E.200962	SKINS, FOR CENTRE FUEL TANK, SUB-ASSEMBLY	—	—		
4533	E.200962/3	Skin, forward bottom, port	1	DTD.610	B.	JB.3
4534	E.200962/4	Skin, forward bottom, starboard	1	DTD.610	B.	JB.3
2605	E.182428/7	Skin, aft bottom, port	1	DTD.610	MR/B	JB.3
2606	E.182428/8	Skin, aft bottom, starboard	1	DTD.610	MR/B	JB.3
	D.182430	SKINS, LOWER, FOR CENTRE FUEL TANK AND PILOTS' FLOOR, SUB-ASSEMBLY	—	—		
2607	B.182441	Angle, between frames 28 and 32	1	DTD.610	MR/C	JB.7
7086	B.182443	Angle, between frames 28 and 32	1	DTD.610	MR/C	JB.7
2608	B.182437	Ceiling, between frames 27 and 28, port	1	DTD.610	MR/C	JB.7
2609	B.182438	Ceiling, between frames 27 and 28, starboard	1	DTD.610	MR/C	JB.7
2610	D.182430/1	Diaphragm, forward, port	1	DTD.610	MR/C	JB.7
2611	D.182430/2	Diaphragm, aft, port	1	DTD.610	MR/C	JB.7
7084	D.182431/1	Diaphragm, forward, starboard	1	DTD.610	MR/C	JB.7
7085	D.182431/2	Diaphragm, aft, starboard	1	DTD.610	MR/C	JB.7
2612	D.182430/3	Floor, forward	1	DTD.610	MR/C	JB.7
2613	D.182430/4	Floor, aft	1	DTD.610	MR/C	JB.7
2614	B.182439	Trough, port	1	DTD.610	MR/C	JB.7
2615	B.182440	Trough, starboard	1	DTD.610	MR/C	JB.7
	D.180824-5	SKIN, SUPPORTING, FORWARD FUEL TANK, ASSEMBLY	—	—		
	D.180829	Skin, supporting centre wall, for front fuel tank port, group	1	—		
	D.180830	Skin, supporting centre wall, for front fuel tank starboard, group	1	—		
4721	F.195551	Angle, attaching hydraulic pipes... ..	1	DTD.610	MR/C	JB.7
2616	D.180829/8	Angle, for diaphragm, port	1	DTD.610	MR/C	JB.7
2617	D.180830/8	Angle, for diaphragm, starboard	1	DTD.610	MR/C	JB.7

RESTRICTED

Hunter T. Mk. 7
Issued with A/L No. 10

FUSELAGE—CENTRE PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
4722	F.197468					Bracket , mounting, for transfer pressure switch, balance pipes	1	—	MR/C	JB.7
2618	A.180855					Channel , supporting diaphragm	1	Rolled Section	MR/C	JB.7
2619	B.180845					Diaphragm , bottom aft	1	DTD.610	MR/C	JB.7
8221	B.215750					Diaphragm , bottom forward, port	1	DTD.610	MR/C	JB.7
2621	B.180844					Diaphragm , bottom forward, starboard	1	DTD.610	MR/C	JB.7
2622	F.182567					Plate , reinforcing, bottom portion	2	DTD.610	MR/C	JB.7
2623	A.193269					Plate , reinforcing, bottom portion	1	DTD.610	MR/C	JB.7
2624	F.192312					Plate , reinforcing, bottom portion, port	1	DTD.610	MR/C	JB.7
2625	F.192313					Plate , reinforcing, bottom portion, starboard	1	DTD.610	MR/C	JB.7
4211	Std.1687/2					Saddle , attaching electrical cables (port only)	3	DTD.610	C.	5
2626	B.178521					Stringer 'J' , nose spar to frame 21, port	1	DTD.364	MR/C	JB.4
2627	B.178522					Stringer 'J' , nose spar to frame 21, starboard	1	DTD.364	MR/C	JB.4
2628	C.178523					Stringer 'J' , frame 21 to main spar, port	1	DTD.364	MR/C	JB.4
2629	C.178524					Stringer 'J' , frame 21 to main spar, starboard	1	DTD.364	MR/C	JB.4
2630	C.178641					Stringer 'J' , main spar to rear spar, port	1	DTD.364	MR/C	JB.4
2631	C.178642					Stringer 'J' , main spar to rear spar, starboard	1	DTD.364	MR/C	JB.4
2632	D.179961					Stringer 'J' , rear spar to frame 40, port	2	DTD.364	MR/C	JB.4
2634	D.179963					Stringer 'K' , between rear spar and frame 40A, port	1	DTD.364	MR/C	JB.4
2635	D.179964					Stringer 'K' , between rear spar and frame 40A, starboard	1	DTD.364	MR/C	JB.4
2636	B.178525					Stringer 'K' , between nose spar and frame 21, port	1	DTD.364	MR/C	JB.4
2637	B.178526					Stringer 'K' , between nose spar and frame 21, starboard	1	DTD.364	MR/C	JB.4
2638	C.178527-8					Stringer 'K' , between frame 21 and main spar, port	2 prs.	DTD.364	MR/C	JB.4
2640	C.178643					Stringer 'K' , main spar to rear spar	2	DTD.364	MR/C	JB.4
2641	D.179965					Stringer 'L' , between frames 37 and 40A, port	1	DTD.364	MR/C	JB.4
2642	D.179966					Stringer 'L' , between frames 37 and 40A, starboard	1	DTD.364	MR/C	JB.4
	A.220709					Strut , frame 19, at wireless bay cross member	1	L.72		
	D.180831					STRUCTURE, SUPPORTING, FOR FUEL TANK, ASSEMBLY	—	—		
4675	F.180854					Bracket	2	DTD.364	MR/C	JB.11
4676	C.180832					Channel	1	DTD.610	MR/C	JB.11
4677	C.180833					Channel	1	DTD.610	MR/C	JB.11
4678	C.180834					Channel	1	DTD.610	MR/C	JB.11
4679	C.180835					Channel	1	DTD.610	MR/C	JB.11
4680	B.180846					Member , inter-costal, port	1	—	MR/C	JB.11
4681	B.180847					Member , inter-costal, starboard	1	—	MR/C	JB.11
4682	A.180848					Member , inter-costal frames 21-22, port	1	DTD.610	MR/C	JB.11
4683	A.180849					Member , inter-costal frames 21-22, starboard	1	DTD.610	MR/C	JB.11
4684	A.180850					Member , inter-costal frames 22-23, port	1	DTD.610	MR/C	JB.11
4685	A.180851					Member , inter-costal frames 22-23, starboard	1	DTD.610	MR/C	JB.11
4686	A.180852					Member , inter-costal frames 23-35, port	1	DTD.610	MR/C	JB.11
4687	A.180853					Member , inter-costal frames 23-25, starboard	1	DTD.610	MR/C	JB.11
4688	C.180840					Plate , fuel pump, mounting	2	DTD.610	MR/C	JB.11
4689	C.180841					Plate , recuperator mounting, port	1	DTD.610	MR/C	JB.11
4690	C.180842					Plate , recuperator mounting, starboard	1	DTD.610	MR/C	JB.11
8431	Chekaleke					Plug	16	—	C.	
or	No. 5 or No. 6									
8432										
4652	Std.1299/3					Stud , securing guard and clips, for attaching electrical cables	21	S.95.B	C.	4

RESTRICTED

Hunter T. Mk. 7
Issued with A/L No. 10

FUSELAGE—CENTRE PORTION

Ref No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	E.221248-9	STUB-WING, ASSEMBLY					—	—		
	C.222754-5	DUCT IN STUB-WING, ASSEMBLY					—	—		
	F.216328	Angle, attachment, port					1	L.72		
	F.216329	Angle, attachment, starboard					1	L.72		
	A.216330	Bracket, support, port					1	L.72		
	A.216331	Bracket, support, starboard					1	L.72		
	Std.841/39	Clip, support, attaching duct to angle, at rib No. 1, $\frac{7}{16}$ " wide $\times$ 22 S.W.G. $\times$ 3-9" long					2	DTD.610		
	Std.1188/1	Clip, attaching duct to bracket at rib No. 2 ...					2	DTD.610		
	F.216332	Duct, for D.M.E. aerial					2	L.67		
	D.179488	Fillet, for wing aft of rear spar, port, group ...					1	—		
	D.179489	Fillet, for wing aft of rear spar, starboard group					1	—		
2645	B.181497	Angle, for seal retaining, top port					1	DTD.610	MR/C	JB.2
2646	B.181498	Angle, for seal retaining, top starboard					1	DTD.610	MR/C	JB.2
2647	B.181499	Angle, for seal retaining, bottom port					1	DTD.610	MR/C	JB.2
2648	B.181500	Angle, for seal retaining, bottom starboard ...					1	DTD.610	MR/C	JB.2
2649	A.188212	Angle, for seal retaining, top forward, port ...					1	DTD.610	MR/C	JB.2
2650	A.188213	Angle, for seal retaining, top forward, starboard					1	DTD.610	MR/C	JB.2
2651	A.188214	Angle, for seal retaining, bottom forward, port					1	DTD.610	MR/C	JB.2
2652	A.188215	Angle, for seal retaining, bottom forward, starboard					1	DTD.610	MR/C	JB.2
1027	D.179488/A	Fillet, top, removable, port					1	DTD.610	B.	JB.1
1028	D.179488/B	Fillet, bottom, forward, removable, port					1	DTD.610	B.	JB.1
1029	B.179488/C	Fillet, bottom, aft, removable, port					1	DTD.610	B.	JB.1
1030	D.179489/A	Fillet, top, removable, starboard					1	DTD.610	B.	JB.1
1031	D.179489/B	Fillet, bottom, forward, removable, starboard					1	DTD.610	B.	JB.1
1032	D.179489/C	Fillet, bottom, aft, removable, starboard					1	DTD.610	B.	JB.1
	C.190330	PANEL, ACCESS, FOR HYDRAULIC RESERVOIR, SUB-ASSEMBLY					—	—		
	B.190332	Landing, group					1	DTD.610		
28FP/341	Dzus S.5.325	Spring					1	—	C.	
3762	Std.915/A/18	Washer					1	DTD.610	MR/C	4
1033	B.190331	Panel, group					1	DTD.610	C.	JB.1
28FP/617	Dzus EF5/45B	Fastener					3	—	C.	
2653	F.181992	Plate, nut, at rear spar					2	S.3	MR/C	
	C.181538	Plate, for rudder seal retaining, port					1	DTD.610		
	C.181539	Plate, for rubber seal retaining, starboard ...					1	DTD.610		
1706	Std.1703/6C	Screw					130	S.95.B	C.	5
6752	Std.1703/9C	Screw					2	S.95.B	C.	5
2654	A.182036	Trailing edge					2	L.33, L.51 or L.1	MR/C	JB.1
	C.221175	Member, top, at leading edge, port, group ...					1	—		JB.2
	F.211939	Lug, attachment					1	Casting		
	C.221176	Member, top, at leading edge, starboard, group					1	—		JB.2
	F.211940	Lug, attachment					1	Casting		
	C.221096	Member, bottom, at leading edge, port, group ...					1	—		JB.2
	F.211937	Lug, attachment					1	Casting		
	C.221097	Member, bottom, at leading edge, starboard, group					1	—		JB.2
	F.211938	Lug, attachment					1	Casting		

FUSELAGE—CENTRE PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
2659	C.178820					Mounting , for undercarriage wheel door hinge, port	1	—	MR/C	JB.2
2660	C.178821					Mounting , for undercarriage wheel door hinge, starboard	1	—	MR/C	JB.2
	C.221177					Rib No. 1 , at leading edge, top, port, group ...	1	—		JB.2
	F.211941					Plate , nut	1	S.3		
	C.221178					Rib , No. 1, at leading edge, top, starboard, group	1	—		JB.2
	F.211941					Plate , nut	1	S.3		
	B.222750					Rib , No. 2, at leading edge, top, port (Mod. 535)	1	DTD.610		JB.2
	B.222751					Rib , No. 2, at leading edge, top, starboard (Mod. 535)	1	DTD.610		JB.2
2665	B.180012					Rib , No. 3, at leading edge, top, port	1	DTD.610	MR/B	JB.2
2666	B.180013					Rib , No. 3, at leading edge, top, starboard ...	1	DTD.610	MR/B	JB.2
2667	B.180014					Rib , No. 1, at leading edge, bottom, port ...	1	DTD.610	MR/B	JB.2
2668	B.180015					Rib , No. 1, at leading edge, bottom, starboard ...	1	DTD.610	MR/B	JB.2
2669	B.180016					Rib , No. 2, at leading edge, bottom, port ...	1	DTD.610	MR/B	JB.2
2670	B.180017					Rib , No. 2, at leading edge, bottom, starboard ...	1	DTD.610	MR/B	JB.2
2671	B.180018					Rib , No. 3, at leading edge, bottom, port ...	1	DTD.610	MR/B	
2672	B.180019					Rib , No. 3, at leading edge, bottom, starboard ...	1	DTD.610	MR/B	
2673	B.180020					Rib , outboard, at leading edge	1	DTD.610	MR/B	JB.2
10578	F.173639					Bracket , FR.28, port	1	DTD.610	MR/C	
2674	B.180021					Rib , outboard, at leading edge	1	DTD.610	MR/B	JB.2
10579	F.173640					Bracket , FR.28, starboard	1	DTD.610	MR/C	
	D.196440-1					SEALING, BETWEEN STUB-WING AND WING, SUB-ASSEMBLY	—	—		
3847	A.196439					Pad , sealing, at trailing edge	2	Volcrepe T.L.S.	C.	JB.2
3848	A.196438					Strip , sealing, at leading edge	2	Volcrepe T.L.S.	C.	JB.2
—	—					Strip , sealing, 1" wide × $\frac{3}{16}$ " thick (D.196440/1 to 5, and D.196441/1) (Make from 32C/660)	30	Volcrepe	—	
4023	Std.1509/12/018					Tube , distance, $\frac{1}{4}$ " o/d × 20 SWG × 0-18" long (Make from 30B/1779)	6	L.62	MR/C	4
	D.221308-9					SKIN, COVERING, ASSEMBLY	—	—		
3852	A.195904					Door , access, to hydraulic connections ...	2	DTD.610	C.	JB.1
7875‡	C.216760					Fairing , outboard, port (undrilled)	1	DTD.610	B.	JB.1
7876‡	C.216761					Fairing , outboard, starboard (undrilled) ...	1	DTD.610	B.	JB.1
2676	B.192636					Landing , forward, for stub-wing access panel, port	1	DTD.610	MR/C	JB.4
2677	B.192637					Landing , forward, for stub-wing access panel, starboard	1	DTD.610	MR/C	JB.4
2678	B.192640					Landing , aft, for stub-wing access panel, port	1	DTD.610	MR/C	JB.4
2679	B.192641					Landing , aft, for stub-wing access panel, starboard	1	DTD.610	MR/C	JB.4
2680	B.192638					Landing , inboard, for stub-wing access panel, port	1	DTD.610	MR/C	JB.4
2681	B.192639					Landing , inboard, for stub-wing access panel, starboard	1	DTD.610	MR/C	JB.4
4016	A.195903					Landing , for hydraulic connection access door	2	DTD.610	MR/C	JB.4
	C.221330/1					Nosing , top, port	1	—		JB.1
	C.221331/1					Nosing , top, starboard	1	—		JB.1
1823	C.182598					Nosing , bottom, port	1	—	B.	JB.1
1824	C.182699					Nosing , bottom, starboard	1	—	B.	JB.1
1038	D.188722					Panel , access, for pin joint at main spar, top, port	1	DTD.610	B.	JB.1
1039	D.188723					Panel , access, for pin joint at main spar, top, starboard	1	DTD.610	B.	JB.1

Hunter T. Mk. 7
Issued with A/L No. 3

FUSELAGE-CENTRE PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
5818	C.200861					Panel , access to pressure relief valve, port ...	1	L.72	C.	JB.1
5819	C.200862					Panel , access to pressure relief valve, starboard	1	L.72	C.	JB.1
4723	F.199630					Panel , access to undercarriage hydraulic connection	2	—	MR/C	JB.1
1040	D.188724					Panel , access, for pin joint at main spar, bottom, port	1	DTD.610	B.	JB.1
1041	D.188725					Panel , access, for pin joint at main spar, bottom, starboard	1	DTD.610	B.	JB.1
	C.222752-3					PANEL, ACCESS, IN TOP SKIN OF STUB-WING, ASSEMBLY	—	—		
9418	B.216139					Panel , access, port, for D.M.E. aerial ...	1	—	B.	
9419	B.216140					Panel , access, starboard, for D.M.E. aerial...	1	—	B.	
7839	D.211964					Panel , access, on underside of stub-wing, port, group (Mod. 229)	1	DTD.610	B.	JB.1
7988	B.211962					Door , access, to armament safety plug, group	1	—	B.	JB.1
	Fairey FS.430/E					Fastener , type 3 ...	1	—		
	F.211961					Packing ...	2	L.72		
1781	D.192980					Panel , access, on underside of stub-wing, starboard, group	1	DTD.610	B.	JB.5
4724	A.199629					Plate , reinforcing, for undercarriage hydraulic connections	2	DTD.610	MR/C	
4725	F.196550					Retainer , for sealing, port ...	2	DTD.610	MR/C	
4726	F.196551					Retainer , for sealing, starboard ...	2	DTD.610	MR/C	
1807	D.182688/1					Skin , top, nose spar to main spar, inboard, port (Supplied flat)	1	DTD.610	B.	JB.1
1809	D.182688/3					Skin , forward of nose spar, top, port ...	1	DTD.610	B.	JB.1
	D.200965/2					Skin , forward of nose spar, top, port ...	1	DTD.610		JB.1
	D.221308/1					Skin , forward of nose spar, top, port ...	1	DTD.610		JB.1
1812+	D.182688/6					Skin , top, aft of main spar, port ...	1	DTD.610	B.	JB.1
2682	D.182688/9					Skin , forward of nose spar, bottom, port ...	1	DTD.610	MR/B	JB.1
2683	D.182688/10					Skin , forward of nose spar, bottom, port ...	1	DTD.610	MR/B	JB.1
2684	D.182688/11					Skin , forward of nose spar, bottom, port ...	1	DTD.610	MR/B	JB.1
1813+	D.182688/15					Skin , bottom, inboard of wheel door, port ...	1	DTD.610	B.	JB.1
	D.182688/22					Skin , top nose spar to main spar, outboard, port	1	DTD.610		JB.1
	D.182688/23					Skin , bottom, outboard, rear of nose spar, port	1	DTD.610		
	D.182689/1					Skin , top, nose spar to main spar, inboard, starboard (Supplied as D.182688/1 for spares)	1	DTD.610		JB.1
1816	D.182689/3					Skin , forward of nose spar, top, starboard ...	1	DTD.610	B.	JB.1
	D.200966/2					Skin , forward of nose spar, top, starboard ...	1	DTD.610		JB.1
	D.221309/1					Skin , forward of nose spar, top, starboard ...	1	DTD.610		JB.1
1819	D.182689/6					Skin , top, aft of main spar, starboard ...	1	DTD.610	B.	JB.1
2685	D.182689/9					Skin , forward of nose spar, bottom, starboard	1	DTD.610	MR/B	JB.1
2686	D.182689/10					Skin , forward of nose spar, bottom, starboard	1	DTD.610	MR/B	JB.1
2687	D.182689/11					Skin , forward of nose spar, bottom, starboard	1	DTD.610	MR/B	JB.1
1820	D.182689/15					Skin , bottom, inboard of wheel door, starboard	1	DTD.610	B.	JB.1
	D.182689/22					Skin , top, nose spar to main spar, outboard, starboard	1	DTD.610		
	D.182689/23					Skin , bottom, outboard, rear of nose spar, starboard	1	DTD.610		

RESTRICTED

Hunter T. Mk. 7
Issued with A/L No. 3

FUSELAGE-CENTRE PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	E.221441-2 D.182684-5	SKIN, COVERING, FOR AIR INTAKE, BOUNDARY LAYER DUCT, SUB-ASSEMBLY					-	-		
2643	B.183782	Leading edge section, forward of nose spar, port					1	DTD.364	MR/C	JB.4
2644	B.183783	Leading edge section, forward of nose spar, starboard					1	DTD.364	MR/C	JB.4
5712	A.183784	Spacer, at forward end of duct					4	DTD.364	MR/C	JB.4
	C.222756-7	MOUNTINGS FOR D.M.E, AERIAL, ASSEMBLY					-	-		
	F.216141	Bracket, attachment for eyebolt					4	S.96,B		
	F.217474	Bracket, mounting					2	L.72		
	F.216142	Eyebolt, for attaching aerial					4	S.96,B		
6862	E.221441/1	Skin, top, forward, port					1	L.72	MR/B	
	E.221442/1	Skin, top, forward, starboard					1	L.72		
	E.182686/3	Skin, top, aft, port					1	L.72		
	E.182687/3	Skin, top, aft, starboard					1	L.72		
	E.182686/4	Skin, bottom, forward, port					1	L.72		
	E.182687/4	Skin, bottom, forward, starboard					1	L.72		
	E.182686/6	Skin, bottom, aft, port					1	L.72		
	E.182687/6	Skin, bottom, aft, starboard					1	L.72		
	E.182686/12	Skin, top, centre, port					1	L.72		
	E.182687/12	Skin, top, centre, starboard					1	L.72		
	E.182686/13	Skin, bottom, centre, port					1	L.72		
	E.182687/13	Skin, bottom, centre, starboard					1	L.72		
	E.182686/7	Strap, butt, port					1	L.72		
	E.182687/7	Strap, butt, starboard					1	L.72		
	F.193682	Strap, butt					2	L.72		
—	Std.1509/24/070	Tube, distance, for strut at wireless bay cross member (Make from 30B/557)					1	T.4	—	
—	Std.1509/24/078	Tube, distance, for strut at wireless bay cross member (Make from 30B/557)					1	T.4	—	

RESTRICTED


Hunter T. Mk. 7
Issued with A/L No. 10


FUSELAGE—CENTRE PORTION


Ref No.	Part No.	Description								No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5	6	7	8				
SUMMARY OF STOCK ITEMS													
28D/1010658	A25.1.B	Bolt, 4	B.A.	...	...	...	...	...	...	—	—	—	
28D/9436920	A25.1.C	Bolt, 2	B.A.	...	...	...	...	...	...	—	—	—	
28D/9133011	A25.2.C	Bolt, 2	B.A.	...	...	...	...	...	...	—	—	—	
28D/9133012	A25.3.C	Bolt, 2	B.A.	...	...	...	...	...	...	—	—	—	
28D/1200119	A25.4.C	Bolt, 2	B.A.	...	...	...	...	...	...	—	—	—	
28D/7002428	A25.6.C	Bolt, 2	B.A.	...	...	...	...	...	...	—	—	—	
28D/1010030	A25.7.C	Bolt, 2	B.A.	...	...	...	...	...	...	—	—	—	
28D/1011019	A25.8.C	Bolt, 2	B.A.	...	...	...	...	...	...	—	—	—	
28D/12536	A25.13.C	Bolt, 2	B.A.	...	...	...	...	...	...	—	—	—	
28D/9140647	A25.14.C	Bolt, 2	B.A.	...	...	...	...	...	...	—	—	—	
28D/9453970	A25.15.C	Bolt, 2	B.A.	...	...	...	...	...	...	—	—	—	
28D/9140648	A25.19.C	Bolt, 2	B.A.	...	...	...	...	...	...	—	—	—	
28D/1011238	A25.3.E	Bolt, 1/4"	B.S.F.	...	...	...	...	...	...	—	—	—	
28D/1011242	A25.7.E	Bolt, 1/4"	B.S.F.	...	...	...	...	...	...	—	—	—	
28D/1011248	A25.16.E	Bolt, 1/4"	B.S.F.	...	...	...	...	...	...	—	—	—	
28D/12548	A25.17.E	Bolt, 1/4"	B.S.F.	...	...	...	...	...	...	—	—	—	
28D/7002440	A25.18.E	Bolt, 1/4"	B.S.F.	...	...	...	...	...	...	—	—	—	
28D/13046	A25.19.E	Bolt, 1/4"	B.S.F.	...	...	...	...	...	...	—	—	—	
28D/14434	A25.31.G	Bolt, 5/16"	B.S.F.	...	...	...	...	...	...	—	—	—	
28D/13070	A25.38.G	Bolt, 5/16"	B.S.F.	...	...	...	...	...	...	—	—	—	
28D/15068	A57.2.E	Bolt, 1/4"	B.S.F.	...	...	...	...	...	...	—	—	—	
28D/12179	AGS.571/505	Bolt, 5/16"	B.S.F.	...	...	...	...	...	...	—	—	—	
28D/15069	A57.18.G	Bolt, 5/16"	B.S.F.	...	...	...	...	...	...	—	—	—	
28D/15070	A57.25.G	Bolt, 5/16"	B.S.F.	...	...	...	...	...	...	—	—	—	
28D/9131782	AS.1242.2B	Bolt, 4	B.A.	...	...	...	...	...	...	—	—	—	
28D/1007319	AS.1242.4B	Bolt, 4	B.A.	...	...	...	...	...	...	—	—	—	
28D/8306	AS.1242.1C	Bolt, 2	B.A.	...	...	...	...	...	...	—	—	—	
28D/8307	AS.1242.2C	Bolt, 2	B.A.	...	...	...	...	...	...	—	—	—	
28D/8308	AS.1242.3C	Bolt, 2	B.A.	...	...	...	...	...	...	—	—	—	
28D/8304	AS.1242.6B	Bolt, 4	B.A.	...	...	...	...	...	...	—	—	—	
28D/8311	AS.1242.7C	Bolt, 2	B.A.	...	...	...	...	...	...	—	—	—	
28D/8324	AS.1242.3E	Bolt, 1/4"	B.S.F.	...	...	...	...	...	...	—	—	—	
28D/12124	AS.1242.19E	Bolt, 1/4"	B.S.F.	...	...	...	...	...	...	—	—	—	
28D/12052	AS.1242.20E	Bolt, 1/4"	B.S.F.	...	...	...	...	...	...	—	—	—	
28D/9128739	AS.1248.1/2B	Bolt, 4	B.A.	...	...	...	...	...	...	—	—	—	
28D/1007981	AS.1248.1/2C	Bolt, 2	B.A.	...	...	...	...	...	...	—	—	—	
28D/1007982	AS.1248.1C	Bolt, 2	B.A.	...	...	...	...	...	...	—	—	—	
28D/8342	AS.1248.2C	Bolt, 2	B.A.	...	...	...	...	...	...	—	—	—	
28D/12478	AS.1248.19C	Bolt, 2	B.A.	...	...	...	...	...	...	—	—	—	
28E/10027	AS.2295/1	Clip	...	...	...	...	...	...	...	—	—	—	
28D/13100	A30.5E	Bolt, 1/4"	B.S.F.	...	...	...	...	...	...	—	—	—	
28D/13262	A30.6E	Bolt, 1/4"	B.S.F.	...	...	...	...	...	...	—	—	—	
28D/13473	A30.8J	Bolt, 3/8"	B.S.F.	...	...	...	...	...	...	—	—	—	
28D/13369	A30-9J	Bolt, 3/8"	B.S.F.	...	...	...	...	...	...	—	—	—	
28D/13345	A30-11J	Bolt, 3/8"	B.S.F.	...	...	...	...	...	...	—	—	—	
28D/13101	A30-12J	Bolt, 3/8"	B.S.F.	...	...	...	...	...	...	—	—	—	
28M/13271	A25.E.P.	Nut, 1/4"	B.S.F.	...	...	...	...	...	...	—	—	—	
28M/13273	A25.J.P.	Nut, 3/8"	B.S.F.	...	...	...	...	...	...	—	—	—	
28M/14438	A25.L.P.	Nut, 7/16"	B.S.F.	...	...	...	...	...	...	—	—	—	
28M/13140	A27.B.T.	Nut, 4	B.A.	...	...	...	...	...	...	—	—	—	
28M/12929	A27.C.P.	Nut, 2	B.A.	...	...	...	...	...	...	—	—	—	
28M/13124	A27.C.T.	Nut, 2	B.A.	...	...	...	...	...	...	—	—	—	


FUSELAGE—CENTRE PORTION


Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
28M/12928	A27.E.P.	Nut,	$\frac{1}{4}$ "	B.S.F.	...	...	—	—	—	
28M/12931	A27.E.T.	Nut,	$\frac{1}{4}$ "	B.S.F.	...	...	—	—	—	
28M/1006939	A27.G.P.	Nut,	$\frac{5}{16}$ "	B.S.F.	...	...	—	—	—	
28M/1011477	A27.N.P.	Nut,	$\frac{1}{2}$ "	B.S.F.	...	...	—	—	—	
28M/13244	A27.P.T.	Nut,	$\frac{9}{16}$ "	B.S.F.	...	...	—	—	—	
28M/13403	AGS.572.A.P.	Nut,	$\frac{1}{4}$ "	B.S.F.	...	...	—	—	—	
28M/13439	AGS.572.C.P.	Nut,	$\frac{5}{16}$ "	B.S.F.	...	...	—	—	—	
28M/14440	A58.J.T.	Nut,	$\frac{3}{8}$ "	B.S.F.	...	...	—	—	—	
28M/10287	AGS.2001/B1	Nut,	4	B.A.	...	...	—	—	—	
28M/10288	AGS.2001/C1	Nut,	2	B.A.	...	...	—	—	—	
28M/10327	AGS.2002/B1	Nut,	4	B.A.	...	...	—	—	—	
28M/10328	AGS.2002/C1	Nut,	2	B.A.	...	...	—	—	—	
28M/10330	AGS.2002/E1	Nut,	$\frac{1}{4}$ "	B.S.F.	...	...	—	—	—	
28M/11957	AGS.2007/C1	Nut,	2	B.A.	...	...	—	—	—	
28M/9435067	AGS.2008/C1	Nut,	2	B.A.	...	...	—	—	—	
28M/9999	AGS.2012/C11	Nut,	2	B.A.	...	...	—	—	—	
28M/9419400	AGS.2013/C11	Nut,	2	B.A.	...	...	—	—	—	
28M/12421	AGS.2018/C1	Nut,	2	B.A.	...	...	—	—	—	
28M/9144673	AGS.2019/C1	Nut,	2	B.A.	...	...	—	—	—	
28P/818	SP4Y/A8	Pin	...	...	...	...	—	—	—	
28W/9419402	SP.13.C	Washer,	2	B.A.	...	...	—	—	—	
28W/9419474	SP.15.B	Washer,	4	B.A.	...	...	—	—	—	
28W/9419475	SP.15.C	Washer,	2	B.A.	...	...	—	—	—	
28W/9419405	SP.15.E	Washer,	$\frac{1}{4}$ "	dia.	...	...	—	—	—	
28W/9419476	SP.15.G	Washer,	$\frac{5}{16}$ "	dia.	...	...	—	—	—	
28W/9419477	SP.15.J	Washer,	$\frac{3}{8}$ "	dia.	...	...	—	—	—	
28W/9419478	SP.15.L	Washer,	$\frac{7}{16}$ "	dia.	...	...	—	—	—	
28W/9419479	SP.15.N	Washer,	$\frac{1}{2}$ "	dia.	...	...	—	—	—	
28W/9419404	SP.16.C	Washer,	2	B.A.	...	...	—	—	—	
28W/9419487	SP.16.E	Washer,	$\frac{1}{4}$ "	dia.	...	...	—	—	—	
28W/9419488	SP.16.G	Washer,	$\frac{5}{16}$ "	dia.	...	...	—	—	—	
28W/9419489	SP.16.J	Washer,	$\frac{3}{8}$ "	dia.	...	...	—	—	—	
28W/9419493	SP.16.Q	Washer,	$\frac{5}{8}$ "	dia.	...	...	—	—	—	
28W/3097	AGS.162/B	Washer,	4	B.A.	...	...	—	—	—	




























This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

