

FUSELAGE—HOOD AND WINDSCREEN

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	E.219298	HOOD AND WINDSCREEN INSTALLATION, ASSEMBLY					—	—		
9968	F.231518	Angle , at centre beam (Mod. 806)					2	L.65.C	C.	JF.1
9971	DTD.487/26/C	Bolt , securing bush and plug end					1	DTD.487	C.	JF.1
	C.231273	ADDITIONAL DETAILS, ASSEMBLY					—	—		
	A.231224	Housing , block, forward, port					1	S.94.B		
	A.231225	Housing , block, forward, starboard					1	S.94.B		
	A.231430	Housing , block, aft, port					1	S.94.B		
	A.231431	Housing , block, aft, starboard					1	S.94.B		
	F.232698	Packing , port					1	—		
	F.232699	Packing , starboard					5	—		
	F.230878	Shim , aft					5	Laminated Steel		
	F.232700	Shim , forward					4	Laminated Brass		
8895	F.216574	Shim					7	Laminated Brass	C.	
	F.230879	Spigot					2	—		
—	Std.1509/23/070	Tube , distance (Make from 30B/1784)					2	L.62	—	
—	Std.1509/23/050	Tube , distance (Make from 30B/1784)					2	L.62	—	
1603	Std.1700/1C	Bolt , countersunk head					41	S.95.B	C.	5
9810	Std.1700/5C	Bolt , countersunk head					8	S.95.B	C.	5
8901	Std.1700/16C	Bolt , countersunk head					2	S.95.B	C.	5
8902	Std.1700/22C	Bolt , countersunk head					2	S.95.B	C.	5
26AQ/2970	Std.1702/5C	Bolt , countersunk head					12	S.95.B	C.	5
9969	F.231520	Bush , strut attachment (Mod. 806)					2	BSS.369	C.	JF.1
9970	F.231521	Bush , at plunger external tube (Mod. 806)					1	BSS.369	C.	JF.1
8903‡	C.219831	Finisher , front					1	L.72	C.	JF.2
8904‡	E.219832	Finisher , side, port					1	—	C.	JF.2
8905‡	E.219833	Finisher , side, starboard					1	—	C.	JF.2
10094	E.233786	Hood , group (Less seal) (Mod. 803)					1	—	A.	
	E.219020	ADDITIONAL DETAILS, ASSEMBLY					—	—		
	DTD.487/2/C	Bolt , securing roller					2	DTD.487		
	DTD.487/23/C	Bolt , securing roller					1	DTD.487		
	DTD.487/25C	Bolt , securing roller					1	DTD.487		
9972	DTD.487/25E	Bolt , securing roller					1	DTD.487	C.	JF.1
	C.218631	Bracket , hinge, group					1	—		
8906	F.210825	Bolt , special, for rollers					1	S.95.B	C.	JF.1
	F.258485	Roller (AS.1150/37P)					2	BSS.369	C.	JF.1
	F.210826	Roller					2	S.80.B		JF.1
	F.210827	Roller					1	S.80.B		JF.1
	F.210533	Shaft , for rollers					1	S.80		JF.1
8908	F.218647	Stop					1	L.65.C	C.	JF.1
	B.218694	Bracket , stabiliser, port, group					1	—		
	B.218695	Bracket , stabiliser, starboard, group					1	—		
	A.220286	Bracket , for inflatable seal connection					1	S.510	—	JF.1
8911	F.220261	Bush , for inflatable seal connection					1	Rubber	C.	JF.1
9948	F.233250	Bush , in stabiliser bracket					4	BSS.369	C.	JF.1
	F.220288	Coupling , for inflatable seal					1	L.65.C	—	JF.1
	A.220285	Connector , for inflatable seal					1	L.65.C	—	JF.1
	D.219122	Door , hinged, aft of hood, group					1	—	—	JF.1
	A.218681	Bracket , hinge, port					1	—	—	JF.1
	A.218682	Bracket , hinge, starboard					1	—	—	JF.1
	F.218692	Fitting , special					1	S.96.B		
	A.218706	Fitting , for roller, group					1	—		
9972	DTD.487/25E	Bolt , securing, roller					1	DTD.487	C.	JF.1
	F.213942	Piece , distance, for roller					1	BSS.369		JF.1
	F.220248	Roller					1	DTD.487		JF.1
	F.218787	Link					1	L.72		

RESTRICTED

Hunter T. Mk. 7
Issued with A/L No. 10

FUSELAGE—HOOD AND WINDSCREEN

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
10208	C.218776	Mounting, for inflatable seal Group (Mod. 789)					1	—		
	F.233581	Lever, actuating bar					1	S.521	C.	
	F.232246	Plate, tapped					1	L.72		
	F.219198	Packing					2	L.72		
	8909 F.210448	Piece, distance					4	BSS.369	C.	JF.1
	8910 F.210446	Roller					4	S.80.B	C.	JF.1
8913	A.127044	Spring, for hinged door					4	—	C.	JF.1
7009 8914±	F.231996	Bolt, special					4	S.99.B		JF.1
	F.232056	Door, at rear hook, port and starboard					2	L.72		JF.1
	A.217899	Hook, front, port and starboard					2	S.99		JF.1
	A.231994	Hook, rear, port and starboard					2	S.99		JF.1
	Std.1511/C	Nut					18	—	C.	4
	D.218935	Seal, inflatable (less holes)					1	—	B.	JF.1
	F.232701	Shim, aft, port and starboard (Mod. 788)					2	—		
	F.211030	Shim, centre, port and starboard (attach loosely to hood)					2	—		
	F.230877	Shim, forward, port and starboard (Mod. 778)					4	—		
	F.231995	Shim, at rear hook, port and starboard					10	S.510		
	F.232019	Shim, at rear hook, port and starboard (Alternative to F.231995)					2	S.510		
	A.230873	Spigot, forward, port (Mod. 778)					1	L.65.C		
8915 8916 8917 10737	A.230874	Spigot, forward, starboard (Mod. 778)					1	L.65.C		
	A.230875	Spigot, rear, port (Mod. 778)					1	L.65.C		
	A.230876	Spigot, rear, starboard (Mod. 778)					1	L.65.C		
	B.219204	Strip, seal attachment, port					1	L.72	C.	JF.1
	B.219205	Strip, seal attachment, starboard					1	L.72	C.	JF.1
	A.219213	Strip, seal attachment					1	L.72	C.	JF.1
	C.233784	Spray, hood, port, group (Mod. 803)					1	—	B.	JF.1
	A.220225	Elbow					1	—		JF.1
	F.211474	Plate, stud					1	—		
	A.233773	Slide, group (Mod. 803)					1	S.520	C.	JF.1
	F.233774	Knob					1	Nylon Bar		
	Std.1507/2/016	Tube, distance					2	T.26 or DTD.432.S		4
10736 10036	C.233785	Spray, hood, starboard, group					1	—	B.	JF.1
	A.220226	Elbow					1	—		JF.1
	F.211474	Plate, stud					1	—		
	A.233773	Slide, group					1	S.520	C.	JF.1
	F.233774	Knob					1	Nylon Bar		
	Std.1507/2/016	Tube, distance					2	T.26		4
	Std.1935/G/D	Nut on plug end, internal tube (Mod. 806)					1	DTD.487	C.	JF.1
	F.210034	Plate, bearing					1	S.80.B		
	F.233298	Plate, strut attachment (Mod. 806)					1	L.72	C.	JF.1
	F.231515	Plug end, for external tube (Mod. 806)					1	L.65.C	C.	JF.1
	F.231516	Plug end, for internal tube (Mod. 806)					1	DTD.498	C.	JF.1
	F.210035	Shim					1	Brass		
9962 9960 9963 9961 9964 — 1327 — 9334	F.231524	Spring, for internal tube (Mod. 806)					1	Sp. St.	C.	JF.1
	A.231511	Strut (Mod. 806)					1	L.65.C	C.	JF.1
	F.231517	Trunnion, at internal attachment tube (Mod. 806)					1	DTD.498	C.	JF.1
	A.231512	Tube, external (Mod. 806)					1	—	C.	JF.1
	F.231513	Tube, internal (Mod. 806)					1	—	C.	JF.1
	Std.1547/22/12	Washer, packing (Make from 30B/1724, $\frac{1}{2}$ " x $\frac{1}{2}$ ")					2	L.72	—	4
	Std.1547/24/12	Washer, packing					2	DTD.610	C.	4
	E.219184	Windscreen, group					1	—		
	Std.1553/C/20	Bolt, securing clamp					10	S.99.B		5
	F.221988	Bolt, special, at sling attachment point					2	S.95.B	C.	JF.2

RESTRICTED

FUSELAGE-HOOD AND WINDSCREEN

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
9444	F.223709	Bolt, special, for fairing	...	...	...	...	2	S.96	C.	JF.2
8918	F.221543	Bolt, special for front light attachment	...	...	...	...	8	S.96.B	C.	JF.2
8919	F.219809	Bolt, special, for quarter light	...	...	...	...	14	S.95.B	C.	JF.2
9333	F.222515	Bracket, retaining	...	...	...	...	8	L.65.C	C.	JF.2
8921	A.219573	Clamp	...	...	...	...	1	—	C.	JF.2
8922	B.219574	Clamp, for front light, port	...	...	...	...	1	—	C.	JF.2
8923	B.219575	Clamp, for front light starboard	...	...	...	...	1	—	C.	JF.2
8924	A.219596	Clamp	...	...	...	...	1	—	C.	JF.2
8925	C.219667	Clamp, angle, bottom, port	...	...	...	...	1	—	C.	JF.2
8926	C.219668	Clamp, angle bottom starboard	...	...	...	...	1	—	C.	JF.2
8927	B.219716	Clamp, angle, rear	...	...	...	...	2	—	C.	JF.2
8928	C.219771	Clamp, angle, top, port	...	...	...	...	1	—	C.	JF.2
8929	C.219772	Clamp, angle, top, starboard	...	...	...	...	1	—	C.	JF.2
8930	C.221642	Clamp, side, port	...	...	...	...	1	—	C.	JF.2
8931	C.221643	Clamp, side, starboard	...	...	...	...	1	—	C.	JF.2
8932	F.219810	Clamp	...	...	...	...	10	S.1.B	C.	JF.2
9750	F.227552	Clamp	...	...	...	...	2	S.1	C.	JF.2
9340	C.222974	Fairing, port, for windscreen front light	...	...	...	...	1	—	C.	JF.2
9341	C.222975	Fairing, starboard, for windscreen front light	...	...	...	...	1	—	C.	JF.2
8933	F.219607	Ferrule	...	...	...	...	10	S.95.B	C.	JF.2
8934	F.219608	Ferrule	...	...	...	...	10	S.95.B	C.	JF.2
9751	F.227570	Ferrule, for bolt securing clamp	...	...	...	...	2	S.95.B	C.	JF.2
	E.219590	Frame, windscreen, group	...	...	...	...	1	—		JF.2
	C.219594	Beam, centre	...	...	...	...	1	L.65.C		JF.2
	F.210780	Bush, threaded	...	...	...	...	2	S.95.B		
	D.219612	MEMBER, ARCH, ASSEMBLY	...	...	...	...	—	—		
	C.219399	Bracket, corner, port	...	...	...	...	1	L.65.C		JF.2
	C.219400	Bracket, corner, starboard	...	...	...	...	1	L.65.C		JF.2
	D.219595	Bracket, centre	...	...	...	...	1	L.65.C		JF.2
	D.219826	Member, arch, centre portion	...	...	...	...	1	S.96.B		JF.2
	D.219827	Member, arch, side, port	...	...	...	...	1	S.96.B		JF.2
	D.219828	Member, arch, side starboard	...	...	...	...	1	S.96.B		JF.2
8936	Std.2013.G	Nut, barrel	...	...	...	...	2	M.T. Steel	C.	
8937	Std.2013.C	Nut, barrel	...	...	...	...	10	S.112	C.	
9443	F.223312	Nut, barrel	...	...	...	...	2	S.112	C.	
	F.217994	Nut, countersunk	...	...	...	...	2	S.95.B		
	C.219438	Strip, sealing	...	...	...	...	1	L.65.C		JF.2
9335	Std.1547/19/6	Washer, profile	...	...	...	...	5	DTD.610	C.	4
	D.21973-8	MEMBERS, FRONT AND EDGE, ASSEMBLY	...	...	...	...	—	—		
	D.219664	Member, bottom edge, port, group	...	...	...	...	1	—		JF.2
	F.231380	Bush, threaded	...	...	...	...	2	S.99.B & I.C.I.A.100		
	D.219665	Member, bottom edge, starboard, group	...	...	...	...	1	—		JF.2
	F.231380	Bush, threaded	...	...	...	...	2	S.99.B & I.C.I.A.100		

RESTRICTED

Hunter T. Mk. 7
Issued with A/L No. 10

FUSELAGE—HOOD AND WINDSCREEN

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	E.220581					Member, front, port ...	1	—		JF.2
	E.220582					Member, front, starboard ...	1	—		JF.2
	E.219741					Member, top edge, port ...	1	—		JF.2
	E.219742					Member, top edge, starboard ...	1	—		JF.2
8935	Std.2012.C					Nut, barrel ...	12	BSS.250.B	C.	
7965	Std.2079.C					Nut, barrel ...	2	Nylon	C.	
	F.217994					Nut, countersunk ...	2	S.95.B		
8935	Std.2012.C					Nut, barrel ...	12	BSS.250	C.	
9765	Std.2079/C					Nut, barrel ...	39	Nylon	C.	
	Std.2013/E					Nut, barrel ...	2	—		
	F.217994					Nut, countersunk ...	5	S.95.B		
9335	Std.1547/19/6					Washer, profile ...	6	DTD.610	C.	4
11092	D.260145					Front, light, port, group (Mod. D.1172) ...	1	—	B.	
8611	D.219295 *					Front, light, port, group (Pre Mod. 1172) ...	1	—	B.	JF.2
1523	F.173856					Banjo ...	1	DTD.364	C.	JF.2
1524	F.173857					Bolt, banjo ...	1	DTD.364	C.	JF.2
8510	Triplex A.5500					Drier, air ...	1	—	B.	
1526	F.191042					Washer ...	2	Rubber	C.	JF.2
4984	Std.914.G22					Washer ...	1	DTD.610	C.	4
32C/509	—					Tube, $\frac{9}{16}$ " o/d. $\times$ $\frac{3}{16}$ " i/d. $\times$ 27" long (D.219295/5)	1	DTD.625.A	C.	
11093	D.260146					Front, light, starboard, group (Mod. 1172) ...	1	—	B.	
8612	D.219296 *					Front, light, starboard, group (Pre Mod. 1172) ...	1	—	B.	JF.2
1523	F.173856					Banjo ...	1	DTD.364	C.	JF.2
1524	F.173857					Bolt, banjo ...	1	DTD.364	C.	JF.2
8510	Triplex A.5500					Drier, air ...	1	—	B.	
1526	F.191042					Washer ...	2	Rubber	C.	JF.2
4984	Std.914/G22					Washer ...	1	DTD.610	C.	4
32C/509	—					Tube, $\frac{9}{16}$ " o/d. $\times$ $\frac{3}{16}$ " i/d. $\times$ 24" long (D.219296/3)	1	DTD.625.A	C.	
2144	Std.1231/3					Lug, locking ...	1	—	C.	4
9752	Std.2080/C					Nut, barrel ...	4	M.T. Steel	C.	
8613	C.219279					Quarterlight, port ...	1	DTD.838	C.	JF.2
8614	C.219280					Quarterlight, starboard ...	1	DTD.838	C.	JF.2
8938	F.219889					Screw, adjusting ...	10	S.96.B	C.	JF.2
9763	F.229456					Screw, adjusting ...	2	S.96.B	C.	JF.2
8939	F.218465					Seal, for front light clamp screws ...	8	Rubber	C.	JF.2
9789	C.230419					Seal, for front panel, port ...	1	Neoprene	C.	JF.2
9790	C.230420					Seal, for front panel, starboard ...	1	Neoprene	C.	JF.2
9791	C.230421					Seal, for quarterlight, port ...	1	Neoprene	C.	JF.2
9792	C.230422					Seal, for quarterlight, starboard ...	1	Neoprene	C.	JF.2
9754	Std.2008/C/070					Strip, locking ...	12	S.84	C.	
9332	F.222516					Washer, serrated, retaining cam ...	8	Rubber	C.	JF.2
9335	Std.1547/19/6					Washer, profile (Mod. 803) ...	2	DTD.610	C.	

RESTRICTED


Hunter T. Mk. 7
Issued with A/L No. 10


FUSELAGE—HOOD AND WINDSCREEN

Ref No.	Part No.	Description								No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5	6	7	8				
SUMMARY OF STOCK ITEMS													
28D/1011658	A25.1B	Bolt,	4	B.A.	...	...	...	...	...	...	—	—	—
28D/9436920	A25.1C	Bolt,	2	B.A.	...	...	...	...	...	...	—	—	—
28D/9133011	A25.2C	Bolt,	2	B.A.	...	...	...	...	...	...	—	—	—
28D/9133012	A25.3C	Bolt,	2	B.A.	...	...	...	...	...	...	—	—	—
28D/1200119	A25.4C	Bolt,	2	B.A.	...	...	...	...	...	...	—	—	—
28D/12533	A25.5C	Bolt,	2	B.A.	...	...	...	...	...	...	—	—	—
28D/7002428	A25.6C	Bolt,	2	B.A.	...	...	...	...	...	...	—	—	—
28D/1010030	A25.7C	Bolt,	2	B.A.	...	...	...	...	...	...	—	—	—
28D/1011019	A25.8C	Bolt,	2	B.A.	...	...	...	...	...	...	—	—	—
28D/12534	A25.9C	Bolt,	2	B.A.	...	...	...	...	...	...	—	—	—
28D/12515	A25.10C	Bolt,	2	B.A.	...	...	...	...	...	...	—	—	—
28D/9435710	A25.11C	Bolt,	2	B.A.	...	...	...	...	...	...	—	—	—
28D/9419397	A25.12C	Bolt,	2	B.A.	...	...	...	...	...	...	—	—	—
28D/12537	A24.14C	Bolt,	2	B.A.	...	...	...	...	...	...	—	—	—
28D/12538	A25.15C	Bolt,	2	B.A.	...	...	...	...	...	...	—	—	—
28D/12630	A25.19C	Bolt,	2	B.A.	...	...	...	...	...	...	—	—	—
28D/1011023	A25.20C	Bolt,	2	B.A.	...	...	...	...	...	...	—	—	—
28D/1010031	A25.8E	Bolt,	$\frac{1}{4}$ "	B.S.F.	...	...	...	...	...	...	—	—	—
28D/12634	A25.18E	Bolt,	$\frac{1}{4}$ "	B.S.F.	...	...	...	...	...	...	—	—	—
28D/14642	A30.18E	Bolt,	$\frac{1}{4}$ "	B.S.F.	...	...	...	...	...	...	—	—	—
28D/8300	AS.1242.1B	Bolt,	countersunk,	4	B.A.	...	...	...	...	...	—	—	—
28D/1007975	AS.1242.1C	Bolt,	countersunk,	2	B.A.	...	...	...	...	...	—	—	—
28D/8308	AS.1242.3C	Bolt,	countersunk,	2	B.A.	...	...	...	...	...	—	—	—
28D/1007976	AS.1242.4C	Bolt,	countersunk,	2	B.A.	...	...	...	...	...	—	—	—
28D/1013172	AS.1242.5C	Bolt,	countersunk,	2	B.A.	...	...	...	...	...	—	—	—
28D/8310	AS.1242.6C	Bolt,	countersunk,	2	B.A.	...	...	...	...	...	—	—	—
28D/1007978	AS.1242.7C	Bolt,	countersunk,	2	B.A.	...	...	...	...	...	—	—	—
28D/8312	AS.1242.8C	Bolt,	countersunk,	2	B.A.	...	...	...	...	...	—	—	—
28D/8313	AS.1242.9C	Bolt,	countersunk,	2	B.A.	...	...	...	...	...	—	—	—
28D/10168	AS.1242.11C	Bolt,	countersunk,	2	B.A.	...	...	...	...	...	—	—	—
28D/8315	AS.1242.12C	Bolt,	countersunk,	2	B.A.	...	...	...	...	...	—	—	—
28D/8316	AS.1242.13C	Bolt,	countersunk,	2	B.A.	...	...	...	...	...	—	—	—
28D/8509	AS.1242.14C	Bolt,	countersunk,	2	B.A.	...	...	...	...	...	—	—	—
28D/8317	AS.1242.15C	Bolt,	countersunk,	2	B.A.	...	...	...	...	...	—	—	—
28D/12120	AS.1242.16C	Bolt,	countersunk,	2	B.A.	...	...	...	...	...	—	—	—
28D/11527	AS.1242.17C	Bolt,	countersunk,	2	B.A.	...	...	...	...	...	—	—	—
28D/12189	AS.1242.18C	Bolt,	2	B.A.	...	...	...	...	...	...	—	—	—
28D/8318	AS.1242.19C	Bolt,	2	B.A.	...	...	...	...	...	...	—	—	—
28D/11243	AS.1242.20C	Bolt,	2	B.A.	...	...	...	...	...	...	—	—	—
28D/8319	AS.1242.22C	Bolt,	2	B.A.	...	...	...	...	...	...	—	—	—
28D/13663	AS.1242.24C	Bolt,	2	B.A.	...	...	...	...	...	...	—	—	—
28D/11244	AS.1242.25C	Bolt,	2	B.A.	...	...	...	...	...	...	—	—	—
28D/8333	AS.1242.16E	Bolt,	$\frac{1}{4}$ "	B.S.F.	...	...	...	...	...	...	—	—	—
28D/12124	AS.1242.19E	Bolt,	$\frac{1}{4}$ "	B.S.F.	...	...	...	...	...	...	—	—	—
28D/1013284	AS.1248.2C	Bolt,	2	B.A.	...	...	...	...	...	...	—	—	—
28D/9142406	AS.1248.3C	Bolt,	2	B.A.	...	...	...	...	...	...	—	—	—
28D/1013301	AS.1248.4C	Bolt,	2	B.A.	...	...	...	...	...	...	—	—	—
28D/12133	AS.1248.16C	Bolt,	2	B.A.	...	...	...	...	...	...	—	—	—
28N/13018	AGS.2031/2	Circlip,	external,	$\frac{1}{2}$ "	dia.	...	...	...	...	...	—	—	—
28N/9156370	SP.21	Nipple,	lubricating,	$\frac{1}{4}$ "	B.S.P.	...	...	...	...	...	—	—	—
28M/5234	A14.C.B	Nut,	2	B.A.	...	...	...	...	...	...	—	—	—
28M/5236	A14.E.B	Nut,	$\frac{1}{4}$ "	B.S.F.	...	...	...	...	...	...	—	—	—
28M/1006473	A27.C.T	Nut,	2	B.A.	...	...	...	...	...	...	—	—	—
28M/12931	A27.E.T	Nut,	$\frac{1}{4}$ "	B.S.F.	...	...	...	...	...	...	—	—	—
28M/1011470	A27.G.T	Nut,	$\frac{5}{16}$ "	B.S.F.	...	...	...	...	...	...	—	—	—

FUSELAGE—HOOD AND WINDSCREEN

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
28M/9403520	A27.C.P	Nut, 2 B.A.	...	...	...	...	—	—	—	
28M/13935	A58.E.S	Nut, $\frac{3}{4}$ " B.S.F.	...	...	...	...	—	—	—	
28M/10288	AGS.2001/C1	Nut, 2 B.A.	...	...	...	...	—	—	—	
28M/10290	AGS.2001/E1	Nut, 2 B.A.	...	...	...	...	—	—	—	
28M/10327	AGS.2002/B/1	Nut, 4 B.A.	...	...	...	...	—	—	—	
28M/10328	AGS.2002/C1	Nut, 2 B.A.	...	...	...	...	—	—	—	
28M/10310	AGS.2002/C/4	Nut, 2 B.A.	...	...	...	...	—	—	—	
28M/12344	AGS.2002/E/4	Nut, $\frac{3}{4}$ " B.S.F.	...	...	...	...	—	—	—	
28M/11957	AGS.2007/C1	Nut, 2 B.A.	...	...	...	...	—	—	—	
28M/10215	AGS.2008/B1	Nut, 4 B.A.	...	...	...	...	—	—	—	
28M/9435067	AGS.2008/C1	Nut, 2 B.A.	...	...	...	...	—	—	—	
28M/11113	AGS.2008/C4	Nut, 2 B.A.	...	...	...	...	—	—	—	
28M/16273	AGS.2019/C4	Nut, 2 B.A.	...	...	...	...	—	—	—	
28M/13085	AGS.2023/C1	Nut, 2 B.A.	...	...	...	...	—	—	—	
28P/839	SP.4Y/B.13	Pin	...	...	...	...	—	—	—	
28P/19225	SP.90C3	Pin, split	...	...	...	...	—	—	—	
28P/19153	SP.90C5	Pin, split	...	...	...	...	—	—	—	
28S/1200058	A33/A12	Screw (Mod. 789)	...	...	...	...	—	—	—	
28W/9419475	SP.15.C	Washer, 2 B.A.	...	...	...	...	—	—	—	
28W/9419405	SP.15.E	Washer, $\frac{1}{4}$ " B.S.P.	...	...	...	...	—	—	—	
28W/9419404	SP.16.C	Washer, 2 B.A.	...	...	...	...	—	—	—	
28F/9429636	AGS.1186/3	Washer, 2 B.A.	...	...	...	...	—	—	—	
28F/14253	AGS.1186/4	Washer, $\frac{1}{4}$ " dia.	...	...	...	...	—	—	—	
28W/9416642	SP.47B	Washer, 4 B.A. (Mod. 789)	...	...	...	...	—	—	—	





This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

