

FUSELAGE—SEAT INSTALLATION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	E.213260	SEAT INSTALLATION, ASSEMBLY					—	—	—	
3835	Std.1553/J/300	Bolt , securing seat at bottom mounting					2	—	C.	5
9803	F.230954	Bolt , quick release					2	—	C.	
12K/1301	—	Cartridges , seat ejection, No. 4, Mk. 2 (Pre AS.920/71)					2	—	C.	
							sets			
12K/1335	—	Cartridges , seat ejection, No. 5, Mk. 1					2	—	C.	
							sets			
		Comprising of the following :—								
12K/1171	—	Cartridge , drogue, No. 1, Mk. 1					1	—	C.	
							per set			
12K/1333	—	Cartridge , primary					1	—	C.	
							per set			
12K/1302	—	Cartridge , secondary, No. 4, Mk. 2 (AS.920/87)					2	—	C.	
							per set			
12K/1334	—	Cartridge , secondary					2	—	C.	
							per set			
	Std.1996/1	Chain (2 links)					2	—		
6D/1698	Aerolex	Clip					2	—	C.	
27C/2394	—	Cushion , seat					2	—	A.	
27VA/4553	Dunlop	Hose , Anti-G					2	—	C.	
	ACM.17992									
27L/9001	Martin Baker	Jacket , harness restraining, starboard (AS.770/55)					1	—	B.	
	MBEU.8516									
5483	Std.1231/1B	Lug , locking					2	—	MR/C	4
9802	F.230852	Nut , for quick release bolt					2	S.95.B	C.	
27C/2393	—	Pack , personal survival, type "R" (empty)					2	—	B.	
15A/893	—	Pad , back, Mk. 12, port and starboard					2	—	A.	
15A/940	—	Parachute , back, type Mk. 30 (AS.900/93)					2	—	A.	
9804	F.230886	Ring , "S"					4	Comm'l Steel	C.	
27L/50133	Martin Baker	Seat , Mk. 4 HA, port (Mod. 1177)					2	—	A.	
27L/50065	Martin Baker	Seat , Mk. 4, H.1, port (Pre Mod. 1177)					1	—	A.	
27L/50066	Martin Baker	Seat , Mk. 4, H.2, starboard (Pre Mod. 1177)					1	—	A.	
6D/2095	—	Seat , emergency oxygen, Mk. 7B					2	—	B.	
6D/1652	—	Socket , quick release, oxygen, Mk. 9					2	—	B.	
6D/2045	—	Tube , oxygen, upper					2	—	C.	
6D/1579	—	Tubing , flexible, low pressure, Mk. 7					2	—	C.	

FUSELAGE—SEAT INSTALLATION

Ref. No.	Part No.	Description					No. Of	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
		SUMMARY OF STOCK ITEMS								
28D/1008149	A.25.2B	Bolt, 2 B.A.	...	...	...	...	...	—	—	—
28E/8183	AGS.605/1	Clip, hose	...	...	...	...	...	—	—	—
28M/13122	A27.G.S.	Nut, $\frac{5}{16}$ " B.S.F.	...	...	...	...	...	—	—	—
28M/1011476	A27.J.S	Nut, $\frac{3}{8}$ " B.S.F.	...	...	...	...	...	—	—	—
28M/10327	AGS.2002.B1	Nut, 4 B.A.	...	...	...	...	...	—	—	—
28P/5412	AGS.1551/2	Pin, locking	...	...	...	...	...	—	—	—
28P/19154	SP.9.C.8	Pin, split	...	...	...	...	...	—	—	—
28W/9419488	SP.16.G	Washer, $\frac{5}{16}$ " B.S.F.	...	...	...	...	...	—	—	—
28W/9419489	SP.16.J	Washer, $\frac{3}{8}$ " B.S.F.	...	...	...	...	...	—	—	—

This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

