

RADIO—V.H.F. INSTALLATION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	E.219301	RADIO—V.H.F. INSTALLATION, ASSEMBLY ...					—	—		
	E.222076	ADDITIONAL DETAILS, ASSEMBLY ...					—	—		
5CZ/868	—	Block , terminal, 5 way ...					2	—	B.	
	F.221828	Clip , special, mounting terminal block on hydraulic duct					2	L.72		
	Std.2045/21/24	Clip , securing aerial connectors on frame 18A ...					1	—		
	Std.2045/29/22	Clip , securing aerial connectors on frame 18A ...					2	—		
5X/	Hellermann G.2032	Grommet ...					1	—	C.	
6149	A.206558	Link , chain ...					1	—	C.	
	F.221384	Plate , cover, at entry of aerial connectors into radio bay from spine					1	L.72		
	F.221829	Platform , for Mic/Tel terminal block ...					1	L.72		
10H/2206	—	Socket , Mic/Tel, type 359 ...					2	—	B.	
5F/2301	Hellermann NY.18007	Strapping ...					QR	—	C.	
5F/2302	Hellermann NY.3342	Stud ...					QR	—	C.	
10U/16596	—	Amplifier , type A.1961 ...					1	—	A.	
5CZ/430	—	Block , terminal (2 way) (AS.760/89) ...					1	—	B.	
10D/17805	—	Box , junction, type 154 ...					1	—	A.	
10D/19223	—	Box , junction, aerial, type 7089 ...					1	—	A.	
8954	D.219818	Box , radio relay, group ...					1	—	A.	
10H/3780	—	Block , terminal, 2 way, type 108 ...					2	—	B.	
5CZ/880	—	Fuse , 5 amp. ...					3	—	C.	
5CZ/4057	—	Fuse , 20 amp. ...					2	—	C.	
5CZ/3741	—	Fuse holder , type A ...					5	—	C.	
6138	F.207937	Piece , distance ...					4	LFB.82	C.	
7138	F.207936	Plate , insulator ...					2	—	MR/C	
7813	F.206916	Plate , tapped ...					1	L.72	C.	
10H/0560150	Plessey CZ.49112	Plug , code 48 ...					1	—	C.	
10H/0560154	Plessey CZ.49112/4	Plug , code 48 ...					1	—	C.	
5X/6330	Plessey CZ.56073	Plug ...					1	—	B.	
10F/Z.530453	—	Relay ...					7	—	A.	
5CW/3942	—	Relay , type "S," No. 1, 25A, D.P.C.O. ...					1	—	A.	
10W 10H/Z.221123	—	Resistor , 120 ohms. ...					1	—	C.	
10W 10H/Z.221152	—	Resistor , carbon, 220 ohms, 1/2 watt. ...					3	—	C.	
10W 10H/Z.222131	—	Resistor , carbon, 10K ohms, 1/2 watt ...					1	—	C.	
10H/0560331	Plessey CZ.49459/1	Socket , code 48 ...					1	—	C.	
10H/0560330	Plessey CZ.49459	Socket , code 48 ...					1	—	C.	
10H/0560310	Plessey CZ.51330	Socket , code 44 ...					1	—	C.	
10H/2206	—	Socket , Mic-Tel ...					1	—	B.	

RESTRICTED

Hunter T. Mk. 7
Issued with A/L No. 3

RADIO—V.H.F. INSTALLATION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
6137 3767 10H/0970049	Std.1509/12/060					Tube, distance (Local Manufacture) ...	4	T.4		
	F.207675					Washer, resilient ...	16	Rubber	C.	
	Std.915/B/20					Washer ...	12	DTD.610	C.	4
	Plessey Z.54105					Washer, panel mounting ...	QR	—	C.	
—	—					Cables, electrical (See Cable Chart) ...	—	—	—	
—	B.212452					Cable, F.73, group (See Cable Chart) ...	1	—	—	
7991	A.209699					Ferrule ...	1	—	C.	
—	B.221724					Cable, F.128, group (See Cable Chart)...	1	—	—	
7989	A.209702					Ferrule ...	1	—	C.	
5CW/5252	HV.3711					Cap, sea grey ...	5	—	C.	
5CW/5253	HV.3710					Cap, sea grey ...	1	—	C.	
	Std.2045/23/24					Clip, securing cable ...	1	DTD.610		
	Std.2045/63/20					Clip, securing cables ...	2	DTD.610		
	Std.2046/34/22					Clip, securing cables ...	6	DTD.610		
	Std.2046/42/22					Clip, securing cables ...	2	DTD.610		
	Std.2045/38/22					Clip, securing cables ...	1	—		
9663	Std.2045/19/24					Clip, securing cables ...	1	—	C.	
	Std.2045/72/20					Clip, securing cables ...	1	—		
	Std.2045/79/20					Clip, securing cables ...	1	—		
	Std.2045/59/20					Clip, securing cables ...	1	—		
	Std.2045/67/20					Clip, sleeved ...	1	—		
	A.221617					Connector, mic/tel. ...	1	—		
	B.219928					Connector, inter-com. ...	1	—		
10HB/6633	E.227864/8					Connector ...	1	—	B.	
10HB/6632	E.227864/7					Connector ...	1	—	B.	
10HB/6631	E.227864/4					Connector ...	1	—	B.	
10HA/16710	E.227865/2					Connector ...	1	—	B.	
10HA/14813	E.227865/14					Connector ...	1	—	B.	
10HB/6635	E.227865/1					Connector ...	1	—	B.	
10HA/14812	E.227865/13					Connector ...	1	—	B.	
10HB/6611	E.227864/12					Connector ...	1	—	B.	
10HB/6610	E.227864/11					Connector ...	1	—	B.	
10HB/6609	E.227864/10					Connector ...	1	—	B.	
10HA/14816	E.227864/6					Connector ...	1	—	B.	
10HB/6608	E.227864/9					Connector ...	1	—	B.	
10HA/14809	E.227865/4					Connector ...	1	—	B.	
10HA/16711	E.227865/3					Connector ...	1	—	B.	
10HA/16709	E.227865/24					Connector ...	1	—	B.	
10HB/6630	E.227864/2					Connector ...	1	—	B.	
10HA/16708	E.227865/23					Connector ...	1	—	B.	
10HA/14807	E.227865/25					Connector ...	1	—	B.	
10HA/14808	E.227865/26					Connector ...	1	—	B.	
10HB/6612	E.227864/30					Connector ...	1	—	B.	
10HB/6634	E.227864/13					Connector ...	1	—	B.	
10HA/14819	E.227864/5					Connector ...	1	—	B.	
10HA/14810	E.227865/230					Connector ... (REF NO. 10HB/8267)	1	—	B.	
10HA/14882	E.227864/34					Connector ...	1	—	B.	
10HB/6613	E.227864/38					Connector ...	1	—	B.	
10HB/6607	E.227864/25					Connector ...	1	—	B.	
10HB/6606	E.227864/3					Connector ...	1	—	B.	
10HB/6605	E.227864/1					Connector ...	1	—	B.	
5CW/5765	—					Guard, switch ...	1	—	B.	
10H/	BELLING LEE L754/0-100					FUSE HRC (As 900/49	4	—	C	

RESTRICTED

RADIO—V.H.F. INSTALLATION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	E.219302	INSTALLATION IN WINGS, CENTRE AND REAR FUSELAGE, ASSEMBLY					—	—		
10B/16574	—	Aerial, type 228					1	—	A.	
10B/16621	—	Aerial, type 229					1	—	A.	
	A.211973	Aerial, bottom, group					1	—		
8955	F.211972	Base, for aerial					1	—	C.	
7865	F.215251	Grommet					1	Rubber	C.	
7180	F.202397	Nut, adaptor					1	S.1	MR/C	
10B/16622	—	Rod, aerial, type 408					1	—	B.	
	A.219547	Aerial, top, group					2	—	—	
	A.200789	Base, for aerial					1	—		
7180	F.202397	Nut, adaptor					1	S.1	MR/C	
10B/16622	—	Rod, aerial, type 408					1	—	B.	
	B.196758	BLOCK, TERMINAL 53 AND 54, ASSEMBLY					—	—		
5X/3268	Plessey	Block, terminal					1	—	B.	
	CZ.50207									
5X/3276	Plessey	Block, terminal, 2 way					1	—	B.	
	CZ.50205									
3967	B.197890	Bracket, aerial mounting					1	LFS.89	C.	
	F.231642	Clip, support, at aerial mounting (AS.760/83) ...					1	S.3		
6035	F.205571	Clip, special, at frame 19					1	L.72	MR/C	
	F.221706	Clip, special, at frame 19					1	L.72		
	F.221734	Clip, special, at frame 19					1	L.72		
—	F.211986	Clip, securing connection, at tele-briefing plug, between frames 53, 54 (Make from 30B/1734)					2	L.72	—	
3736	Std.840/17	Clip, securing connectors in spine, starboard, $\frac{7}{16}$" wide × 22 s.w.g. × 1.7" long					4	DTD.610	C.	4
3743	Std.840/25	Clip, securing connections in spine, port, $\frac{7}{16}$" wide × 22 s.w.g. × 2.5" long (Make from 30B/1734)					4	DTD.610	MR/C	4
4186	Std.841/16	Clip, securing, sediment drain pipe, port, $\frac{7}{16}$" wide × 22 s.w.g. × 1.6" long					1	DTD.610	C.	4
4159	Std.841/20	Clip, securing cable, at aerial mounting, $\frac{7}{16}$" wide × 22 s.w.g. × 2" long					2	DTD.610	C.	4
—	Std.842/17	Clip, securing cables, at aerial mounting, $\frac{7}{16}$" wide × 22 s.w.g. × 1.7" long (Make from 30A/549)					2	S.510	—	
	Std.2076/23/24	Clip, sleeved					1	—		
8956	A.219580	Grommet, for aerial					2	DTD.560	C.	
10AL/290	—	Grommet, type 123 (AS.900/68)					2	—	C.	
9370	A.208460	Plate, reinforcing, at wing aerial mounting ...					1	S.3	C.	
	C.191818	PLUG, TELE-BRIEFING, ASSEMBLY					—	—		
	A.191832	Plug, tele-briefing, group					1	—		
		Consisting of :—								
10HA/9326	—	Connector, type 3570					1	—	B.	
5X/6501	—	Lug, cable					1	—	C.	
	Std.1950/11	Sleeve, marker					1	—		
5K/2576	Hellermann A.P.	Sleeve, $\frac{3}{4}$" long					1	—	C.	

RADIO—V.H.F. INSTALLATION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
5X/2267	Plessey Z.19925						7	—	C.	
5X/2270	Plessey Z.19980						7	—	C.	
5F/	—						1	—	C.	
1681	F.191829						2	DTD.215	C.	
1682	F.191957						1	L.53	C.	
10H/0540103	—						2	—	B.	
5F/2301	Hellermann NY.18007						QR	—	C.	
5F/2302	Hellermann NY.3342						QR	—	C.	
—	Std.1509/23/063						1	T.4	—	
—	Std.1509/23/036						2	T.4	—	
6734	Std.1335/A/18						2	—	C.	4
	F.219731						2	L.72	—	
10AJ/82	—						2	—	B.	
10AJ/121	—						1	—	B.	
5246	Std.1606/44/A12						4	Brass	C.	
1638	Std.1606/44/B6						14	Brass	C.	5
10H/19481	Plessey CZ.62275						2	—	B.	
10H/19482	Plessey CZ.62275/1						1	—	B.	
10H/20417	Plessey CZ.61887						1	—	B.	
10H/19451	CZ.62270						1	—	B.	
5F/2301	Hellermann NY.18007						QR	—	C.	
5F/2302	Hellermann NY.3342						QR	—	C.	
5CW/7547	—						1	—	B.	
5CW/7540	—						1	—	B.	
5CW/7541	—						4	—	B.	
10D/21507	—						1	—	A.	
10D/21508	—						1	—	A.	
10AJ/215	—						1	—	A.	
10L/246	—						2	—	A.	
10D/19783	—						1	—	A.	
10L/16309	—						1	—	A.	
10F/16979	—						1	—	A.	
10H/0970050	Plessey Z.54106						4	—	C.	
10H/0970049	Plessey Z.54105						1	—	C.	
10HA/17930	—						8	—	C.	

RADIO—V.H.F. INSTALLATION
(NETHERLANDS ONLY)

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	E.228437	RADIO, V.H.F. INSTALLATION, ASSEMBLY ...					—	—		
	E.222076	ADDITIONAL DETAILS, ASSEMBLY ...					—	—		
5CZ/430	—	Block, terminal, 2-way ...					1	—	B.	
5CZ/868	—	Block, terminal, 5-way ...					2	—	B.	
	F.221828	Clip, special, mounting terminal block on hydraulic duct					2	L.72	M.R.	
	Std.2045/21/24	Clip, sleeved ...					1	—		
	Std.2045/29/22	Clip, sleeved ...					2	—		
5X/	Hellermann G.2032	Grommet ...					1	—	C.	
6149	A.206558	Link, chain retaining ...					1	—	C.	
	F.221384	Plate, cover ...					1	L.72		
	F.221829	Platform, for Mic./Tel. terminal block ...					1	L.72		
10H/2206	—	Socket, Mic./Tel., type 359 ...					2	—	B.	
5F/2301	Hellermann NY.18007	Strapping ...					QR	—	C.	
5F/2302	Hellermann NY.3342	Stud ...					QR	—	C.	
10U/16596	—	Amplifier, type A.1961 ...					1	—	A.	
5CZ/430	—	Block, terminal, 2-way ...					1	—	B.	
10D/17805	—	Box, junction, type 154 ...					1	—	A.	
10D/19223	—	Box, junction, aerial, type 7089 ...					1	—	A.	
8954	D.219818	Box, radio relay, group ...					1	—	A.	
10H/3780	—	Block, terminal, 2-way, type 108 ...					2	—	B.	
5CZ/880	—	Fuse, 5-amp. ...					3	—	C.	
5CZ/4057	—	Fuse, 20-amp. ...					2	—	C.	
5CZ/3741	—	Fuse-holder, type A ...					5	—	C.	
6138	F.207937	Piece, distance ...					4	LFB.82	C.	
7138	F.207936	Plate, insulate ...					2	—	MR/C	
7813	F.206916	Plate, topped ...					1	L.72	C.	
10H/O.560150	Plessey CZ.49112	Plug, code 48 ...					1	—	C.	
10H/O.560154	Plessey CZ.49112/4	Plug, code 48 ...					1	—	C.	
5X/6220	Plessey CZ.1051/2	Plug ...					1	—	B.	
10F/Z.530453	—	Relay ...					8	—	A.	
5CW/3942	—	Relay, type "S" No. 1 25A ...					1	—	A.	
10H/Z.221123	—	Resistor, 120 ohms ...					1	—	C.	
10H/Z.221152	—	Resistor, carbon 220 ohms, ½ watt ...					3	—	C.	
10H/Z.222131	—	Resistor, carbon, 100K ohms, ½ watt ...					1	—	C.	
10H/O.560331	Plessey CZ.49459/1	Socket, code 48 ...					1	—	C.	
10H/O.560330	Plessey CZ.49459	Socket, code 48 ...					1	—	C.	
10H/O.560310	Plessey CZ.51330	Socket, code 44 ...					1	—	C.	
10H/2206	—	Socket, Mic./Tel. ...					1	—	C.	
	A.212967	Bracket, switch ...					1	—		

RESTRICTED

Hunter T. Mk. 7 (Netherlands)
Issued with A/L No. 3

RADIO—V.H.F. INSTALLATION **(NETHERLANDS ONLY)**

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	Std.1509/12/060						4	T.4		
6137	F.207675						16	Rubber	C.	
3767	Std.915. B20						12	DTD.610	C.	
10H/O.970049	Plessey Z.54105						QR	—	C.	
—	—						—	—	—	
—	B.212452						1	—	C.	
7991	A.209699						1	—	C.	
—	B.221724						1	—	—	
7989	A.209702						1	—	C.	
5CW/5252	Hellermann HV.3711						5	—	C.	
5CW/5253	Hellermann HV.3710						1	—	C.	
	Std.2045/12/20						1	—		
9663	Std.2045/19/24						1	—	C.	
	Std.2045/23/24						1	—		
	Std.2045/59/20						1	—		
	Std.2045/63/20						2	—		
	Std.2045/76/20						1	—		
	Std.2046/34/22						7	—		
	Std.2046/42/22						2	—		
	B.219928						1	—		
	A.221617						1	—		
10HB/6605	E.227864/1						1	—	B.	
10HB/6630	E.227864/2						1	—	B.	
10HB/6606	E.227864/3						1	—	B.	
10HB/6631	E.227864/4						1	—	B.	
10HA/14819	E.227864/5						1	—	B.	
10HA/14816	E.227864/6						1	—	B.	
10HB/6632	E.227864/7						1	—	B.	
10HB/6633	E.227864/8						1	—	B.	
10HB/6608	E.227864/9						1	—	B.	
10HB/6609	E.227864/10						1	—	B.	
10HB/6610	E.227864/11						1	—	B.	
10HB/6611	E.227864/12						1	—	B.	
10HB/6634	E.227864/13						1	—	B.	
10HB/6607	E.227864/25						1	—	B.	
10HB/6612	E.227864/30						1	—	B.	
10HA/14882	E.227864/34						1	—	B.	
10HB/6613	E.227864/38						1	—	B.	

RESTRICTED

RADIO—V.H.F. INSTALLATION **(NETHERLANDS ONLY)**

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
10HB/6635	E.227865/1	Connector	...	...	...	...	1	—	B.	
10HA/16710	E.227865/2	Connector	...	...	...	...	1	—	B.	
10HA/16711	E.227865/3	Connector	...	...	...	...	1	—	B.	
10HA/14809	E.227865/4	Connector	...	...	...	...	1	—	B.	
10HA/14812	E.227865/13	Connector	...	...	...	...	1	—	B.	
28HA/14813	E.227865/14	Connector	...	...	...	...	1	—	B.	
10HA/16708	E.227865/23	Connector	...	...	...	...	1	—	B.	
10HA/16709	E.227865/24	Connector	...	...	...	...	1	—	B.	
28HA/14807	E.227865/25	Connector	...	...	...	...	1	—	B.	
10HA/14808	E.227865/26	Connector	...	...	...	...	1	—	B.	
28HA/14810	E.227865/27	Connector	...	...	...	...	1	—	B.	
5CW/4227	—	Guard, switch	...	...	...	...	1	—	B.	
	E.228438	INSTALLATION IN WINGS, CENTRE AND REAR FUSELAGE, ASSEMBLY					—	—		
	A.211973	Aerial, bottom, group	...	...	...	...	1	—		
8955	F.211972	Base, for aerial	...	...	...	...	1	—	C.	
7865	F.215251	Grommet	...	...	...	...	1	Rubber	C.	
7180	F.202397	Nut, adaptor	...	...	...	...	1	S.1	MR/C	
10B/16622	—	Rod, aerial, type 408	...	...	...	...	1	—	B.	
	A.219547	Aerial, top, group	...	...	...	...	2	—		
	A.200789	Base, for aerial	...	...	...	...	1	—		
7180	F.202397	Nut, adaptor	...	...	...	...	1	S.1	MR/C	
10B/16622	—	Rod, aerial, type 408	...	...	...	...	1	—	B.	
10B/16566	—	Aerial, type 226, port	...	...	...	...	1	—	A.	
10B/16574	—	Aerial, type 228, starboard	...	...	...	...	1	—	A.	
	B.196758	BLOCK, TERMINAL, Nos. 53 AND 54, ASSEMBLY					—	—		
5X/3268	Plessey CZ.50207	Block, terminal, 5 way	...	...	...	...	1	—	B.	
5X/3276	Plessey CZ.50205	Block, terminal, 3 way	...	...	...	...	1	—	B.	
3967	B.197890	Bracket, aerial mounting	...	...	...	...	2	LFS.89	MR/C	
	F.219642	Clip, at aerial connection	...	...	...	...	1	S.3		
6035	F.205571	Clip, at tank panel, frame 19	...	...	...	...	1	L.72	MR/C	
	F.221706	Clip, at tank panel, frame 19	...	...	...	...	1	L.72		
	F.221734	Clip, at tank panel, frame 19	...	...	...	...	1	L.72		
—	F.211986	Clip, securing T.B. plug cables	...	...	...	...	2	L.72	—	
		(Make from 30B/1734)								
3736	Std.840/17	Clip, $\frac{7}{16}$ " wide × 22 s.w.g. × 1-7" long	...	...	...	...	4	DTD.610	C.	4
3743	Std.840/25	Clip, $\frac{7}{16}$ " wide × 22 s.w.g. × 2-5" long	...	...	...	...	4	DTD.610	MR/C	4
4186	Std.841/16	Clip, $\frac{7}{16}$ " wide × 22 s.w.g. × 1-6" long	...	...	...	...	1	DTD.610	C.	4
4159	Std.841/20	Clip, $\frac{7}{16}$ " wide × 22 s.w.g. × 2-0" long	...	...	...	...	2	DTD.610	C.	4
—	Std.842/17	Clip, $\frac{7}{16}$ " wide × 22 s.w.g. × 1-7" long	...	...	...	...	2	S.510	—	
		(Make from 30A/549)								
8956	A.219580	Grommet, for aerial	...	...	...	...	2	DTD.560	C.	
10AL/290	—	Grommet, type 123 (AS.900/68)	...	...	...	...	2	—	C.	
9370	A.208460	Plate, reinforcing	...	...	...	...	2	S.3	C.	

RESTRICTED

Hunter T. Mk. 7 (Netherlands)
Issued with A/L No. 11RADIO—V.H.F. INSTALLATION
(NETHERLANDS ONLY)

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	C.191818	PLUG, TELEBRIEFING, ASSEMBLY ...					—	—		
	A.191832	Plug, telebriefing, group ...					1	—		
10HA/9326	—	Connector, type 3570 ...					1	—	B.	
5X/6501	—	Lug, cable ...					1	—	C.	
5K/3455	Hellermann	Sleeve, A.P., $\frac{3}{8}$" long ...					1	—	C.	
5X/2267	Plessey Z.19925	Tag, quick, release ...					7	—	C.	
5X/2270	Plessey Z.19980	Thimble, quick release ...					7	—	C.	
1681	F.191829	Spring ...					2	DTD.215	C.	
1682	F.191957	Stop ...					1	L.53	C.	
10H/G.540103	—	Plug, type 757 ...					2	—	B.	
5F/2301	Hellermann	Strapping ...					QR	—	C.	
	NY.18007									
5F/2302	Hellermann	Stud ...					QR	—	C.	
	NY.3342									
	Std.1509/23/063	Tube, distance, $\frac{5}{16}$" o/d $\times$ 17 s.w.g. $\times$ 0.63" long					1	T.4		
	Std.1509/23/036	Tube, distance, $\frac{5}{16}$" o/d $\times$ 17 s.w.g. $\times$ 0.35" long					2	T.4		
6734	Std.1335/A18	Washer, at earth connection ...					2	—	C.	4
	F.219731	Lug, mounting for junction box ...					2	L.72		
10AJ/82	—	Mounting, type 873/2 ...					2	—	B.	
10AJ/121	—	Mounting, type 936 ...					1	—	B.	
	F.212499	Plate, mounting ...					1	—		
1638	Std.1606/44/B6	Screw, round head, 4 B.A. ...					4	Brass	C.	5
10H/19451	Plessey CZ.62270	Socket, bulkhead ...					1	—	B.	
10H/19481	Plessey CZ.62275	Socket, bulkhead ...					2	—	B.	
10H/19482	Plessey	Socket, bulkhead ...					1	—	B.	
	CZ.62275/1									
10H/20417	Plessey CZ.61887	Socket, bulkhead ...					1	—	B.	
5F/2301	Hellermann	Strapping ...					QR	—	C.	
	NY.18007									
5F/2302	Hellermann	Stud ...					QR	—	C.	
	NY.3342									
5CW/7541	—	Switch, S.P. ...					4	—	B.	
5CW/7547	—	Switch, D.P. ...					1	—	B.	
5CW/7540	—	Switch, S.P. ...					1	—	B.	
10D/21507	—	Transmitter/Receiver, TR.1985A ...					1	—	A.	
10D/21509	—	Transmitter/Receiver, TR.1987A ...					1	—	A.	
10AJ/215	—	Tray, mounting, type 1034 ...					1	—	A.	
10L/246	—	Unit, control, type 382 ...					2	—	A.	
10L/16309	—	Unit, control, type 7746 ...					1	—	A.	
10D/19783	—	Unit, modulator, type 7747 ...					1	—	A.	
10F/16979	—	Unit, relay, type 1254 ...					1	—	A.	
10H/O.970049	Plessey Z.54105	Washer, panel mounting ...					1	—	C.	
10H/O.970050	Plessey Z.54106	Washer, panel mounting 4 ...					4	—	C.	
10A/17930	—	Washer, check ...					8	—	C.	

RESTRICTED

RADIO—V.H.F. INSTALLATION

Ref. No.	Part No.	Description								No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5							
SUMMARY OF STOCK ITEMS													
28D/1008147	A25.1.A	Bolt, 6 B.A.	...	...	...	...	...	...	...	-	—	—	
28D/1007971	A25.1.B	Bolt, 4 B.A.	...	...	...	...	...	...	...	-	—	—	
28D/1010658	A25.1.B	Bolt, 4 B.A.	...	...	...	...	...	...	...	-	—	—	
28D/9140638	A25.4.B	Bolt, 4 B.A.	...	...	...	...	...	...	...	-	—	—	
28D/1010029	A25.6.B	Bolt, 4 B.A.	...	...	...	...	...	...	...	-	—	—	
28D/1009984	A25.7.B	Bolt, 4 B.A.	...	...	...	...	...	...	...	-	—	—	
28D/1011013	A25.13.B	Bolt, 4 B.A.	...	...	...	...	...	...	...	-	—	—	
28D/9436920	A25.1.C	Bolt, 2 B.A.	...	...	...	...	...	...	...	-	—	—	
28D/7002428	A25.6.C	Bolt, 2 B.A.	...	...	...	...	...	...	...	-	—	—	
28D/9419397	A25.12.C	Bolt, 2 B.A.	...	...	...	...	...	...	...	-	—	—	
28D/1011022	A25.18.C	Bolt, 2 B.A.	...	...	...	...	...	...	...	-	—	—	
28D/12630	A25.19.C	Bolt, 2 B.A.	...	...	...	...	...	...	...	-	—	—	
28D/1011025	A25.24.C	Bolt, 2 B.A.	...	...	...	...	...	...	...	-	—	—	
28D/1011029	A25.1.E	Bolt, 1/4" B.S.F.	...	...	...	...	...	...	...	-	—	—	
28D/1011245	A25.10.E	Bolt, 1/4" B.S.F.	...	...	...	...	...	...	...	-	—	—	
28D/8309	AS.1242/4/C	Bolt, 2 B.A.	...	...	...	...	...	...	...	-	—	—	
28D/1007981	AS.1248.1.C	Bolt, 2 B.A.	...	...	...	...	...	...	...	-	—	—	
28D/12103	AS.1248.21.C	Bolt, 2 B.A.	...	...	...	...	...	...	...	-	—	—	
5K/3355	AS.3360.B.4.B	Connector, earthing	...	...	...	...	...	...	...	-	—	—	
5K/3394	AS.3360.B.6.B	Connector, earthing	...	...	...	...	...	...	...	-	—	—	
28M/1011470	A27.GT	Nut, 5/16" B.S.F.	...	...	...	...	...	...	...	-	—	—	
28M/10286	AGS.2001.A.1	Nut, 6 B.A.	...	...	...	...	...	...	...	-	—	—	
28M/10326	AGS.2002.A.1	Nut, 6 B.A.	...	...	...	...	...	...	...	-	—	—	
28M/10327	AGS.2002.B.1	Nut, 4 B.A.	...	...	...	...	...	...	...	-	—	—	
28M/10328	AGS.2002.C.1	Nut, 2 B.A.	...	...	...	...	...	...	...	-	—	—	
28M/10330	AGS.2002.E.1	Nut, 1/4" B.S.F.	...	...	...	...	...	...	...	-	—	—	
28M/7002431	AGS.2002.G.1	Nut, 5/16" dia. B.S.F.	...	...	...	...	...	...	...	-	—	—	
28S/1011490	A32.C.16	Screw	...	...	...	...	...	...	...	-	—	—	
28S/1200060	A33.A.16	Screw	...	...	...	...	...	...	...	-	—	—	
28S/1200062	A33.A.20	Screw	...	...	...	...	...	...	...	-	—	—	
28S/9435716	A33.B.12	Screw	...	...	...	...	...	...	...	-	—	—	
28W/9419456	SP.10.G	Washer, 5/16" dia. B.S.F.	...	...	...	...	...	...	...	-	—	—	
28W/9419473	SP.15.A	Washer, 6 B.A.	...	...	...	...	...	...	...	-	—	—	
28W/9419474	SP.15.B	Washer, 4 B.A.	...	...	...	...	...	...	...	-	—	—	
28W/9419475	SP.15.C	Washer, 2 B.A.	...	...	...	...	...	...	...	-	—	—	
28W/9419405	SP.15.E	Washer, 1/4" B.S.F.	...	...	...	...	...	...	...	-	—	—	
28W/9419404	SP.16.C	Washer, 2 B.A.	...	...	...	...	...	...	...	-	—	—	
28W/9419487	SP.16.E	Washer, 1/4" B.S.F.	...	...	...	...	...	...	...	-	—	—	

RESTRICTED

[illegible]

This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

