

Hunter T. Mk. 7
Issued with A/L No. 11

INSTALLATION **RADIO—U.H.F. INSTALLATION (S.O.O.)**

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
		1 2 3 4 5				
	E245500	RADIO—U.H.F. INSTALLATION (Mod. 979)	—	—		
	E.255622	ADDITIONAL DETAILS	—	—		
	A.230814	Bracket, mounting	1	L.72		
	A.230815	Bracket, mounting	1	L.72		
	A.247612	Bracket, mounting	1	L.72		
	A.230887	Channel	1	L.72		
	Std.2045/17/24	Clip	1	—		
	RAE					
	EL.42887/1C	Connector	1	—		
9438	F.223835	Guard	1	L.72	C.	
	A.240910	Link, chain	1	—		
	F.236504	Lug, locking	1	S.3		
	F.233486	Plate, cover	1	L.72		
	A.235562	Plate, blanking	1	L.72		
	F.231975	Plate, blanking	2	L.72		
	F.234709	Plate, cover	2	L.72		
	F.233421	Plate, joint	1	L.72		
	F.233422	Plate, joint	1	L.72		
	B.230884	Plate, mounting	1	L.72		
	F.189234	Plate, stud	1	S.3		
3837	Std.1606/44/B10	Screw, round, 4 B.A.	2	Brass	C.	5
3839	Std.1606/44/B16	Screw, round head, 4 B.A.	2	Brass	C.	5
	Std.1606/44/B18	Screw, round head, 4 B.A.	4	Brass		5
	Std.1606/45/A16	Screw, countersunk, 6 B.A.	3	Brass		5
4660	Std.1606/45/B14	Screw, countersunk, 4 B.A.	4	Brass	C.	5
3860	Std.1606/45/B20	Screw, countersunk, 4 B.A.	2	Brass	C.	5
	A.233423	Stiffener	1	L.72		
5CW/6431	—	Switch	1	—	B.	
5CW/5767	—	Switch, dimmer, type "R"	1	—	B.	
10B/16920	—	Aerial, standby, type 11789	1	—	B.	
5985-99-	—					
932-6362	—	Aerial, Derveaux (Alternative to Ref. 5985-99-9911-8266)	1	—	A.	
5985-99-	—					
911-8266	—	Aerial (Alternative to Ref. 5985-99-932-6362)	1	—	A.	
10U/16596	—	Amplifier, type A.1961	1	—	A.	
5J/3458	Voltabloc 19.VO.7	Battery, standby	1	—	B.	
5CZ/430	—	Block, terminal, 2 way, T.B.74	1	—	B.	
10D/17805	—	Box, junction, type 154	1	—	A.	
5821-99-	—	Box, interconnecting	1	—	A.	
932-6361	—					
	D.252099	Box, radio supplies and relay group	1	—		
	F.234668	Angle, mounting	1	L.72		
	F.234669	Angle, mounting	1	L.72		
5X/6607	Plessey	Block, fuse	1	—	B.	
	CZ.73898					
5CZ/868	—	Block, terminal, 5 way	1	—	B.	
	B.246749	Board, for components, group	1	—		
	A.246748	Board, tag	1	—		
5910-99	—	Capacitor, C.P-70A, .002...	1	—	C.	
012-0886	—					
10C/0115631	—	Capacitor, CP-31J	1	—	C.	
	F.235160	Link	1	BSS.265		
	A.246747	Plate, insulating	1	BS.2966		
10W/0215466	—	Resistor, RC2-D200	2	—	C.	
10W/0215462	—	Resistor, RC2-D220	2	—	C.	
10W/0216092	—	Resistor, RC2-D56K	1	—	C.	
10W/0216002	—	Resistor, RC2-D10K	3	—	C.	
	F.236210	Spacer	6	BSS.972/C		
	F.236209	Tag, rectifier	3	BSS.265		

RADIO—U.H.F. INSTALLATION (S.O.O.)

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
8670	A.233753	BRACKET , for earth terminal					1	L.72		
—	F.220761	Bush					1	LFR.82	C.	
—	B.247598	Cable , mic-tel (See Cable Chart)					1	—	—	
—	A.235846	Cable , F.23B (See Cable Chart)					1	—	—	
10H/0970055	Plessey	Cap , protective					1	—	C.	
	CZ.51538									
	C.246009	Casing , Relay Box, group					1	—		
	Std.1509/23/015	Tube , distance					2	—		
	F.233507	Washer , special					6	L.72		
5X/6480	Plessey	Commoning , bar					2	—	C.	
	Z.60218									
10387	A.233504	Cover , fuse					1	—	C.	
	D.246010	Detail , of radio supplies and relay box					1	L.59		
5X/6593	Plessey	Extractor , fuse					12	—	C.	
	CZ.54744									
10H/23864	—	Fuse , type "AS," H.R.C., 5 amp.					1	—	C.	
10H/23862	—	Fuse , type "AS," H.R.C., 10 amp.					3	—	C.	
10H/23860	—	Fuse , type "AS," H.R.C., 20 amp.					2	—	C.	
10H/21797	—	Fuse , type "S," 2.5 amp.					2	—	C.	
10H/21798	—	Fuse , type "S," 5 amp.					2	—	C.	
10H/21791	—	Fuse , dummy					2	—	C.	
10388	F.234635	Link , for earth terminals					1	BSS.265	C.	
	B.236196	Platform , for fuse holder					1	L.72		
7813	F.206916	Plate , tapped					1	L.72	MR/C	
10F/Z053453	Plessey	Relay , SM.5A—N.25					6	—	B.	
10389	F.234650	Rubbing block					1	LFS.21	C.	
10H/2206	—	Socket , mic-tel					1	—	B.	
	Std.1509/12/108	Tube , distance					1	T.4		
	D.246838	WIRING, FOR RADIO SUPPLIES AND RELAY, ASSEMBLY					—	—		
10H/0970056	Plessey	Cap , protective					1	—	C.	
	CZ.51539									
10395	AVA. Ltd.	Mounting , bonded					4	—	C.	
	AVM.113									
	B.246846	Mounting , relay and tag, group... ..					1	—		
10AD/3079	Std. Telephones	Base , holder					6	—	C.	
	LP.736720									
	B.233472	Mounting , relay					1	—		
10AS/1002528	Std. Telephones	Plate					6	—	C.	
	LP.733615									
10AS/1002129	Std. Telephones	Spring , retaining					6	—	C.	
	LP.733614									
10391	A.233475	Strip , insulating... ..					1	—	C.	
10390	A.233474	Strip , tug					1	—	C.	
921	Std.915.B12	Washer					4	—	C.	
10H/0560582	Plessey	Plug , panel unit					1	—	C.	
	CZ.48995/2									
10H/0560150	Plessey CZ.49112	Plug , panel unit					1	—	C.	
10H/0560080	Plessey CZ.48995	Plug , panel unit					1	—	C.	
10H/0560154	Plessey	Plug , panel unit					1	—	C.	
	CZ.49112/4									
10H/0560151	Plessey	Plug , panel unit					1	—	C.	
	CZ.49112/1									
10H/0560050	Plessey CZ.48992	Plug , panel unit					1	—	C.	
10H/0560070	Plessey CZ.48994	Plug , panel unit					1	—	C.	

Hunter T. Mk. 7
Issued with A/L No. 11

RADIO—U.H.F. INSTALLATION (S.O.O.)

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
5F/ 10H/0560233	Hellermann Plessey CZ.49217/3					Sleeve, helsyn, J.P. $\times \frac{1}{2}$ "	QR 1	— —	C. C.	
10H/0560260	Plessey CZ.49223					Socket, panel unit ...	1	—	C.	
10H/0560231	Plessey CZ.49217/1					Socket, panel unit ...	1	—	C.	
10H/0560332	Plessey CZ.49459/2					Socket, panel unit ...	1	—	C.	
10H/0560232	Plessey CZ.49217/2					Socket, panel unit ...	1	—	C.	
10H/0560331	Plessey CZ.49459/1					Socket, panel unit ...	1	—	C.	
10H/0560330	Plessey CZ.49459					Socket, panel unit ...	1	—	C.	
5X/7342	Erma 12431					Tag, 6 amp. ...	12	—	C.	
5X/	Erma 12432					Tag, 12 amp. ...	2	—	C.	
5X/	Erma 12434					Tag, 24 amp. ...	1	—	C.	
5K/3469	Ross Courtney 01					Terminal, 6 B.A. ...	2	—	C.	
5X/9400388	—					Terminal ring, 24 amp. ...	2	—	C.	
5X/9400382	—					Terminal ring, 6 amp. ...	8	—	C.	
5X/9400384	—					Terminal ring, 12 amp. ...	4	—	C.	
	B.233479					Box, resistor, group ...	1	—		
	A.233481					Base, for resistor unit ...	1	—		
10396	B.233480					Box, for resistor unit ...	1	L.72	C.	
10H/0560050	Plessey CZ.48992					Plug ...	1	—	C.	
10W/ 3838	Zenith Electric Std.1606/44/B8					Resistor, 1-3 ohms. ...	1	—	C.	
5F/ 5X/6988	Hellermann —					Screw ...	1	Brass	C.	
	F.231097					Sleeve, helsyn 100 J.P. $\times \frac{3}{4}$ "	2	—	C.	
	B.247755					Terminal, 12 amp. ...	2	—	C.	
	B.247583					Bracket ...	1	L.72		
	A.247461					Bracket, U.H.F. and tail-chute, group ...	1	—		
	B.245506					Bracket, switch ...	1	L.72		
	B.347809					Cable, F.171 (See Cable Chart)	1	—	—	
5CW/5252	Helvin HV.3711					Cable, F.153 (See Cable Chart)	1	—	—	
5CY/5361	A.E.I. Ltd. CX.119950					Cable, F.151 (See Cable Chart)	1	—	—	
5CY/5380	B.T.H. L.G.A.6 BA/1					Cap, sea grey ...	1	—	C.	
10H/11718	Belling Lee 1055/5					Cover, trip button ...	1	—	B.	
10H/0590100	Belling Lee L.1348/0					Circuit, breaker, 6 amp., 28v. ...	1	—	A.	
5CW/5765	Rotax ZA.2402/1					Fuse, 5 amp. ...	1	—	C.	
1639	Std.1606/44/A6					Fuse, holder ...	1	—	C.	
3838	Std.1606/44/B8					Guard ...	1	—	C.	
5CW/ 5CW/7540	N.S.F. Ltd. —					Screw ...	2	Brass	C.	
5CW/6152	Rotax D.10004					Screw ...	10	Brass	C.	
5CW/7544	—					Switch ...	1	—	B.	
	B.248606					Switch, S.P. change-over, No "OFF" position	1	—	B.	
	B.201469					Switch, toggle ...	1	—	B.	
	B.206538					Switch, "ON-OFF" ...	1	—	B.	
	B.221724					Cable, T.S.3 (See Cable Chart)	1	—	—	
	B.221515					Cable, T.S.4 (See Cable Chart)	1	—	—	
	B.233541					Cable, T.S.5 (See Cable Chart)	1	—	—	
	A.233549					Cable, F.128 (See Cable Chart)	1	—	—	
						Cable, F.129 (See Cable Chart)	1	—	—	
						Cable, F.154 (See Cable Chart)	1	—	—	
						Cable, F.155 (See Cable Chart)	1	—	—	

RESTRICTED

Hunter T. Mk. 7
Issued with A/L No. 11

RADIO—U.H.F. INSTALLATION (S.O.O.)

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
—	D.233534	Cable, F.23 (See Cable Chart)	...	...	...	...	1	—	—	
—	D.257146	Cable, F.62 (See Cable Chart)	...	...	...	...	1	—	—	
—	B.248320	Cable, main supply (See Cable Chart)	...	...	...	...	1	—	—	
5CW/5252	Hellermann HV.3711	Cap, helvin	...	...	...	...	2	—	C.	
5CY/9992777	—	Circuit, breaker, 25 amp.	...	...	...	...	1	—	A.	
5CY/2564	—	Circuit, breaker, 45 amp.	...	...	...	...	1	—	A.	
	D.247436	CLIPPING OF U.H.F. CABLES, ASSEMBLY					—	—		
	Std.2046/19/24	Clip	...	...	...	...	1	—		
	Std.2076/40/22	Clip	...	...	...	...	1	—		
	Std.2045/21/24	Clip	...	...	...	...	1	—		
5X/2787	Plessey Z.22432	Grommet, No. 4	...	...	...	...	2	—	C.	
	F.208641	Plate, cover	...	...	...	...	1	L.72		
5F/2301	Hellermann NY.18007	Strapping	...	...	...	...	QR	—	C.	
5F/2302	Hellermann NY.3342	Stud	...	...	...	...	QR	—	C.	
	Std.2045/38/22	Clip	...	...	...	...	1	—		
	Std.2045/23/24	Clip	...	...	...	...	5	—		
	Std.2045/15/26	Clip	...	...	...	...	1	—		
	Std.2045/34/32	Clip	...	...	...	...	1	—		
	Std.2076/35/22	Clip	...	...	...	...	1	—		
	Std.2046/19/24	Clip	...	...	...	...	1	—		
	Std.2046/36/22	Clip	...	...	...	...	5	—		
	Std.2076/40/22	Clip	...	...	...	...	1	—		
5821—	C.233770/1	Connector	...	...	...	...	1	—	B.	
AP.210666	5821— C.233770/2	Connector	...	...	...	...	1	—	B.	
AP.210657	5821— D.233433/1	Connector	...	...	...	...	1	—	B.	
AP.210667	5821— D.233433/2	Connector	...	...	...	...	1	—	B.	
AP.210665	5821— D.233433/3	Connector	...	...	...	...	1	—	B.	
AP.210659	5821— D.233433/4	Connector	...	...	...	...	1	—	B.	
AP.210668	5821— D.233433/5	Connector	...	...	...	...	1	—	B.	
AP.210655	5821— D.233433/6	Connector	...	...	...	...	1	—	B.	
AP.210660	5821— D.233433/7	Connector	...	...	...	...	1	—	B.	
AP.210654	5821— D.233433/9	Connector	...	...	...	...	1	—	B.	
AP.210664	10HB/12846	Connector	...	...	...	...	1	—	B.	
10HB/12846	5821— D.233433/15	Connector	...	...	...	...	1	—	B.	
AP.210663	D.233433/16	Connector	...	...	...	...	1	—	B.	
10HB/12848	E.227864/1	Connector	...	...	...	...	1	—	B.	
10HB/6605	E.227864/3	Connector	...	...	...	...	1	—	B.	
10HB/6606	E.227864/25	Connector	...	...	...	...	1	—	B.	
10HB/6607	E.227865/2	Connector	...	...	...	...	1	—	B.	
10HA/16710	E.227865/3	Connector	...	...	...	...	1	—	B.	
10HA/16711	E.227865/23	Connector	...	...	...	...	1	—	B.	
10HA/16708	E.227865/24	Connector	...	...	...	...	1	—	B.	
10HA/16709	B.235731	Connector, inter-com.	...	...	...	...	1	—		
	A.221617	Connector, mic-tel.	...	...	...	...	1	—		
	A.240911	Link, chain	...	...	...	...	1	—		
	F.219731	Lux	...	...	...	...	2	L.72		

RESTRICTED

RADIO—U.H.F. INSTALLATION (S.O.O.)

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	D.233438	MOUNTING BRACKET FOR AERIAL AND CABLE DUCT, ASSEMBLY					—	—		
	C.233437	Bracket, mounting					1	—		
	F.233440	Bracket, support					1	L.72		
	B.233441	Duct, for aerial cable					1	—		
	C.233315	MOUNTING FOR AERIAL, ASSEMBLY ...					—	—		
	B.233291	Bracket, mounting					1	L.72		
10732	A.206237	Panel, access					2	L.72	C.	
	A.233439	Plate, mounting					1	—		
10H/0540103	—	Plug, double ended					4	—	C.	
10H/19482	Plessey	Plug, socket					1	—	C.	
	CZ.62275/1									
10H/19451	Plessey CZ.62270	Plug, socket					1	—	C.	
10H/19481	Plessey CZ.62275	Plug, socket					1	—	C.	
5935-99-	Plessey	Plug, socket					2	—	C.	
932-2405	2CZ.111209									
10H/	UG/567A/U	Plug, socket, type UK/C					1	—	C.	
5F/2301	Hellermann	Strapping					AR	—	C.	
	NY.18007/A									
5F/2302	Hellermann	Stud					AR	—	C.	
	NY.3342									
5CW/7541	—	Switch					2	—	B.	
5821-99-	—	Transmitter/Receiver, type T.R.5/A.R.C.52 ...					1	—	A.	
942-8542	—									
10D/23507	—	Transmitter/Receiver, type M.4					1	—	A.	
5821-99-	—	Tray, mounting, MT.1477/A.R.C.52					1	—	B.	
942-6361	—									
10AJ/121	—	Tray, mounting, type 936					1	—	B.	
10AJ/212	—	Tray, mounting, type 1031					1	—	B.	
3970	Std.1509/12/020	Tube, distance					2	T.4	MR/C	
	Std.1507/2/186	Tube, distance					3	T.4		
7152	Std.1509/12/036	Tube, distance					1	—	MR/C	
	Std.1509/12/096	Tube, distance					1	—		
	D.244161	UNIT, D.M.E. CONTROL ASSEMBLY, PORT ...					—	—		
	A.249966	Bracket, switch mounting					1	L.72		
10H/19110	Plessey Z.49081	Outlet, straight					1	—	C.	
	A.247258	Plate, adaptor					1	L.72		
	B.243955	Shelf, detachable, cockpit, port					1	L.72		
	F.231593	Support, switch					1	L.72		
	Std.1509/2/056	Tube, distance					2	—		
5821-99-	—	Unit, control, type C.1607					1	—	A.	
942-8543	—									
5821-99-	—	Unit, muting bias					1	—	A.	
943-3247	—									
10H/0970049	Plessey Z.54105	Washer, panel mounting					1	—	C.	
10H/0970050	Plessey Z.54106	Washer, panel mounting					1	—	C.	
	Std.1546/20/14	Washer, profile					4	—		

RESTRICTED

Hunter T. Mk. 7
Issued with A/L No. 11

RADIO—U.H.F. INSTALLATION (S.O.O.)

Ref. No.	Part No.	Description										No. Off	Material Specification	M.R. Class of Store	Plate No.	
		1	2	3	4	5										
SUMMARY OF STOCK ITEMS																
28D/1007971	A25.1.B	Bolt, 4 B.A.	...	...	...	...	...	...	...	...	...	—	—	—		
28D/1010658	A25.1.B	Bolt, 4 B.A.	...	...	...	...	...	...	...	...	...	—	—	—		
28D/1008149	A25.2.B	Bolt, 4 B.A.	...	...	...	...	...	...	...	...	...	—	—	—		
28D/1010029	A25.6.B	Bolt, 4 B.A.	...	...	...	...	...	...	...	...	...	—	—	—		
28D/1200120	A25.14.B	Bolt, 4 B.A.	...	...	...	...	...	...	...	...	...	—	—	—		
28D/9436920	A25.1.C	Bolt, 2 B.A.	...	...	...	...	...	...	...	...	...	—	—	—		
28D/1010030	A25.7.C	Bolt, 2 B.A.	...	...	...	...	...	...	...	...	...	—	—	—		
28D/9419397	A25.12.C	Bolt, 2 B.A.	...	...	...	...	...	...	...	...	...	—	—	—		
28D/1011030	A25.2.E	Bolt, 1/4" B.S.F.	...	...	...	...	...	...	...	...	...	—	—	—		
28D/9133011	AS.1242.2.C	Bolt, 2 B.A.	...	...	...	...	...	...	...	...	...	—	—	—		
28D/8314	AS.1242.10.C	Bolt, 2 B.A.	...	...	...	...	...	...	...	...	...	—	—	—		
28D/11243	AS.1242.20.C	Bolt, 2 B.A.	...	...	...	...	...	...	...	...	...	—	—	—		
28D/12052	AS.1242.20.E	Bolt, 1/4" B.S.F.	...	...	...	...	...	...	...	...	...	—	—	—		
28D/9128739	AS.1248.1.B	Bolt, 4 B.A.	...	...	...	...	...	...	...	...	...	—	—	—		
28D/8337	AS.1248.1.B	Bolt, 4 B.A.	...	...	...	...	...	...	...	...	...	—	—	—		
28D/1007981	AS.1248.1.C	Bolt, 2 B.A.	...	...	...	...	...	...	...	...	...	—	—	—		
28D/1007982	AS.1248.1.C	Bolt, 2 B.A.	...	...	...	...	...	...	...	...	...	—	—	—		
28D/1013284	AS.1248.2.C	Bolt, 2 B.A.	...	...	...	...	...	...	...	...	...	—	—	—		
28N/255	SP.58.D	Burr	...	...	...	...	...	...	...	...	...	—	—	—		
5K/1200715	SP.40.B6	Grommet	...	...	...	...	...	...	...	...	...	—	—	—		
5K/3355	AS.3360.B.4.D	Lead, bonding	...	...	...	...	...	...	...	...	...	—	—	—		
5K/3408	AS.3360.B.6.B	Lead, bonding	...	...	...	...	...	...	...	...	...	—	—	—		
5K/	AS.3360.B.4	Lead, bonding	...	...	...	...	...	...	...	...	...	—	—	—		
28M/1006504	A27.BT	Nut	...	...	...	...	...	...	...	...	...	—	—	—		
28M/10286	AGS.2001.A.1	Nut, 6 B.A.	...	...	...	...	...	...	...	...	...	—	—	—		
28M/10287	AGS.2001.B.1	Nut, 4 B.A.	...	...	...	...	...	...	...	...	...	—	—	—		
28M/10297	AGS.2001.B.2	Nut, 4 B.A.	...	...	...	...	...	...	...	...	...	—	—	—		
28M/10288	AGS.2001.C.1	Nut, 2 B.A.	...	...	...	...	...	...	...	...	...	—	—	—		
28M/10326	AGS.2002.A.1	Nut, 6 B.A.	...	...	...	...	...	...	...	...	...	—	—	—		
28M/10327	AGS.2002.B.1	Nut, 4 B.A.	...	...	...	...	...	...	...	...	...	—	—	—		
28M/10288	AGS.2002.C.1	Nut, 2 B.A.	...	...	...	...	...	...	...	...	...	—	—	—		
28M/7002430	AGS.2002.E.1	Nut, 1/4" B.S.F.	...	...	...	...	...	...	...	...	...	—	—	—		
28M/10215	AGS.2008.B.1	Nut, 4 B.A.	...	...	...	...	...	...	...	...	...	—	—	—		
28M/9435062	AGS.2008.C.1	Nut, 2 B.A.	...	...	...	...	...	...	...	...	...	—	—	—		
28S/1200045	A31.A.10	Screw, 6 B.A.	...	...	...	...	...	...	...	...	...	—	—	—		
28S/1006948	A32.A.12	Screw, 6 B.A.	...	...	...	...	...	...	...	...	...	—	—	—		
28S/1011484	A32.A.20	Screw, 6 B.A.	...	...	...	...	...	...	...	...	...	—	—	—		
28S/6287	A32.B.6	Screw, 4 B.A.	...	...	...	...	...	...	...	...	...	—	—	—		
28S/9992522	A32.B.16	Screw, 4 B.A.	...	...	...	...	...	...	...	...	...	—	—	—		
28S/9995376	A32.B.20	Screw, 4 B.A.	...	...	...	...	...	...	...	...	...	—	—	—		
28S/9435716	A33.B.12	Screw, 4 B.A.	...	...	...	...	...	...	...	...	...	—	—	—		
28S/1007469	A33.B.14	Screw, 4 B.A.	...	...	...	...	...	...	...	...	...	—	—	—		
28S/9435715	A33.B.16	Screw, 4 B.A.	...	...	...	...	...	...	...	...	...	—	—	—		
28S/2413	A44.B.16	Screw, 4 B.A.	...	...	...	...	...	...	...	...	...	—	—	—		
28S/1011490	A32.C.16	Screw, 2 B.A.	...	...	...	...	...	...	...	...	...	—	—	—		
28W/9419474	SP.15.B	Washer, 4 B.A.	...	...	...	...	...	...	...	...	...	—	—	—		
28W/9419475	SP.15.C	Washer, 2 B.A.	...	...	...	...	...	...	...	...	...	—	—	—		
28W/9419404	SP.16.C	Washer, 2 B.A.	...	...	...	...	...	...	...	...	...	—	—	—		
28W/9419487	SP.16.E	Washer, 1/4"	...	...	...	...	...	...	...	...	...	—	—	—		

RESTRICTED

This file was downloaded
from the RTFM Library.
Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

