

Hunter T. Mk. 7
Issued with A/L No. 11

SERVICES—HYDRAULICS REAR FUSELAGE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
		1 2 3 4 5				
	D.237211	HYDRAULIC INSTALLATION IN REAR FUSELAGE, ASSEMBLY (Mod. 812)	—	—		
27Q/1884	Dowty 08692Y A.05	Accumulator	1	—	A.	
1180	F.183906	Block, clamp, for return pipes	1	LFS.21	C.	NG.1
1181	F.183907	Block, clamp, for pressure pipe	1	LFS.21	C.	NG.1
7231	B.200875	Bracket, mounting, for pressure gauge	1	L.72	MR/C	
10156	A.215212	Bracket, mounting, for Micronic filter	1	—	C.	
1182	A.189669	Clamp, top, twin type	1	S.3	C.	NG.1
2052	F.194338	Clamp, top half	7	LFS.21	C.	NG.1
2053	F.194339	Clamp, bottom half	8	LFS.21	C.	NG.1
2093	F.196103	Clamp	1	S.3	C.	NG.1
	F.211876	Clip, for pipe at frame 52	1	S.3		
9092	F.221834	Clip, saddle	1	S.510	C.	
	F.221095	Clip, securing cable duct (Mod. 629)	1	S.510		
9421	F.215214	Clip, half, securing Micronic filter	1	—	C.	
3740	Std.840/33	Clip, $\frac{7}{16}$" wide $\times$ 22 s.w.g. $\times$ 3-3" long (Mod. 629)	1	DTD.610	MR/C	4
*4802	Std.840/31	Clip, $\frac{7}{16}$" wide $\times$ 22 s.w.g. $\times$ 3-5" long	1	DTD.610	MR/C	4
27BA/8796	Auto Prod. A.V.A.57A	Coupling, half, high pressure, union half	1	—	B.	
27BA/8759	Auto. Prod. A.V.A.57B	Coupling, half, high pressure, union half	1	—	B.	
28Y/15486	H.P. Components Ltd. A.58	Connection, charging	1	—	B.	
	F.222439	Duct, cable (Mod. 629)	1	—		
27KF/1547	Fairey FHS.1211.Z	Filter, micronic, group (Pre Mod. 888) (For Spares see AP.4515, Vol. 3, Part 1, Section 2, Chapter 1)	1	—	A.	
27KF/3300	Fairey BH.1643	Filter, unit (Mod. 1146)	1	—	A.	
6A/2693	—	Gauge, pressure, Fluorescent Mk. 14LL.	1	—	A.	
7232	B.209709	Guard, for flexible pipes	1	L.72	C.	NG.1
27BA/9261	Auto. Prod. A.V.A.322A/16	Hose, flexible	1	—	C.	
27BA/9493	Auto. Prod. A.V.A.322A/26-5	Hose, flexible	1	—	C.	
27BA/9699	Auto. Prod. A.V.A.322B/16	Hose, flexible	1	—	C.	
27BA/9466	Auto. Prod. A.V.A.322B/23	Hose, flexible	1	—	C.	
	D.204180	HYDRAULICS FOR AIR BRAKE, ASSEMBLY	—	—		
2081	F.195583	Block, clamp	6	LFS.21	C.	NG.1
4950	F.204723	Block, clamp	10	LFS.21	C.	NG.1
4951	A.204934	Block, clamp	2	LFS.21	C.	NG.1
8511	F.220531	Block, saddle at Pressure Regulator Valve	1	LFB.82	C.	
27BA/8775	Auto. Prod. A.V.A.647C	Cap, blanking, medium and high pressure for flange stud half	2	—	C.	
4952	F.204102	Clamp, plate	4	LFS.21	C.	NG.1
5789	Std.851/35	Clip, $\frac{7}{16}$" wide $\times$ 22 s.w.g. $\times$ 3-5" long	2	DTD.610	C.	4
	Std.853/81	Clip, $\frac{7}{16}$" wide $\times$ 22 s.w.g. $\times$ 8-1" long	1	S.3		
27BA/11415	Auto. Prod. A.V.A.1150C	Coupling, half, high pressure flanged half (Mod. 1077)	2	—	B.	
5483	Std.1231/1B	Lug, locking	2	S.3	MR/C	4
2144	Std.1231/3	Lug, locking	5	S.3	C.	4
7680	Std.1231/3B	Lug, locking	4	S.3	MR/C	4
4953	A.204708	Pipe, flexible to Pressure Relief Valve (Dunlop)	1	WH.3/2	C.	NG.1
4954	A.204709	Pipe, flexible to Pressure Relief Valve (Dunlop)	1	WH.3/2	C.	
7687	F.211473	Piece, distance	8	T.4	MR/C	
7684	A.209797	Plate, for flanged coupling, starboard	1	—	MR/C	
7685	A.209798	Plate, for flanged coupling, port	2	—	MR/C	
8239	A.216950	Plate, fireproof cover	2	S.3	MR/C	

RESTRICTED

Hunter T. Mk. 7
Issued with A/L No. 11

SERVICES—HYDRAULICS REAR FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
10857	F.217369						1	LFS.21	C.	
	F.217370						1	LFS.21		
27Q/1820	Dowty						1	—	A.	
	04862Y A.08									
27Q/1526	Dowty						1	—	A.	
	04862Y B.08									
27QA/251	Dowty						2	—	C.	
	SP.900/22									
8240	A.216951						1	S.3	MR/C	NG.1
8241	A.216952						1	S.3	MR/C	NG.1
8242	A.216953						1	S.3	MR/C	NG.1
8243	A.216954						1	S.3	MR/C	NG.1
8244	A.216955						1	S.3	MR/C	NG.1
8245	A.216956						1	S.3	MR/C	NG.1
8246	A.216957						1	S.3	MR/C	NG.1
8247	A.216958						1	S.3	MR/C	NG.1
7821	Dowty GD.1579						4	—	C.	
5703	A.206610						8	—	C.	NG.1
7822	Dowty GD.1576						1	—	C.	
5704	A.206611						2	C.	—	NG.1
5CW/6015	Thermal Control						1	—	A.	
	TP.5300/2									
5CW/5981	Thermal Control						1	—	A.	
	TP.1300									
27Q/1936	Dowty						1	—	A.	
	08818Y-A02									
27Q/1933	Dowty						1	—	A.	
	08816Y-A03									
27Q/1288	Dowty						1	—	A.	
	C.4651Y Mk. D									
6A/2771	—						1	—	C.	
2144	Std.1231/3						2	S.3	C.	4
27BA/8798	Auto. Prod.						1	—	C.	
	A.V.A.62A									
27BA/8766	Auto.Prod.						1	—	C.	
	A.V.A.62B									
†	B.187926/1						—	DTD.323		
†	B.187926/2						1	DTD.323		
†	B.187926/4						1	DTD.323		
†	B.187926/6						1	DTD.323		
†	B.187926/7						1	DTD.323		
†	B.187926/8						1	DTD.323		
†	B.187926/10						1	DTD.323		
†	B.187926/11						1	DTD.323		
†	B.187926/12						1	DTD.323		
†	B.187926/13						1	DTD.323		
† For details see Piping Chart										

RESTRICTED

SERVICES—HYDRAULICS REAR FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.	
		1	2	3	4	5					
4603	B.187926/16	Pipe,	tee-piece	to	charging connection	...	...	1	DTD.323	C.	NF.1
4604	B.187926/17	Pipe,	tee-piece	to	pressure gauge	...	...	1	DTD.323	C.	
4605	B.187926/18	Pipe,	charging,	accumulator	to tee-piece	...	...	1	DTD.323	C.	
4606	B.187926/19	Pipe,	pressure,	tee-piece	to charging accumulator	...	...	1	DTD.323	C.	
†	B.187926/21	Pipe,	pressure,	union	to union	...	...	1	DTD.323		
†	B.187926/22	Pipe,	pressure,	to	regulator valve	...	...	1	DTD.323		
5935	B.187926/23	Pipe,	regulator	valve	to non-return valve	...	...	1	DTD.323	C.	
5936	B.187926/24	Pipe,	non-return	valve	to tee-piece	...	...	1	DTD.323	C.	
5937	B.187926/25	Pipe,	pressure,	tee-piece	to lower selector valve	...	...	1	DTD.323	C.	
5938	B.187926/26	Pipe,	pressure,	tee-piece	to upper selector valve	...	...	1	DTD.323	C.	
†	B.187926/28	Pipe,	return,	union	to 4-way piece	...	...	1	DTD.323		
†	B.187926/29	Pipe,	return,	4-way	piece to upper selector valve	...	...	1	DTD.323		
5942	B.187926/30	Pipe,	return,	4-way	piece to lower selector valve	...	...	1	DTD.323	C.	
5943	B.187926/31	Pipe,	return,	4-way	piece to tee-piece	...	...	1	DTD.323	C.	
†	B.187926/32	Pipe,	return,	tee-piece	to relief valve	...	...	1	DTD.323		
†	B.187926/33	Pipe,	return,	upper	selector valve to non-return valve	...	...	1	DTD.323		
5946	B.187926/34	Pipe,	return,	thermal	relief valve to tee-piece	...	...	1	DTD.323	C.	
5947	B.187926/35	Pipe,	air	brake "up,"	upper selector valve to 4-way piece	...	...	1	DTD.323	C.	
5948	B.187926/36	Pipe,	air	brake "up,"	4-way piece to flexible hose	...	...	1	DTD.323	C.	
†	B.187926/37	Pipe,	air	brake "up,"	4-way piece to non-return valve	...	...	1	DTD.323		
†	B.187926/38	Pipe,	air	brake "up,"	4-way piece to thermal relief valve	...	...	1	DTD.323		
5951	B.187926/39	Pipe,	air	brake "down,"	lower selector valve to pressure relief valve	...	...	1	DTD.323	C.	
5952	B.187926/40	Pipe,	air	brake "down,"	relief valve to tee-piece	...	...	1	DTD.323	C.	
5953	B.187926/41	Pipe,	air	brake "down,"	tee-piece to flexible hose	...	...	1	DTD.323	C.	
†	B.187926/42	Pipe,	air	brake "down,"	tee-piece to pressure switch	...	...	1	DTD.323		
6517	B.187926/48	Pipe,	pressure,	S.S.	coupling to union	...	...	1	DTD.323	C.	
6518	B.187926/49	Pipe,	return,	S.S.	coupling to union	...	...	1	DTD.323	C.	
7860	B.187926/51	Pipe,	pressure,	tee-piece	to tee-piece	...	...	1	DTD.323	C.	
7861	B.187926/52	Pipe,	return,	non-return	valve to tee-piece	...	...	1	DTD.323	C.	
†	B.187926/53	Pipe,	pressure,	non-return	valve to filter (inlet)	...	...	1	DTD.323		
†	B.187926/54	Pipe,	pressure,	filter	(outlet) to tee-piece	...	...	1	DTD.323		
9873	B.187926/73	Pipe,	pressure,	tee-piece	to pressure switch (Mod. 812)	...	...	1	DTD.323	C.	
5CW/6733	Thermal Controls TP.5566	Switch	pressure	(Mod. 812)	...	...	...	1	—	A.	
	Std.1507/2/026	Tube,	distance,	1/4" o/d	× 22 s.w.g. × 0.26" long	...	...	1	T.26		
		(Local Manufacture)									
	Std.1507/2/080	Tube,	distance,	1/4" o/d	× 22 s.w.g. × 0.80" long	...	...	1	T.26		
		(Local Manufacture)									
	Std.1507/2/082	Tube,	distance,	1/4" o/d	× 22 s.w.g. × 0.82" long	...	...	1	T.26		
		(Local Manufacture)									
1185	F.183200	Union	...	...	...	...	...	2	—	C.	
869	F.140778	Union,	reducing	...	...	...	...	1	L.1	C.	
27Q/926	Dowty D.5220Y	Valve,	non-return	...	...	...	...	3	—	A.	
27Q/15170	Dowty D.5230Y	Valve,	non-return	...	...	...	...	1	—	A.	
27Q/1932	Dowty 08808Y-A.04	Valve,	selector	(Pre Mod. 895)	...	...	...	1	—	A.	
27Q/70468	Dowty 08808Y-A.07	Valve,	selector	(Mod. 895)	...	...	...	1	—	A.	
27Q/927	Dowty C.4603Y Mk. A.	Valve,	thermal	relief	...	...	...	2	—	A.	
	Std.1547/28/18	Washer,	at	former,	frame 53	...	...	1	DTD.610		
† For details see Piping Chart											

† For details see Piping Chart

SERVICES—HYDRAULICS REAR FUSELAGE


[illegible]

RESTRICTED

Hunter T. Mk. 7
Issued with A/L No. 11

SERVICES—HYDRAULICS REAR FUSELAGE

Ref. No.	Part No.	Description										No. Off	Material Specification	M.R. Class of Store	Plate No.	
		1	2	3	4	5	6	7	8	9	10					
SUMMARY OF STOCK ITEMS																
28F/9838	AGS.1104A	Adaptor	...	...	...	...	...	...	...	...	...	—	—	—	—	
28Y/12849	AGS.1212	Adaptor	...	...	...	...	...	...	...	...	...	—	—	—	—	
28F/10797	AGS.1129/A	Banjo (Mod. 812)	...	...	...	...	...	...	...	...	...	—	—	—	—	
28F/9423236	AGS.1132A	Banjo	...	...	...	...	...	...	...	...	...	—	—	—	—	
28F/9423237	AGS.1132B	Banjo	...	...	...	...	...	...	...	...	...	—	—	—	—	
28F/9423226	AGS.1135A	Bolt, banjo	...	...	...	...	...	...	...	...	...	—	—	—	—	
28F/9423227	AGS.1135/B	Bolt, banjo	...	...	...	...	...	...	...	...	...	—	—	—	—	
28D/13868	A25.1B	Bolt, 4 B.A.	...	...	...	...	...	...	...	...	...	—	—	—	—	
28D/1010658	A25.1.B	Bolt, 4 B.A.	...	...	...	...	...	...	...	...	...	—	—	—	—	
28D/1011006	A25.5.B	Bolt, 4 B.A.	...	...	...	...	...	...	...	...	...	—	—	—	—	
28D/1010029	A25.6.B	Bolt, 4 B.A.	...	...	...	...	...	...	...	...	...	—	—	—	—	
28D/1009984	A25.7.B	Bolt, 4 B.A.	...	...	...	...	...	...	...	...	...	—	—	—	—	
28D/1011011	A25.8.B	Bolt, 4 B.A.	...	...	...	...	...	...	...	...	...	—	—	—	—	
28D/9436920	A25.1.C	Bolt, 2 B.A.	...	...	...	...	...	...	...	...	...	—	—	—	—	
28D/9133011	A25.2.C	Bolt, 2 B.A.	...	...	...	...	...	...	...	...	...	—	—	—	—	
28D/9133012	A25.3.C	Bolt, 2 B.A.	...	...	...	...	...	...	...	...	...	—	—	—	—	
28D/1200119	A25.4.C	Bolt, 2 B.A.	...	...	...	...	...	...	...	...	...	—	—	—	—	
28D/12533	A25.5.C	Bolt, 2 B.A.	...	...	...	...	...	...	...	...	...	—	—	—	—	
28D/7002428	A25.6.C	Bolt, 2 B.A.	...	...	...	...	...	...	...	...	...	—	—	—	—	
28D/12534	A25.9.C	Bolt, 2 B.A.	...	...	...	...	...	...	...	...	...	—	—	—	—	
28D/9435710	A25.11.C	Bolt, 2 B.A.	...	...	...	...	...	...	...	...	...	—	—	—	—	
28D/12536	A25.13.C	Bolt, 2 B.A.	...	...	...	...	...	...	...	...	...	—	—	—	—	
28D/12537	A25.14.C	Bolt, 2 B.A.	...	...	...	...	...	...	...	...	...	—	—	—	—	
28D/1011021	A25.16.C	Bolt, 2 B.A.	...	...	...	...	...	...	...	...	...	—	—	—	—	
28D/12517	A25.17.C	Bolt, 2 B.A.	...	...	...	...	...	...	...	...	...	—	—	—	—	
28D/9744	AS.1248.2B	Bolt, 4 B.A.	...	...	...	...	...	...	...	...	...	—	—	—	—	
28D/12132	AS.1248.12.B	Bolt, 4 B.A.	...	...	...	...	...	...	...	...	...	—	—	—	—	
28E/9130610	AS.5419/3	Clip (Mod. 812)	...	...	...	...	...	...	...	...	...	—	—	—	—	
28E/9130685	AS.5419/6	Clip	...	...	...	...	...	...	...	...	...	—	—	—	—	
28F/10782	AGS.1118A	Coupling	...	...	...	...	...	...	...	...	...	—	—	—	—	
28F/8011811	AGS.1118B	Coupling	...	...	...	...	...	...	...	...	...	—	—	—	—	
28F/9463543	AGS.1120/1	Coupling	...	...	...	...	...	...	...	...	...	—	—	—	—	
28F/8011896	AGS.1142.C	Nipple	...	...	...	...	...	...	...	...	...	—	—	—	—	
28F/14529	AGS.1170.C	Nipple	...	...	...	...	...	...	...	...	...	—	—	—	—	
28M/10327	AGS.2001.B.1	Nut, 4 B.A.	...	...	...	...	...	...	...	...	...	—	—	—	—	
28M/10288	AGS.2001.C.1	Nut, 2 B.A.	...	...	...	...	...	...	...	...	...	—	—	—	—	
28M/10327	AGS.2002.B.1	Nut, 4 B.A.	...	...	...	...	...	...	...	...	...	—	—	—	—	
28M/10332	AGS.2002.C.1	Nut, 2 B.A.	...	...	...	...	...	...	...	...	...	—	—	—	—	
28M/1006473	A27.CT	Nut, 2 B.A.	...	...	...	...	...	...	...	...	...	—	—	—	—	
28S/9437020	A31.C12	Screw, 2 B.A.	...	...	...	...	...	...	...	...	...	—	—	—	—	
28S/14005	A32.B14	Screw, 4 B.A.	...	...	...	...	...	...	...	...	...	—	—	—	—	
28F/11080	AGS.1106.B	Union	...	...	...	...	...	...	...	...	...	—	—	—	—	
28F/10508	AGS.1106.D	Union	...	...	...	...	...	...	...	...	...	—	—	—	—	
28F/9714	AGS.1111.C	Union	...	...	...	...	...	...	...	...	...	—	—	—	—	
28F/10020	AGS.1120/1	Union, tee (Mod. 812)	...	...	...	...	...	...	...	...	...	—	—	—	—	
28F/9721	AGS.1120/5	Union, tee	...	...	...	...	...	...	...	...	...	—	—	—	—	
28F/13290	AGS.1120/11	Union, tee	...	...	...	...	...	...	...	...	...	—	—	—	—	
28F/14399	AGS.1120/13	Union, tee	...	...	...	...	...	...	...	...	...	—	—	—	—	
28F/9726	AGS.1123.C	Union, 4 way	...	...	...	...	...	...	...	...	...	—	—	—	—	
28F/14532	AGS.1125/8	Union, 4 way	...	...	...	...	...	...	...	...	...	—	—	—	—	
28Y/9429623	AGS.1200	Valve, charging	...	...	...	...	...	...	...	...	...	—	—	—	—	
28W/9419402	SP.13.C	Washer	...	...	...	...	...	...	...	...	...	—	—	—	—	
28W/9419474	SP.15.B	Washer	...	...	...	...	...	...	...	...	...	—	—	—	—	
28W/9419475	SP.15.C	Washer	...	...	...	...	...	...	...	...	...	—	—	—	—	
28W/9419404	SP.16.C	Washer	...	...	...	...	...	...	...	...	...	—	—	—	—	
28W/9416642	SP.47.B	Washer	...	...	...	...	...	...	...	...	...	—	—	—	—	
28F/11949	AGS.1115-4	Washer	...	...	...	...	...	...	...	...	...	—	—	—	—	
28F/9428452	AGS.1186A	Washer	...	...	...	...	...	...	...	...	...	—	—	—	—	
28F/9428453	AGS.1186B	Washer	...	...	...	...	...	...	...	...	...	—	—	—	—	



This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

