

SERVICES—PRESSURISATION FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	E.235596	CABIN PRESSURISING AND AIR CONDITION- ING, FRONT FUSELAGE, ASSEMBLY (Mod. 779)					—	—		
	F.230326	Angle , mounting, aft of frame 12					1			
5145	F.205189	Block , clamp					2	LFS.21	C.	
	F.214073	Block , distance					1	LFS.21		
	F.218950	Block , distance, for cleat, at feet spray pipe, port ...					1	LFS.21		
9913	Thos. Boorn FD.6000/2	Bracelet					2	—	C.	
8982	F.222258	Bracket , mounting, for front light spray pipe, port					1	—	C.	
8983	F.222259	Bracket , mounting, for front light spray pipe, starboard					1	—	C.	
	A.214111	Bracket , securing pipes, at duct aft of frame 12 ...					1	S.3		
8978	K.A.C. C.4370/B/1	Clamp , pipe, Mk. 2					6	—	C.	NM.1
8979	K.A.C. C.4370/B/1 $\frac{1}{2}$ -1 $\frac{1}{2}$	Clamp , pipe, Mk. 2					12	—	C.	NM.1
8980	K.A.C. C.4370/B/1 $\frac{3}{4}$ -2	Clamp , pipe, Mk. 2					12	—	C.	NM.1
	F.218951	Clamp , securing feet spray pipe, port					1	LFS.21		
9006	F.213578	Clip , securing flexible pipe to hood spray					4	S.3	C.	
	F.214107	Clip , securing pipe bracket on duct aft of frame 12					2	S.3		
8981	F.214307	Clip , securing flexible pipe, frame 14 to floor connection					1	S.3	C.	NM.1
	F.230868	Clip , pipe support					1	—		
	Std.2045/49/20	Clip , sleeved					1	—		
	Std.2045/65/20	Clip , sleeved					1	—		
	Std.2045/42/22	Clip , sleeved (Mod. 779)					1	—		
	Std.2046/65/20	Clip , sleeved (AS.840/91)					1	—		
	Std.2046/89/20	Clip , sleeved					5	—		
	Std.2046/60/20	Clip , sleeved					1	—		
	Std.851/44	Clip , support, $\frac{7}{16}$ " wide $\times$ 22 S.W.G. $\times$ 4-4" long ...					1	DTD.610		
	Std.851/74	Clip , support, $\frac{7}{16}$ " wide $\times$ 22 S.W.G. $\times$ 7-4" long ...					2	DTD.610		
1366	Std.1682/10	Clip , pipe coupling					2	S.3	C.	5
924	Std.1682/12	Clip , pipe coupling					10	S.3	C.	5
27KD/10	Normalair 504600	Connection , ground pressurising					1	—	C.	
27UA/515	Sir George Godfrey Ltd. 23782	Coupling , drain vent					1	—	C.	
	A.214482	Coupling , for flexible pipe					2	L.56.C		
2790	A.213916	Duct , ground pressurising, frame 1C to frame 3					1	S.3	HR/C	NM.2
	A.213917	Duct , ground pressurising, frame 3 to frame 6					1	—		
8984	F.213851	End , fork					1	S.96.B	C.	NM.1
27UA/891	Sir George Godfrey Ltd. 103441	Extractor , water, WE30/Mk. 7					1	—	A.	
	Sir George Godfrey Ltd. 103554	Gaiter , lagging for water extractor (AS.830/50) ...					1	—		
1375	A.182801	Guard , for ground pressurising duct					1	—	C.	NM.2
	E.230560	HOOD, SEAL, EXTRACTOR VALVE AND SUPPLY PIPES, ASSEMBLY (Mod. 803)					—	—		
4585	F.202581	Block , clamp					5	LFS.21	C.	NM.2
4586	F.202582	Block , clamp					2	LFS.21	C.	NM.2
8985	F.213999	Block , clamp					2	LFS.21	C.	NM.2
8986	F.214020	Block , clamp					1	LFS.21	C.	NM.2
8987	F.214021	Block , clamp					2	LFS.21	C.	NM.2
8988	F.214025	Block , clamp					1	LFS.21	C.	NM.2

RESTRICTED

Hunter T Mk. 7
Issued with A/L No. 3

SERVICES—PRESSURISATION FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
9660	F.226450	Block, clamp	...	...	...	...	1	LFS.21	C.	NM 2
1370	F 187763	Cap, special	...	...	...	...	3	DTD.364	C.	NM.2
8989	F.214065	Chain	...	...	...	...	3	—	C.	
27KD/26	Normalair 504376/M Std.2046/22/26	Clamp	...	...	...	...	2	—	C.	
		Clip, securing pipes	...	...	...	...	1	S.510 or S.511		
	A.219237	Connector, joint, hood sealing, group	...	...	...	...	1	—		
8990	F.212941	Seating	...	...	...	...	1	Rubber	C.	NM.2
27KD/510	Normalair 509930	Controller, pressure, type A	...	...	...	...	1	—	A.	
1360	A.185338	Coupling	...	...	...	...	1	DTD.364	C.	NM.2
	F.214069	Cover	...	...	...	...	2	—		
	A.183593	Guard	...	...	...	...	1	DTD.610		
	F.187482	Label	...	...	...	...	1	L.59		
2144	Std.1231/3	Lug, locking	...	...	...	...	3	S.3	C.	4
†	F.213919	Pipe, frame 6 to controller	...	...	...	...	1	DTD.253		
†	B.213254/5	Pipe, air supply, electro magnetic valve to bulkhead union	...	...	...	...	1	DTD.253		
†	B.213254/6	Pipe, air supply, electro magnetic valve to connection	...	...	...	...	1	DTD.253		
†	B.213254/7	Pipe, hood supply, frame 6 to aft of frame 7	...	...	...	...	1	DTD.253		
†	B.213254/8	Pipe, hood supply, tee-piece to reducing valve	...	...	...	...	1	DTD.253		
†	B.213254/9	Pipe, hood supply, reducing valve to bulkhead connection	...	...	...	...	1	DTD.253		
†	B.213254/10	Pipe, hood supply, bulkhead union to electro magnetic valve	...	...	...	...	1	DTD.253		
†	B.213254/12	Pipe, hood supply, non return valve to connection	...	...	...	...	1	DTD.253		
†	B.213254/14	Pipe, air supply, aft of frame 12 to extractor valve	...	...	...	...	1	DTD.253		
†	B.213254/18	Pipe, hood supply, aft of frame 7 to aft of frame 8	...	...	...	...	1	DTD.253		
†	B.213254/19	Pipe, hood supply, aft of frame 8 to aft of frame 12	...	...	...	...	1	DTD.253		
†	B.213254/20	Pipe, hood supply, aft of frame 12 to tee-piece	...	...	...	...	1	DTD.253		
†	B.213254/21	Pipe, air supply, aft of frame 7 to aft of frame 8	...	...	...	...	1	DTD.253		
†	B.213254/22	Pipe, air supply, aft of frame 8 to aft of frame 12	...	...	...	...	1	DTD.253		
†	B.213254/23	Pipe, hood supply, electro magnetic valve to hood seal connection	...	...	...	...	1	DTD.253		
†	B.213254/24	Pipe, guard to frame 6	...	...	...	...	1	DTD.253		
†	B.213254/27	Pipe, frame 6 to pressure controller	...	...	...	...	1	DTD.253		
†	B.213254/32	Pipe, hood supply, connection to connection	...	...	...	...	1	DTD.253		
†	B.213254/33	Pipe, hood supply, connection to frame 18A	...	...	...	...	1	DTD.253		
†	B.213254/34	Pipe, hood supply, frame 18A to centre fuselage	...	...	...	...	1	DTD.253		
†	B.213254/36	Pipe, air supply, extractor valve to electro magnetic valve	...	...	...	...	1	DTD.253		
† For details see Piping Chart										

RESTRICTED

Hunter T. Mk. 7
Issued with A/L No. 11

SERVICES—PRESSURISATION FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
†	B.213254/37					Pipe, air supply, valve starboard to tee ...	1	DTD.253 or DTD.323		
†	B.213254/38					Pipe, air supply, bulkhead connection to tee ...	1	DTD.253 or DTD.323		
†	B.213254/42					Pipe, air supply, tee to discharge valve, port ...	1	DTD.253 or DTD.323		
†	B.213254/43					Pipe, air supply extractor valve to frame 7 (Mod. 741)	1	DTD.253		
	B.187402					Plate, locking ...	1	DTD.610		
	F.214064					Ring, " S " ...	1	Brass Wire		
27KD/29	Normalair 504372/M					Ring, sealing ...	2	—	C.	
27QA/144	Dowty GD.1307A					Seal, bonded ...	1	—	C.	
27QA/145	Dowty GD.1307B					Seal, bonded ...	4	—	C.	
27QA/148	Dowty GD.1307D					Seal, bonded ...	1	—	C.	
27QA/139	Dowty GD.1307-3					Seal, bonded ...	2	—	C.	
27QA/143	Dowty GD.1307-23					Seal, bonded ...	1	—	C.	
1371	F.182800					Stud ...	1	S.95.B	C.	NM.2
10892	Std.1509/12/038					Tube, distance $\frac{1}{4}$ " o/d $\times$ 20 S.W.G. $\times$ 38" long ...	2	T.4	C.	4
	Std.1509/23/060					Tube, distance $\frac{5}{8}$ " o/d $\times$ 17 S.W.G. $\times$ 60" long	1	T.4		4
	Std.1509/12/062					Tube, distance at frame 7, starboard (Mod. 741)	1	T.4		
1369	A.187762					Union, body, flanged ...	1	DTD.364	C.	NM.2
6332	B.205529					Valve, air extractor, group (Mod. 209) ...	1	—	A.	NM.2
1362	A.185216					Diaphragm ...	1	—	C.	NM.2
2144	Std.1231/3					Lug, locking ...	3	S.3	C.	4
27QA/145	Dowty GD.1307B					Seal, bonded ...	1	—	C.	
1363	F.172452					Spring ...	1	Ph. Br. Wire	C.	NM.2
1361	B.185213					Valve, air extractor, group ...	1	—	B.	NM.2
1362	A.185216					Diaphragm ...	1	—	C.	NM.2
2144	Std.1231/3					Lug, locking ...	3	S.3	C.	4
27QA/145	Dowty GD.1307.B					Seal, bonded ...	1	—	C.	
1363	F.172452					Spring ...	1	Ph. Br. Wire	C.	NM.2
27V/3453	Teddington Controls ES/A/390					Valve, electro-magnetic ...	1	—	A.	
	B.213147					VALVE, HOOD DE-SEAL, ASSEMBLY ...	—	—		
27V/4125	Teddington Controls ES/A/430					Valve, E.S. tropicalised ...	1	—	A.	
27VB/3455	Hymatic Eng. D.9205					Valve, non-return N.R.9 Mk. 6 ...	1	—	A.	
27VB/3454	Hymatic Eng. PS.29/4					Valve, reducing ...	1	—	A.	
27KD/960	Normalair 510710					Valve unit, 7/20 combined type X.7 ...	1	—	A.	
X 27KD/1649	Normalair 521210 B.232459 *					Valve unit, C/W restrictor (alternative to B.232459)	1	—	A.	
						Valve unit, C/W restrictor (Mod. 803) (alternative to Ref. 27KD/1649)	1	—		
10112	F.231542 *					Restrictor ...	1	—	C.	
	Std.1546/24/18					Washer, profile ...	2	DTD.610		
† For details see Piping Chart										

RESTRICTED

Hunter T. Mk. 7
Issued with A/L No. 11

SERVICES—PRESSURISATION FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
2144	Std.1231/3	Lug, locking	...	...	...	...	1	S.3	C.	4
9866	A.232079	Pipe, frame 18 to water separator (Mod. 803)	...	...	...	...	1	—	C.	NM.1
9865	A.232076	Pipe, water separator to non-return valve (Mod. 803)	...	...	...	...	1	—	C.	NM.1
10704	B.251101	Pipe, non-return valve to cabin feed, group (Mod. 1045)	...	...	...	...	1	—	B.	NM.1
	B.212654	Pipe, (less lagging), group	...	...	...	...	1	—		
27V/4813	Teddington Controls FHG/A/49	Element, sensing	...	...	...	...	1	—	C.	
11040	A.250536	Guard (Mod. 1045)	...	...	...	...	1	—	C.	
	F.211739	Plate, backing	...	...	...	...	1	—		
8993	F.211740	Washer, sealing	...	...	...	...	1	—	C.	
	B.212656	Pipe, connector pipe to spray pipes, port	...	...	...	...	1	—		
9867	A.232078	Pipe, frame 18 to valve (Mod. 803)	...	...	...	...	1	—	C.	
	B.212658	Pipe, frame 18 to connector pipe, port	...	...	...	...	1	—		
10107	B.234156	Pipe, to spray pipes (Mod. 779)	...	...	...	...	1	—	C.	
10251	B.212871	Pipe, to body spray, port	...	...	...	...	1	—	C.	
10252	B.212872	Pipe, to body spray, starboard	...	...	...	...	1	—	C.	
	A.212875	Pipe, feet spray, port	...	...	...	...	1	—		
	A.212876	Pipe, feet spray, starboard	...	...	...	...	1	—		
	B.213002	Pipe, to valve, starboard	...	...	...	...	1	—		
†	B.213254/28	Pipe, drain	...	...	...	...	1	—		
	A.213428	Pipe, ram air, frame 1C to frame 3	...	...	...	...	1	—		
	A.213915	Pipe, ram air, frame 3 to frame 6	...	...	...	...	1	—		
9861	C.213456/9	Pipe, flexible, frame 14 to hood spray, port (Mod. 803)	...	...	...	...	1	—	C.	NM.1
9862	C.213456/10	Pipe, flexible, frame 14 to hood spray, starboard (Mod. 803)	...	...	...	...	1	—	C.	NM.1
8996	C.213456/5	Pipe, flexible, beneath pilots floor, port	...	...	...	...	1	—	C.	NM.1
9863	C.213456/11	Pipe, flexible, frame 14 to floor connection, port (Mod. 803)	...	...	...	...	1	—	C.	NM.1
9864	C.213456/12	Pipe, flexible, frame 14 to floor connection, starboard (Mod. 803)	...	...	...	...	1	—	C.	NM.1
9666	C.213456/8	Pipe, flexible, beneath pilots floor, starboard...	...	...	...	...	1	—	C.	NM.1
	B.215957	Pipe, floor connection to frame 8, port	...	...	...	...	1	—		
	A.215959	Pipe, floor connection to frame 8, starboard	...	...	...	...	1	—		
10152	A.232377	Pipe, junction (B.212655 lagged) (Mod. 803) group	...	...	...	...	1	—	C.	
	B.212655	Pipe, junction (less lagging)	...	...	...	...	1	—		
	B.215958	Pipe, at frame 18, port	...	...	...	...	1	—		
	B.215960	Pipe, at frame 18, starboard	...	...	...	...	1	—		
	A.220231	Pipe, supply, to hood spray, port and starboard	...	...	...	...	2	—		
8999	B.221980	Pipe, front light spray, port	...	...	...	...	1	—	C.	NM.1
9000	B.221981	Pipe, front light spray, starboard	...	...	...	...	1	—	C.	NM.1
10108	B.235481	Pipe, quarter light spray, starboard (Mod. 779)	...	...	...	...	1	—	C.	NM.1
9859	B.232074	Pipe, quarter light spray, port (B.221982 lagged) (Mod. 803)	...	...	...	...	1	—	C.	NM.1
	C.232244	Pipes, body spray and controls, assembly (Mod. 803)	...	...	...	...	—	—		
10113	F.231037	Bracket, stop	...	...	...	...	2	—	C.	NM.1
10114	A.231045	Cable, control, port, group	...	...	...	...	1	—	B.	NM.1
10115	A.231046	Cable, control, starboard, group	...	...	...	...	1	—	B.	NM.1
	A.231045/1	Casing, outer (Bowden conduit B2)	...	...	...	...	2	—		
	A.231045/2	Member, inner (5 cwt. cable, WV.11)	...	...	...	...	2	—		
557	F.171912	Nipple	...	...	...	...	4	Brass	C.	NM.1
	F.172899	Pin, taper	...	...	...	...	4	M.S.		
	Std.1522/2	Sleeve, outer	...	...	...	...	4	—		
	Std.1522/1	Stop, adjusting	...	...	...	...	4	—		

† For details see Piping Chart

RESTRICTED

SERVICES—PRESSURISATION FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
10120	A.23.1052	Control, for butterfly valve ...	...	...	...	...	2	—	C.	NM.1
10116	B.228600	Duct, exit, port ...	...	...	...	...	1	BSS.265	C.	NM.1
10117	B.228601	Duct, exit, starboard ...	...	...	...	...	1	BSS.265	C.	NM.1
10118	A.228701	Duct, port ...	...	...	...	...	1	—	C.	NM.1
10119	A.228702	Duct, starboard ...	...	...	...	...	1	—	C.	NM.1
10274	A.236164 or	Louvre (AS.920/75) ...	...	...	...	...	2	—	C.	
10054	Thermotank	Louvre, punkah... ..	...	...	...	...	2	—	B.	NM.1
	AR.1½									
4871	Std.1606/44/A8	Screw	...	...	...	...	6	Brass	C.	
10121	A.231024	Valve, butterfly, port, group ...	...	...	...	...	1	—	B.	NM.1
10122	A.231025	Valve, butterfly, starboard, group ...	...	...	...	...	1	—	B.	NM.1
	A.231026	Casing, port, group	...	...	...	...	1	—		
	A.231027	Casing, starboard, group	...	...	...	...	1	—		
10123	F.213411	Ring, sealing	...	...	...	...	2	DTD.5509/B	C.	NM.1
10124	F.205077	Ring, retaining	...	...	...	...	2	Rubber	C.	NM.1
	F.213405	Lever, at valve shaft	...	...	...	...	2	S.95.B		
	F.213404	Shaft, for valve	...	...	...	...	2	S.95.B		
10125	F.213407	Spring	...	...	...	...	1	Sp. St.	C.	NM.1
10126	F.213408	Spring	...	...	...	...	1	Sp. St.	C.	NM.1
10127	F.213409	Washer	...	...	...	...	2	L.72	C.	NM.1
10128	F.213410	Washer	...	...	...	...	2	L.72	C.	NM.1
	F.232245	Washer	...	...	...	...	2	Langite		
2791	F.187586	Plate, clamp	...	...	...	...	1	DTD.610	MR/C	NM.2
	A.213823	Rod, connecting	...	...	...	...	1	S.96.B		
5CZ/4901	Teddington Controls FLJ/A/2	Resistor, follow-up... ..	...	...	...	...	1	—	B.	
2792	F.187585	Ring, packing	...	...	...	...	1	Felt	MR/C	NM.2
9003	F.214120 →	Ring, sealing <i>CARBID PRESS PIPES</i>	...	...	...	...	2	Rubber	C.	
28F/17672	AS.5401	Ring, sealing, for pipe joint	...	...	...	...	6	—	C.	NM.1
28F/17675	AS.5402	Ring, sealing, for pipe joint	...	...	...	...	12	—	C.	NM.1
28F/18039	AS.5403	Ring, sealing, for pipe joint	...	...	...	...	14	—	C.	NM.1
27QA/139	Dowty	Seal, bonded	...	...	...	...	6	—	C.	
	GD.1307-3									
1659	Std.1744/10	Sleeve	...	...	...	...	1	Rubber	C.	5
1715	Std.1744/12	Sleeve	...	...	...	...	5	Rubber	C.	5
1371	F.182800	Stud	...	...	...	...	6	S.95.B	C.	NM.2
680	F.185654	Support, pipe	...	...	...	...	2	LFS.21	C.	NM.1
3808	Std.1509/23/040	Tube, distance, $\frac{5}{16}$ " o/d × 17 S.W.G. × 40" long ...	...	...	...	...	2	T.4	MR/C	4
	Std.1509/23/060	Tube, distance, $\frac{5}{16}$ " o/d × 17 S.W.G. × 0-60" long ...	...	...	...	...	1	T.4		
	Std.1509/23/50	Tube, distance	...	...	...	...	1	T.4		
	B.211598	Valve, non-return, group	...	...	...	...	1	—		
669	F.185406	Pin, pivot	...	...	...	...	1	DTD.364		NM.2
7069	F.212314	Plate, valve	...	...	...	...	1	—	C.	NM.2
671	F.185336	Spring	...	...	...	...	1	Bronze	C.	NM.2
9565	B.211493	Valve, temperature control and actuator, group ...	...	...	...	...	1	—	A.	
5CW/307	Plessey	Actuator... ..	...	...	...	...	1	—	A.	
	CZ.54709/10/A									
9004	A.211496	Lever, quadrant, group	...	...	...	...	1	—	B.	NM.1
2766	A.183331	Block, mounting	...	...	...	...	1	DTD.364	MR/C	NM.1
1354	F.183338	Bolt, shoulder	...	...	...	...	1	S.11	C.	NM.1
	A.211497	Lever, quadrant	...	...	...	...	1	—		NM.1
	B.211494	Valve	...	...	...	...	1	—		NM.1
1372	F.179156	Washer, taper	...	...	...	...	6	—	C.	NM.2
1373	F.179157	Washer, taper	...	...	...	...	2	LFS.21	C.	NM.2
—	Std.1547/22/12	Washer, radius (Make from 30B/1724)	...	...	...	...	4	L.72	—	4
9007	Std.1547/22/18	Washer, radius	...	...	...	...	11	DTD.610	C.	4
1374	F.174892	Washer, sealing	...	...	...	...	1	DTD.378A	C.	NM.2

SERVICES—PRESSURISATION FRONT FUSELAGE


Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
SUMMARY OF STOCK ITEMS										
28F/9501	AGS.1142.B	Adaptor, nipple	...	...	...	...	...	—	—	—
28F/11777	AGS.1142.K	Adaptor, nipple	...	...	...	...	...	—	—	—
28F/10019	AGS.1131.B	Banjo	...	...	...	...	...	—	—	—
28D/1007971	A25.1.B	Bolt, 4 B.A.	...	...	...	...	...	—	—	—
28D/1010658	A25.1.B	Bolt, 4 B.A.	...	...	...	...	...	—	—	—
28D/1008149	A25.2.B	Bolt, 4 B.A.	...	...	...	...	...	—	—	—
28D/9419462	A25.3.B	Bolt, 4 B.A.	...	...	...	...	...	—	—	—
28D/9140638	A25.4.B	Bolt, 4 B.A.	...	...	...	...	...	—	—	—
28D/1011006	A25.5.B	Bolt, 4 B.A.	...	...	...	...	...	—	—	—
28D/1010029	A25.6.B	Bolt, 4 B.A.	...	...	...	...	...	—	—	—
28D/1011011	A25.7.B	Bolt, 4 B.A.	...	...	...	...	...	—	—	—
28D/1010142	A25.8.B	Bolt, 4 B.A.	...	...	...	...	...	—	—	—
28D/9435711	A25.10.B	Bolt, 4 B.A.	...	...	...	...	...	—	—	—
28D/9138768	A25.1.C	Bolt, 2 B.A.	...	...	...	...	...	—	—	—
28D/9436920	A25.1.C	Bolt, 2 B.A.	...	...	...	...	...	—	—	—
28D/9133011	A25.2.C	Bolt, 2 B.A.	...	...	...	...	...	—	—	—
28D/9133012	A25.3.C	Bolt, 2 B.A.	...	...	...	...	...	—	—	—
28D/12533	A25.5.C	Bolt, 2 B.A.	...	...	...	...	...	—	—	—
28D/7002428	A25.6.C	Bolt, 2 B.A.	...	...	...	...	...	—	—	—
28D/1010030	A25.7.C	Bolt, 2 B.A.	...	...	...	...	...	—	—	—
28D/1011019	A25.8.C	Bolt, 2 B.A.	...	...	...	...	...	—	—	—
28D/12534	A25.9.C	Bolt, 2 B.A.	...	...	...	...	...	—	—	—
28D/1011024	A25.21.C	Bolt, 2 B.A.	...	...	...	...	...	—	—	—
28D/1011027	A25.27.C	Bolt, 2 B.A.	...	...	...	...	...	—	—	—
28D/1008151	A25.4.E	Bolt, 1/4" B.S.F.	...	...	...	...	...	—	—	—
28D/8307	AS.1242.2.C	Bolt, 2 B.A.	...	...	...	...	...	—	—	—
28F/10018	AGS.1135.B	Bolt, banjo	...	...	...	...	...	—	—	—
28E/14147	AS.487/12	Clip	...	...	...	...	...	—	—	—
28E/9129090	AGS.605/2	Clip, hose	...	...	...	...	...	—	—	—
28E/14076	AS.3181/24/B	Clip	...	...	...	...	...	—	—	—
28E/9130611	AS.5419/4	Clip	...	...	...	...	...	—	—	—
28F/6353	AGS.952.B	Collar	...	...	...	...	...	—	—	—
5K/3394	AS.3360.B6B	Lead, bonding	...	...	...	...	...	—	—	—
5K/3408	AS.3360.B6C	Lead, bonding	...	...	...	...	...	—	—	—
5K/3389	AS.3360.C4C	Lead, bonding	...	...	...	...	...	—	—	—
28F/1011814	AGS.1140.A	Nipple, plug	...	...	...	...	...	—	—	—
28F/9439950	AGS.1140.B	Nipple, plug	...	...	...	...	...	—	—	—
28F/14123	AGS.1170.B	Nipple	...	...	...	...	...	—	—	—
28M/9403520	A27.CP	Nut, 2 B.A.	...	...	...	...	...	—	—	—
28M/12931	A27.ET	Nut, lock, 1/4" B.S.F.	...	...	...	...	...	—	—	—
28F/9453689	AGS.1148.A	Nut, lock	...	...	...	...	...	—	—	—
28F/9584	AGS.1148.B	Nut, lock	...	...	...	...	...	—	—	—
28F/9879	AGS.1148.D	Nut, lock	...	...	...	...	...	—	—	—
28M/10286	AGS.2001.A.1	Nut, 6 B.A.	...	...	...	...	...	—	—	—
28M/10287	AGS.2001.B1	Nut, 4 B.A.	...	...	...	...	...	—	—	—
28M/10327	AGS.2002.B1	Nut, 4 B.A.	...	...	...	...	...	—	—	—
28M/10328	AGS.2002.C1	Nut, 2 B.A.	...	...	...	...	...	—	—	—
28M/7002430	AGS.2002.E1	Nut, 1/4" B.S.F.	...	...	...	...	...	—	—	—
28P/816	SP.4.Y.A.6	Pin	...	...	...	...	...	—	—	—
28P/5495	SP4.ZB.3	Pin, shackle	...	...	...	...	...	—	—	—
28P/19225	SP.90C.3	Pin, split	...	...	...	...	...	—	—	—
28P/19152	SP.90C.4	Pin, split	...	...	...	...	...	—	—	—
28P/19153	SP.90C.5	Pin	...	...	...	...	...	—	—	—
28S/14005	A32.B.14	Screw, 4 B.A.	...	...	...	...	...	—	—	—


SERVICES—PRESSURISATION FRONT FUSELAGE


Ref. No.	Part No.	Description										No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5									
28F/9128936	AGS.904.A	Sleeve, outer	...	...	...	...	...	...	...	...	...	—	—	—	
28F/8011819	AGS.904.B	Sleeve, outer	...	...	...	...	...	...	...	...	...	—	—	—	
28F/9128943	AGS.1114.B	Sleeve	...	...	...	...	...	...	...	...	...	—	—	—	
28F/8011811	AGS.1118/B	Tee	...	...	...	...	...	...	...	...	...	—	—	—	
28F/1013402	AGS.1111.B	Union	...	...	...	...	...	...	...	...	...	—	—	—	
28F/9533	AGS.1145.B	Union	...	...	...	...	...	...	...	...	...	—	—	—	
28F/10510	AGS.1146.A	Union	...	...	...	...	...	...	...	...	...	—	—	—	
28F/9129567	AGS.1146.B	Union	...	...	...	...	...	...	...	...	...	—	—	—	
28F/11274	AGS.1115/2	Washer	...	...	...	...	...	...	...	...	...	—	—	—	
28F/9130664	AGS.1149.2	Washer-plate	...	...	...	...	...	...	...	...	...	—	—	—	
28F/9428453	AGS.1186.B	Washer, sealing	...	...	...	...	...	...	...	...	...	—	—	—	
28W/9625	AGS.568.D	Washer	...	...	...	...	...	...	...	...	...	—	—	—	
28W/9419454	SP.10.C	Washer, 2 B.A....	...	...	...	...	...	...	...	...	...	—	—	—	
28W/9419474	SP.15.B	Washer, 4 B.A....	...	...	...	...	...	...	...	...	...	—	—	—	
28W/9419475	SP.15.C	Washer, 2 B.A....	...	...	...	...	...	...	...	...	...	—	—	—	
28W/9419404	SP.16.C	Washer, 2 B.A....	...	...	...	...	...	...	...	...	...	—	—	—	

RESTRICTED

[illegible]







This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.