

SERVICES—WINDSCREEN WIPER INSTALLATION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	C.236769	WINDSCREEN WIPER ASSEMBLY (Mod. 890)					...	—		
	E.236770	WINDSCREEN WIPER INSTALLATION ASSEMBLY					...	—		
27WW/806	Dunlop AC.61130	Actuating, arm, port					1	—	B.	
27WW/807	Dunlop AC.61132	Actuating, arm, starboard					1	—	B.	
10662	F.234466	Bearing					1	BSS.369	C.	
27WW/571	Dunlop	Blade, wiper					2	—	C.	
	ACM.19552/14									
	F.237857	Block, bearing					1	—		
10655	Std.1700/22E	Bolt, csk. head					2	—	C.	
10661	F.236395	Bracket					1	—	C.	
	F.241348	Bracket, stop					1	L.65		
10658	A.234470	Joint, universal					1	—	C.	
	F.237856	Knob, control					1	L.65		
27WW/813	Dunlop AC.61126	Motor, complete with links and bushes					1	—	A.	
10664	C.236363	Plate, cover					1	—	C.	
	F.236884	Plate, nut					2	—		
	F.236754	Plate, serrated					1	L.72		
27QA/369	Dowty	Seal					1	—	C.	
	GD.1309/6									
	F.239228	Shim					1	Lam. Brass		
10660	F.234467	Sleeve					1	BSS.369	C.	
	A.236393	Spigot					2	HTS.S95.B		
	F.241349	Stop					1	L.65		
10659	F.234481	Stud					2	HTS.S95.B	C.	
	F.236749	Tube, control					1	L.62		
	Std.1510/24/052	Tube, distance					1	—		
	Std.1510/12/052	Tube, distance					1	—		
27WW/814	Dunlop AC.61128	Valve, control					1	—	B.	
10657	F.242000	Washer, serrated					1	L.65	C.	
10656	D.236394	Washer					2	HTS.S95.B	C.	
10663	Std.1208/38/12/10	Washer, shim					10	—	C.	

RESTRICTED

Hunter T. Mk. 7
Issued with A/L No. 11

SERVICES—WINDSCREEN WIPER INSTALLATION

Ref. No.	Part No.	Description								No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5							
		SUMMARY OF STOCK ITEMS											
28D/1007975	AS.1242/1C	Bolt, 2 B.A.	...	...	...	...	...	...	...	-	—	—	
28D/1013172	AS.1242/5C	Bolt, 2 B.A.	...	...	...	...	...	...	...	-	—	—	
28D/831	AS.1242/7C	Bolt, 2 B.A.	...	...	...	...	...	...	...	-	—	—	
28D/11996	AS.1242/22C	Bolt, 2 B.A.	...	...	...	...	...	...	...	-	—	—	
28D/1010658	A.25.1.B	Bolt, 4 B.A.	...	...	...	...	...	...	...	-	—	—	
28D/1008149	A.25.2.B	Bolt, 4 B.A.	...	...	...	...	...	...	...	-	—	—	
28D/1011006	A.25.5.B	Bolt, 4 B.A.	...	...	...	...	...	...	...	-	—	—	
28D/1011011	A.25.8.B	Bolt, 4 B.A.	...	...	...	...	...	...	...	-	—	—	
28D/9138768	A.25.1/2.C	Bolt, 2 B.A.	...	...	...	...	...	...	...	-	—	—	
28D/9133011	A.25.2.C	Bolt, 2 B.A.	...	...	...	...	...	...	...	-	—	—	
28D/120019	A.25.4.C	Bolt, 2 B.A.	...	...	...	...	...	...	...	-	—	—	
28D/1011019	A.25.8.C	Bolt, 2 B.A.	...	...	...	...	...	...	...	-	—	—	
28D/7002440	A.25.18.E	Bolt, 1/4" B.S.F.	...	...	...	...	...	...	...	-	—	—	
28D/9403519	A.27.BP	Nut	...	...	...	...	...	...	...	-	—	—	
28D/1006504	A.27.BT	Nut	...	...	...	...	...	...	...	-	—	—	
28M/13121	A.27.CS	Nut	...	...	...	...	...	...	...	-	—	—	
28D/1006473	A.27.CT	Nut	...	...	...	...	...	...	...	-	—	—	
28M/10287	AGS.2001.B1	Nut	...	...	...	...	...	...	...	-	—	—	
28M/10288	AGS.2001.C1	Nut	...	...	...	...	...	...	...	-	—	—	
28M/10290	AGS.2001.E1	Nut	...	...	...	...	...	...	...	-	—	—	
28M/10328	AGS.2002.C1	Nut	...	...	...	...	...	...	...	-	—	—	
28M/13085	AGS.2023.C1	Nut	...	...	...	...	...	...	...	-	—	—	
28M/13734	A.54.B	Nut	...	...	...	...	...	...	...	-	—	—	
28P/19153	SP.90.C.5	Pin	...	...	...	...	...	...	...	-	—	—	
28W/9419474	SP.15.B	Washer	...	...	...	...	...	...	...	-	—	—	
28W/9419475	SP.15.C	Washer	...	...	...	...	...	...	...	-	—	—	
28W/9419405	SP.15.E	Washer	...	...	...	...	...	...	...	-	—	—	
28W/9419487	SP.16.C	Washer	...	...	...	...	...	...	...	-	—	—	

RESTRICTED

TAIL UNIT-ELEVATOR

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
9610	E.227099	ELEVATOR, PORT, GROUP (Mod. 708)					1	—	A.	PA.1
9611	E.227100	ELEVATOR, STARBOARD, GROUP (Mod. 708)					1	—	A.	PA.1
		(Complementary parts, e.g., inter component attachments are listed on page PE.1 and will not be supplied with the assembly spare)								
464	F.187235	Adjuster , bearing, outer hinge					2	S.96.B	C.	PA.1
	A.171725	Angle , sub-spar, attachment, starboard					1	Stamping		
	A.171726	Angle , sub-spar attachment, port					1	Stamping		
	A.171724	Angle , main spar attachment					2	Stamping		
6761	A.212220	Block , bearing, outer hinge, group					2	Stamping	B.	PA.1
2A/9500475	L5CD	Bearing , ball					1	—	B.	PA.1
3003	F.187236	Retainer , ball bearing					1	S.96.B	C.	PA.1
466	A.184995	Bracket , bearing outer hinge					2	Stamping	C.	PA.1
	Std.1553/E30	Bolt , $\frac{1}{4}$ " B.S.F., attachment of spar attachment angles					8	—		
467	F.186712	Bolt , outer hinge					2	S.96.B	C.	PA.1
10088	Std.1639/5CX	Bolt , at outer hinge bearing bracket					8	S.95.B	C.	
3004	B.190154	Edge , trailing, port					1	—	MR/C	PA.2
3005	B.190155	Edge , trailing, starboard					1	—	MR/C	PA.2
3006	B.190156	Edge , outboard					2	—	MR/C	PA.2
3007	C.185034	Nosing , port					1	—	MR/C	PA.1
3008	C.185035	Nosing , starboard					1	—	MR/C	PA.1
1327	Std.1547/24/12	Packing , radiused, outer hinge					8	DTD.610	C.	PA.1
	B.184989	Packing , at sub spar, top					2	DTD.610		
	B.184990	Packing , at sub spar, bottom					2	DTD.610		
9561	F.185605	Packing , at outboard edge					2	DTD.610	MR/C	
7046	C.215688	Interconnection and split lever , port, group ...					1	—	B.	PA.1
7047	C.215689	Interconnection and split lever , starboard, group					1	—	B.	PA.1
6762	A.212222	Bearing , inner hinge, group					2	—	B.	PA.1
471	F.186421	Bolt					2	S.1	C.	PA.1
3009	A.186419	Bush , split (supplied in pairs)					1 pr.	B.11	MR/C	PA.1
26AQ/2284	Std.914/E/22	Washer					2	—	C.	
472	F.186426	Block , locating					2	S.98.B	C.	PA.1
473	A.186420	Bolt , greaser					2	S.96.B	C.	PA.1
3010	B.186412	Fork-end , port, group					1	—	MR/B	PA.1
3011	B.186413	Fork-end , starboard, group					1	—	MR/B	PA.1
474	F.186424	Bush					4	BSS.369	C.	PA.1
3012	B.186414	Lever , split, port, group					1	—	MR/B	PA.1
3013	B.186415	Lever , split, starboard, group					1	—	MR/B	PA.1
474	F.186424	Bush					4	BSS.369	C.	PA.1
475	A.186422	Pin , bearing					2	S.99.B	C.	PA.1
476	F.186423	Sleeve					4	S.98.B	C.	PA.1
477	F.186425	Washer					2	DTD.610	C.	PA.1
478	A.185603	Panel , access to outer hinge					2	DTD.610	C.	PA.1
	F.214082	Plate , blanking					QR	L.72		
	F.214081	Plate , bolt, for weights					QR	—		
	B.185581	Plate , top reinforcing, inboard spar attachment angles, port					1	S.3		

RESTRICTED

Hunter T. Mk. 7
Issued with A/L No. 11

TAIL UNIT-ELEVATOR

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	B.185582	Plate, top reinforcing, inboard spar attachment angles, starboard					1	S.3		
	B.185583	Plate, bottom reinforcing, inboard spar attachment angles, port					1	S.3		
	B.185584	Plate, bottom, reinforcing, inboard spar attachment angles, starboard					1	S.3		
3014	B.191927	Rib, hinge spool, port					1	S.3	MR/C	PA.2
3015	B.191928	Rib, hinge spool, starboard					1	S.3	MR/C	PA.2
3016	A.185088	Rib, nose "A," port					1	DTD.610	MR/C	PA.2
3017	A.185089	Rib, nose "A," starboard					1	DTD.610	MR/C	PA.2
3018	A.185090	Rib, nose "B," port					1	DTD.610	MR/C	PA.2
3019	A.185091	Rib, nose "B," starboard					1	DTD.610	MR/C	PA.2
3020	A.185092	Rib, nose "C," port					1	DTD.610	MR/C	PA.2
3021	A.185093	Rib, nose "C," starboard					1	DTD.610	MR/C	PA.2
3022	A.185094	Rib, nose "D," port					1	DTD.610	MR/C	PA.2
3023	A.185095	Rib, nose "D," starboard					1	DTD.610	MR/C	PA.2
3024	A.185096	Rib, nose "E," port					1	DTD.610	MR/C	PA.2
3025	A.185097	Rib, nose "E," starboard					1	DTD.610	MR/C	PA.2
3026	A.185098	Rib, nose "F," port					1	DTD.610	MR/C	PA.2
3027	A.185099	Rib, nose "F," starboard					1	DTD.610	MR/C	PA.2
3028	A.185100	Rib, nose "G," port					1	DTD.610	MR/C	PA.2
3029	A.185101	Rib, nose "G," starboard					1	DTD.610	MR/C	PA.2
3030	A.185102	Rib, nose "H," port					1	DTD.610	MR/C	PA.2
3031	A.185103	Rib, nose "H," starboard					1	DTD.610	MR/C	PA.2
3032	F.185208	Rib, nose "J.1"					2	DTD.610	MR/C	PA.2
3033	F.185209	Rib, nose "K"					2	DTD.610	MR/C	PA.2
3034	F.173708	Rib, nose "L"					2	DTD.610	MR/C	PA.2
3035	F.185210	Rib, nose "M"					2	DTD.610	MR/C	PA.2
3036	A.185421	Rib, interspar "A1," port					1	DTD.610	MR/C	PA.2
3037	A.185422	Rib, interspar "A1," starboard					1	DTD.610	MR/C	PA.2
3038	B.185423	Rib, interspar "A," port					1	DTD.610	MR/C	PA.2
3039	B.185424	Rib, interspar "A," starboard					1	DTD.610	MR/C	PA.2
3040	B.185425	Rib, interspar "B," port					1	DTD.610	MR/C	PA.2
3041	B.185426	Rib, interspar "B," starboard					1	DTD.610	MR/C	PA.2
3042	B.185427	Rib, interspar "C," port					1	DTD.610	MR/C	PA.2
3043	B.185428	Rib, interspar "C," starboard					1	DTD.610	MR/C	PA.2
3044	B.185429	Rib, interspar "D," port					1	DTD.610	MR/C	PA.2
3045	B.185430	Rib, interspar "D," starboard					1	DTD.610	MR/C	PA.2
3046	B.185431	Rib, interspar "E," port					1	DTD.610	MR/C	PA.2
3047	B.185432	Rib, interspar "E," starboard					1	DTD.610	MR/C	PA.2
3048	B.185433	Rib, interspar "F," port					1	DTD.610	MR/C	PA.2
3049	B.185434	Rib, interspar "F," starboard					1	DTD.610	MR/C	PA.2
3050	B.185435	Rib, interspar "G," port					1	DTD.610	MR/C	PA.2
3051	B.185436	Rib, interspar "G," starboard					1	DTD.610	MR/C	PA.2
3052	A.185437	Rib, interspar "H," port					1	DTD.610	MR/C	PA.2
3053	A.185438	Rib, interspar "H," starboard					1	DTD.610	MR/C	PA.2
3054	A.185439	Rib, interspar "J," port					1	DTD.610	MR/C	PA.2
3055	A.185440	Rib, interspar "J," starboard					1	DTD.610	MR/C	PA.2
3056	A.185441	Rib, interspar "K," port					1	DTD.610	MR/C	PA.2
3057	A.185442	Rib, interspar "K," starboard					1	DTD.610	MR/C	PA.2
3058	A.185443	Rib, interspar "L," port					1	DTD.610	MR/C	PA.2
3059	A.185444	Rib, interspar "L," starboard					1	DTD.610	MR/C	PA.2
3060	A.185445	Rib, interspar "M," port					1	DTD.620	MR/C	PA.2
3061	A.185446	Rib, interspar "M," starboard					1	DTD.610	MR/C	PA.2

RESTRICTED

TAIL UNIT-ELEVATOR

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.	
		1	2	3	4	5					
3062	C.191889	Rib,	inboard	end	aft	portion, port	...	1	DTD.610	MR/C	PA.2
3063	C.191890	Rib,	inboard	end	aft	portion, starboard	...	1	DTD.610	MR/C	PA.2
3064	B.191873	Rib,	tail	"A1,"	port	...	...	1	DTD.610	MR/C	PA.2
3065	B.191874	Rib,	tail	"A1,"	starboard	...	...	1	DTD.610	MR/C	PA.2
3066	B.192023	Rib,	tail	"A,"	port	...	...	1	DTD.610	MR/C	PA.2
3067	B.192024	Rib,	tail	"A,"	starboard	...	...	1	DTD.610	MR/C	PA.2
3068	C.185110	Rib,	tail	"B,"	port	...	...	1	DTD.610	MR/C	PA.2
3069	C.185111	Rib,	tail	"B,"	starboard	...	...	1	DTD.610	MR/C	PA.2
3070	C.185112	Rib,	tail	"C,"	port	...	...	1	DTD.610	MR/C	PA.2
3071	C.185113	Rib,	tail	"C,"	starboard	...	...	1	DTD.610	MR/C	PA.2
3072	C.185114	Rib,	tail	"D,"	port	...	...	1	DTD.610	MR/C	PA.2
3073	C.185115	Rib,	tail	"D,"	starboard	...	...	1	DTD.610	MR/C	PA.2
3074	C.185116	Rib,	tail	"E,"	port...	...	...	1	DTD.610	MR/C	PA.2
3075	C.185117	Rib,	tail	"E,"	starboard	...	...	1	DTD.610	MR/C	PA.2
3076	C.185118	Rib,	tail	"F,"	port	...	...	1	DTD.610	MR/C	PA.2
3077	C.185119	Rib,	tail	"F,"	starboard	...	...	1	DTD.610	MR/C	PA.2
3078	C.185120	Rib,	tail	"G,"	port	...	...	1	DTD.610	MR/C	PA.2
3079	C.185121	Rib,	tail	"G,"	starboard	...	...	1	DTD.610	MR/C	PA.2
3080	C.185122	Rib,	tail	"H,"	port	...	...	1	DTD.610	MR/C	PA.2
3081	C.185123	Rib,	tail	"H,"	starboard	...	...	1	DTD.610	MR/C	PA.2
3082	C.185124	Rib,	tail	"J,"	port	...	...	1	DTD.610	MR/C	PA.2
3083	C.185125	Rib,	tail	"J,"	starboard	...	...	1	DTD.610	MR/C	PA.2
3084	C.185126	Rib,	tail	"K,"	port	...	...	1	DTD.610	MR/C	PA.2
3085	C.185127	Rib,	tail	"K,"	starboard	...	...	1	DTD.610	MR/C	PA.2
3086	C.185128	Rib,	tail	"L,"	port...	...	...	1	DTD.610	MR/C	PA.2
3087	C.185129	Rib,	tail	"L,"	starboard	...	...	1	DTD.610	MR/C	PA.2
3088	C.185130	Rib,	tail	"M,"	port	...	...	1	DTD.610	MR/C	PA.2
3089	C.185131	Rib,	tail	"M,"	starboard	...	...	1	DTD.610	MR/C	PA.2
—	E.227099/1	Skin,	main,	top,	port (Mod. 708) (Use 26FX/3090)	...	...	1	L.72	—	PA.1
9694	E.227099/2	Skin,	main,	bottom,	port (Mod. 708)	...	...	1	L.72	C.	PA.1
—	E.227100/1	Skin,	main,	top,	starboard (Mod. 708) (Use 26FX/3092)	...	...	1	L.72	—	PA.1
9695	E.227100/2	Skin,	main,	bottom,	starboard (Mod. 708)	...	...	1	L.72	B.	PA.1
3094	D.185502	Skin,	forward	top,	port	...	...	1	DTD.610	MR/B	PA.1
3095	D.185503	Skin,	forward	top,	starboard	...	...	1	DTD.610	MR/B	PA.1
3096	D.185504	Skin,	forward	bottom,	port	...	...	1	DTD.610	MR/B	PA.1
3097	D.185505	Skin,	forward	bottom,	starboard	...	...	1	DTD.610	MR/B	PA.1
3098	B.171880	Skin,	nose,	washout	position	...	...	2	DTD.610	C.	PA.1
	B.171747	Spar,	sub,	port	...	...	...	1	DTD.610		
	B.171748	Spar,	sub,	starboard	...	...	...	1	DTD.610		
	D.184987	Spar,	rear,	port	...	...	...	1	DTD.610		
	D.184988	Spar,	rear,	starboard	...	...	...	1	DTD.610		
	D.171571	Spar,	main,	forward	...	...	...	2	DTD.610		
	F.214080	Weights	...	...	...	...	...	QR	Comm'l Lead		

TAIL UNIT—ELEVATOR


Ref. No.	Part No.	Description										No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5	6	7	8	9	10				
		SUMMARY OF STOCK ITEMS													
28D/1200119	A.25-4C	Bolt, 2 B.A.	...	...	...	...	...	...	...	...	-	—	—		
28D/1011039	A.25-2E	Bolt, 1/4" B.S.F.	...	...	...	...	...	...	...	...	-	—	—		
28M/9403520	A.27-CP	Nut, 2 B.A.	...	...	...	...	...	...	...	...	-	—	—		
28M/12928	A.27-EP	Nut, 1/4" B.S.F.	...	...	...	...	...	...	...	...	-	—	—		
28W/9419475	SP.15C	Washer, 2 B.A....	...	...	...	...	...	...	...	...	-	—	—		
28W/9419405	SP.15E	Washer, 1/4" B.S.F.	...	...	...	...	...	...	...	...	-	—	—		


TAIL UNIT-ELEVATOR


Ref. No.	Part No.	Description								No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5							
		SUMMARY OF STOCK ITEMS											
28D/12532	A.25-4C	Bolt, 2	B.A.	...	...	...	...	...	...	...	—	—	—
28D/12518	A.25-2E	Bolt, 1/2"	B.S.F.	...	...	...	...	...	...	...	—	—	—
28M/12929	A.27-CP	Nut, 2	B.A.	...	...	...	...	...	...	...	—	—	—
28M/12928	A.27-EP	Nut, 1/2"	B.S.F.	...	...	...	...	...	...	...	—	—	—
28W/12296	SP.15C	Washer, 2	B.A.	...	...	...	...	...	...	...	—	—	—
28W/12496	SP.15E	Washer, 1/2"	B.S.F.	...	...	...	...	...	...	...	—	—	—

[illegible]

RESTRICTED







This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.