

TAIL UNIT-FIN

| Ref. No.   | Part No.              | Description                                                                                                                                       |   |   |   |   | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|------------|-----------------------|---------------------------------------------------------------------------------------------------------------------------------------------------|---|---|---|---|---------|------------------------|---------------------|-----------|
|            |                       | 1                                                                                                                                                 | 2 | 3 | 4 | 5 |         |                        |                     |           |
| 9338       | D.223171              | <b>FIN, GROUP</b> (Less Actuator, Servo Motor and support bracket)                                                                                |   |   |   |   | 1       | —                      | A.                  | PB.1      |
|            |                       | (Complementary parts, e.g., inter component attachments are listed on Page PE.1 and will not be supplied with the assembly spare)                 |   |   |   |   |         |                        |                     |           |
| —          | C.203729              | <b>Autostabiliser, assembly</b> (See Section "EF")                                                                                                |   |   |   |   | —       | —                      | —                   |           |
|            | F.202220              | <b>Angle, for spring anchorage</b>                                                                                                                |   |   |   |   | 1       | L.72                   |                     |           |
| 2930       | A.185164              | <b>Angle, skin support, at lower diaphragm, port</b>                                                                                              |   |   |   |   | 1       | DTD.610                | MR/C                | PB.2      |
| 2931       | A.185165              | <b>Angle, skin support, at lower diaphragm, starboard</b>                                                                                         |   |   |   |   | 1       | DTD.610                | MR/C                | PB.2      |
| 2932       | F.183048              | <b>Angle, shroud attachment to rib 'G'</b>                                                                                                        |   |   |   |   | 1       | DTD.610                | MR/C                | PB.1      |
| 2933       | F.183050              | <b>Angle, shroud attachment to rib 'H'</b>                                                                                                        |   |   |   |   | 1       | DTD.610                | MR/C                | PB.1      |
|            | B.227637              | <b>Angle, support, at detachable tip, port</b>                                                                                                    |   |   |   |   | 1       | DTD.610                |                     | PB.2      |
|            | B.227638              | <b>Angle, support, at detachable tip, starboard</b>                                                                                               |   |   |   |   | 1       | DTD.610                |                     | PB.2      |
| 2A/9500442 | BAM. $\frac{1}{2}$    | <b>Bearing, lower hinge</b>                                                                                                                       |   |   |   |   | 1       | —                      | B.                  |           |
| 2A/9500466 | BAA. $\frac{1}{16}$ B | <b>Bearing, upper hinge</b>                                                                                                                       |   |   |   |   | 1       | —                      | B.                  |           |
| 1602       | F.192389              | <b>Bolt, lower hinge bearing</b>                                                                                                                  |   |   |   |   | 1       | S.94.B                 | C.                  | PB.1      |
| 1603       | Std.1700/1C           | <b>Bolt, attachment of rear end detachable portion</b>                                                                                            |   |   |   |   | 16      | S.95.B                 | C.                  | 5         |
|            | A.184161              | <b>BRACKET, RUDDER CONTROL, UPPER, ASSEMBLY</b>                                                                                                   |   |   |   |   | —       | —                      |                     |           |
|            | B.222601              | <b>Bracket, starboard</b>                                                                                                                         |   |   |   |   | 1       | L.72                   |                     | PB.2      |
| 2937       | B.184159              | <b>Bracket, port</b>                                                                                                                              |   |   |   |   | 1       | DTD.610                | MR/C                | PB.2      |
| 2938       | F.184160              | <b>Stiffener</b>                                                                                                                                  |   |   |   |   | 1       | DTD.610                | MR/C                | PB.2      |
| 2939       | A.183547              | <b>Bracket, rudder control, lower port</b>                                                                                                        |   |   |   |   | 1       | S.3                    | MR/C                | PB.2      |
| 2940       | A.183548              | <b>Bracket, rudder control, lower starboard</b>                                                                                                   |   |   |   |   | 1       | S.3                    | MR/C                | PB.2      |
| 3738       | Std.840/29            | <b>Clip, for duct, upper, <math>\frac{7}{16}</math>" wide <math>\times</math> 22 S.W.G. <math>\times</math> 2-9" long</b><br>(Make from 30B/1433) |   |   |   |   | 1       | DTD.610                | MR/C                | 4         |
| 3742       | Std.840/37            | <b>Clip, for duct, lower, <math>\frac{7}{16}</math>" wide <math>\times</math> 22 S.W.G. <math>\times</math> 3-7" long</b><br>(Make from 30B/1433) |   |   |   |   | 1       | DTD.610                | MR/C                | 4         |
| —          | C.171698              | <b>CONTROLS, FLYING</b> (See section "DF")                                                                                                        |   |   |   |   | —       | —                      | —                   |           |
|            | F.193403              | <b>Duct, for aerial connection, upper</b>                                                                                                         |   |   |   |   | 1       | L.54                   |                     |           |
|            | A.193404              | <b>Duct, for aerial connection, lower</b>                                                                                                         |   |   |   |   | 1       | L.54                   |                     |           |
| 2941       | A.185201              | <b>Diaphragm, at tail rib 'D'</b>                                                                                                                 |   |   |   |   | 1       | DTD.610                | MR/C                | PB.2      |
| 2942       | A.188102              | <b>Diaphragm, at detachable portion</b>                                                                                                           |   |   |   |   | 1       | DTD.610                | MR/C                | PB.2      |
| —          | D.229649              | <b>ELECTRICAL INSTALLATION</b><br>(For details see section "ED")                                                                                  |   |   |   |   | —       | —                      | —                   |           |
|            | A.184946              | <b>Diaphragm, lower</b>                                                                                                                           |   |   |   |   | 1       | DTD.610                |                     |           |
| 2944       | A.186895              | <b>End, tip</b>                                                                                                                                   |   |   |   |   | 1       | L.53                   | MR/C                | PB.2      |
|            | B.227636              | <b>Extension, rear spar</b>                                                                                                                       |   |   |   |   | 1       | DTD.610                |                     |           |
| 193        | C.186356              | <b>Fin, detachable portion</b>                                                                                                                    |   |   |   |   | 1       | DTD.610                | B.                  | PB.1      |
|            | C.172170              | <b>Former, front</b>                                                                                                                              |   |   |   |   | 1       | DTD.610                |                     |           |
|            | F.183345              | <b>HINGE, TOP, ASSEMBLY</b>                                                                                                                       |   |   |   |   | —       | —                      |                     |           |
| 2948       | B.183142              | <b>Bracket, upper</b>                                                                                                                             |   |   |   |   | 1       | DTD.610                | MR/C                | PB.2      |
| 2949       | B.183143              | <b>Bracket, lower</b>                                                                                                                             |   |   |   |   | 1       | DTD.610                | MR/C                | PB.2      |
| 2950       | A.177845              | <b>Hinge</b>                                                                                                                                      |   |   |   |   | 1       | —                      | MR/C                | PB.1      |

RESTRICTED

Hunter T. Mk. 7  
Issued with A/L No. 3

## TAIL UNIT-FIN

| Ref. No. | Part No.       | Description                                                             |     |     |     |     | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|----------|----------------|-------------------------------------------------------------------------|-----|-----|-----|-----|---------|------------------------|---------------------|-----------|
|          |                | 1                                                                       | 2   | 3   | 4   | 5   |         |                        |                     |           |
|          | F.183358       | <b>HINGE, BOTTOM, ASSEMBLY</b> ... ..                                   |     |     |     |     | —       | —                      |                     |           |
| 2951     | F.182991       | Angle, bottom                                                           | ... | ... | ... | ... | 1       | DTD.610                | MR/C                | PB.1      |
| 2952     | A.172196       | Fitting, hinge                                                          | ... | ... | ... | ... | 1       | —                      | MR/C                | PB.1      |
| 2953     | F.182992       | Stop                                                                    | ... | ... | ... | ... | 1       | LFS.21                 | MR/C                | PB.1      |
| 2954     | B.182990       | Rib, tail 'D1'                                                          | ... | ... | ... | ... | 1       | DTD.610                | MR/C                | PB.2      |
| 2955     | B.183260       | Rib                                                                     | ... | ... | ... | ... | 1       | DTD.610                | MR/C                | PB.2      |
| 3815     | Std.1547/20/14 | Washer, profile                                                         | ... | ... | ... | ... | 2       | DTD.610                | MR/C                | 4         |
|          | B.184334       | <b>PANEL, ACCESS, ASSEMBLY</b> ... ..                                   |     |     |     |     | —       | —                      |                     |           |
| 2956     | B.184094       | Landing, port                                                           | ... | ... | ... | ... | 1       | DTD.610                | MR/C                | PB.1      |
| 2957     | B.184095       | Landing, starboard                                                      | ... | ... | ... | ... | 1       | DTD.610                | MR/C                | PB.1      |
| 191      | B.183993       | Panel, access to rudder controls, port                                  | ... | ... | ... | ... | 1       | DTD.610                | C.                  | PB.1      |
| 192      | B.183994       | Panel, access to rudder control, starboard                              | ... | ... | ... | ... | 1       | DTD.610                | C.                  | PB.1      |
|          | B.203386       | <b>PANEL, ACCESS, CENTRE, ASSEMBLY</b> ... ..                           |     |     |     |     | —       | —                      |                     |           |
| 9405     | A.203387       | Panel, access                                                           | ... | ... | ... | ... | 1       | L.72                   | C.                  | PB.1      |
| 9406     | B.203448       | Panel, <del>rear</del> access <sup>REAR</sup> between ribs 'E1' and 'F' | ... | ... | ... | ... | 1       | L.72                   | B.                  | PB.1      |
|          | C.216175       | <b>PANEL, REAR ACCESS, ASSEMBLY</b> ... ..                              |     |     |     |     | —       | —                      |                     |           |
| 1603     | Std.1700/1C    | Bolt                                                                    | ... | ... | ... | ... | 14      | S.95.B                 | C.                  | 5         |
|          | C.222459       | Landing                                                                 | ... | ... | ... | ... | 1       | L.72                   |                     | PB.1      |
| 9404     | B.216176       | Panel, access                                                           | ... | ... | ... | ... | 1       | L.72                   | C.                  | PB.1      |
| 2959     | A.183897       | Plate, cover, rib 'A'                                                   | ... | ... | ... | ... | 1       | DTD.610                | MR/C                | PB.2      |
|          | D.222456       | Rib, interspar, 'A' group                                               | ... | ... | ... | ... | 1       | —                      |                     | PB.2      |
|          | F.183929       | Angle, forward and intermediate                                         | ... | ... | ... | ... | 1       | DTD.364                |                     |           |
|          | F.183930       | Angle, rear                                                             | ... | ... | ... | ... | 2       | DTD.364                |                     |           |
|          | D.184098/2     | Boom, port                                                              | ... | ... | ... | ... | 1       | DTD.364                |                     |           |
|          | D.184098/3     | Boom, starboard                                                         | ... | ... | ... | ... | 1       | DTD.364                |                     |           |
|          | B.172194       | Fitting, attachment, rear, port                                         | ... | ... | ... | ... | 1       | Stpg.                  |                     |           |
|          | B.172195       | Fitting, attachment, rear, starboard                                    | ... | ... | ... | ... | 1       | Stpg.                  |                     |           |
|          | B.172193       | Fitting, attachment, forward                                            | ... | ... | ... | ... | 2       | Stpg.                  |                     |           |
|          | A.172211       | Fitting, tie, aft                                                       | ... | ... | ... | ... | 1       | DTD.364                |                     |           |
|          | A.172208       | Fitting, tie, forward                                                   | ... | ... | ... | ... | 1       | DTD.364                |                     |           |
| 2961     | B.183362       | Rib, interspar 'B'                                                      | ... | ... | ... | ... | 1       | DTD.611                | MR/C                | PB.2      |
| 2962     | B.183363       | Rib, interspar 'C'                                                      | ... | ... | ... | ... | 1       | DTD.610                | MR/C                | PB.2      |
| 2963     | B.183364       | Rib, interspar 'D'                                                      | ... | ... | ... | ... | 1       | DTD.610                | MR/C                | PB.2      |
| 2964     | B.183365       | Rib, interspar 'D'                                                      | ... | ... | ... | ... | 1       | DTD.610                | MR/C                | PB.2      |
| 2965     | B.183366       | Rib, interspar 'E'                                                      | ... | ... | ... | ... | 1       | DTD.610                | MR/C                | PB.2      |
|          | B.222455       | Rib, interspar 'E1'                                                     | ... | ... | ... | ... | 1       | L.72                   |                     | PB.2      |
|          | B.222454       | Rib, interspar 'F' group                                                | ... | ... | ... | ... | 1       | —                      |                     | PB.2      |
|          | F.206970       | Angle, mounting                                                         | ... | ... | ... | ... | 1       | L.72                   |                     |           |
|          | F.203693       | Bracket, mounting                                                       | ... | ... | ... | ... | 1       | S.3                    |                     |           |
| 2968     | B.183369       | Rib, interspar 'G'                                                      | ... | ... | ... | ... | 1       | DTD.610                | MR/C                | PB.2      |
| 2969     | B.183370       | Rib, interspar 'H'                                                      | ... | ... | ... | ... | 1       | DTD.610                | MR/C                | PB.2      |
| 2970     | B.183035       | Rib, top interspar                                                      | ... | ... | ... | ... | 1       | DTD.610                | MR/C                | PB.2      |
| 2971     | B.183579       | Rib, nose 'B'                                                           | ... | ... | ... | ... | 1       | DTD.610                | MR/C                | PB.2      |
| 2972     | B.183580       | Rib, nose 'C'                                                           | ... | ... | ... | ... | 1       | DTD.610                | MR/C                | PB.2      |
| 2973     | B.183581       | Rib, nose 'D'                                                           | ... | ... | ... | ... | 1       | DTD.610                | MR/C                | PB.2      |
| 2974     | B.183582       | Rib, nose 'E'                                                           | ... | ... | ... | ... | 1       | DTD.610                | MR/C                | PB.2      |
| 2975     | B.183583       | Rib, nose 'F'                                                           | ... | ... | ... | ... | 1       | DTD.610                | MR/C                | PB.2      |
| 2976     | B.183584       | Rib, nose 'G'                                                           | ... | ... | ... | ... | 1       | DTD.610                | MR/C                | PB.2      |
| 2977     | B.183148       | Rib, nose 'H'                                                           | ... | ... | ... | ... | 1       | —                      | MR/C                | PB.2      |

RESTRICTED

Hunter T. Mk. 7  
Issued with A/L No. 3

## TAIL UNIT-FIN

| Ref. No.  | Part No.    | Description                                 |     |     |     |     | No.<br>Off | Material<br>Specification | M.R.<br>Class<br>of<br>Store | Plate<br>No. |
|-----------|-------------|---------------------------------------------|-----|-----|-----|-----|------------|---------------------------|------------------------------|--------------|
|           |             | 1                                           | 2   | 3   | 4   | 5   |            |                           |                              |              |
| 2978      | C.227639    | Rib, top, at detachable tip                 | ... | ... | ... | ... | 1          | DTD.610                   | MR/C                         | PB.2         |
| 2979      | C.185845    | Rib, bottom                                 | ... | ... | ... | ... | 1          | DTD.610                   | MR/C                         | PB.2         |
| 2980      | B.182978    | Rib, tail 'D'                               | ... | ... | ... | ... | 1          | DTD.610                   | MR/C                         | PB.2         |
|           | B.222453    | Rib, tail 'E1'                              | ... | ... | ... | ... | 1          | L.72                      |                              | PB.2         |
|           | B.222460    | Rib, tail 'F'                               | ... | ... | ... | ... | 1          | L.72                      |                              | PB.2         |
| 2983      | B.182998    | Rib, tail 'G'                               | ... | ... | ... | ... | 1          | DTD.610                   | MR/C                         | PB.2         |
| 2984      | B.182999    | Rib, tail 'H'                               | ... | ... | ... | ... | 1          | DTD.610                   | MR/C                         | PB.2         |
| 2985      | A.183037    | Rib, tail 'J'                               | ... | ... | ... | ... | 1          | DTD.610                   | MR/C                         | PB.2         |
| 2986      | B.185416    | Rib, lower, between rear spar and diaphragm | ... | ... | ... | ... | 1          | DTD.610                   | MR/C                         | PB.2         |
| 3779      | Std.1356/15 | Shim, lower hinge bearing                   | ... | ... | ... | ... | 2          | Laminated                 | MR/C                         | 4            |
|           |             |                                             |     |     |     |     |            | Aluminium                 |                              |              |
| 3778      | Std.1356/13 | Shim, upper hinge bearing                   | ... | ... | ... | ... | 2          | Laminated                 | MR/C                         | 4            |
|           |             |                                             |     |     |     |     |            | Aluminium                 |                              |              |
| 2987      | D.183216    | Shroud, below rib 'D'                       | ... | ... | ... | ... | 1          | DTD.610                   | MR/C                         | PB.2         |
| 2988      | B.183040    | Shroud, between tail ribs 'D' and 'D1'      | ... | ... | ... | ... | 1          | DTD.610                   | MR/C                         | PB.2         |
| 2989      | B.183042    | Shroud, between tail ribs 'F' and 'G'       | ... | ... | ... | ... | 1          | DTD.610                   | MR/C                         | PB.2         |
| 2990      | B.183043    | Shroud, between tail ribs 'G' and 'H'       | ... | ... | ... | ... | 1          | DTD.610                   | MR/C                         | PB.2         |
| 2991      | B.183044    | Shroud, between tail ribs 'H' and top rib   | ... | ... | ... | ... | 1          | DTD.610                   | MR/C                         | PB.2         |
| 2992      | B.183045    | Shroud, between top rib and tail rib 'J'    | ... | ... | ... | ... | 1          | DTD.610                   | MR/C                         | PB.2         |
| 2993      | B.183229    | Shroud, top                                 | ... | ... | ... | ... | 1          | DTD.610                   | MR/C                         | PB.2         |
|           | D.183316    | Spar, front                                 | ... | ... | ... | ... | 1          | DTD.610                   |                              |              |
|           | D.183317    | Spar, rear                                  | ... | ... | ... | ... | 1          | DTD.610                   |                              |              |
| 2994      | F.183820    | Stiffener, between tail ribs 'D' and 'D1'   | ... | ... | ... | ... | 1          | DTD.610                   | MR/C                         | PB.2         |
|           | B.222457    | Stiffener, starboard                        | ... | ... | ... | ... | 1          | DTD.364                   |                              |              |
| 2996      | A.183823    | Stiffener, port                             | ... | ... | ... | ... | 1          | DTD.364                   | MR/C                         | PB.2         |
| 2997      | F.183835    | Stiffener                                   | ... | ... | ... | ... | 2          | DTD.364                   | MR/C                         | PB.2         |
| 2998      | F.183821    | Stiffener, skin, tip portion                | ... | ... | ... | ... | 1          | DTD.364                   | MR/C                         | PB.2         |
|           | D.223171/2  | Skin, main, port                            | ... | ... | ... | ... | 1          | L.72                      |                              | PB.1         |
|           | D.223171/3  | Skin, main, starboard                       | ... | ... | ... | ... | 1          | L.72                      |                              | PB.1         |
|           | D.223171/1  | Skin, nose                                  | ... | ... | ... | ... | 1          | L.72                      |                              | PB.1         |
|           | D.223171/4  | Skin, tip, port                             | ... | ... | ... | ... | 1          | L.72                      |                              | PB.1         |
|           | D.223171/5  | Skin, tip, starboard                        | ... | ... | ... | ... | 1          | L.72                      |                              | PB.1         |
| 4892      | D.204063    | Tip, detachable                             | ... | ... | ... | ... | 1          | Lam. Paper                | B.                           | PB.1         |
|           | A.186592    | Tube, slinging                              | ... | ... | ... | ... | 1          | —                         |                              |              |
| 26AQ/3804 | F.195139    | Washer, special, lower hinge bearing        | ... | ... | ... | ... | 2          | S.1 or S.3                | MR/C                         |              |
| 3769      | Std.915/G12 | Washer, upper hinge bearing                 | ... | ... | ... | ... | 2          | DTD.610                   | MR/C                         | 4            |

TAIL UNIT—FIN

[illegible]

**RESTRICTED**


## TAIL UNIT—FIN

| Ref. No.    | Part No.    | Description                   |     |     |     |     |     |     |     | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|-------------|-------------|-------------------------------|-----|-----|-----|-----|-----|-----|-----|---------|------------------------|---------------------|-----------|
|             |             | 1                             | 2   | 3   | 4   | 5   |     |     |     |         |                        |                     |           |
|             |             | SUMMARY OF STOCK ITEMS        |     |     |     |     |     |     |     |         |                        |                     |           |
| 28D/1010658 | A25.1.B     | Bolt, 4 B.A.                  | ... | ... | ... | ... | ... | ... | ... | ...     | —                      | —                   | —         |
| 28D/9133011 | A25.2.C     | Bolt, 2 B.A.                  | ... | ... | ... | ... | ... | ... | ... | ...     | —                      | —                   | —         |
| 28D/8306    | AS.1242/1C  | Bolt, 2 B.A.                  | ... | ... | ... | ... | ... | ... | ... | ...     | —                      | —                   | —         |
| 28D/13132   | AS.3297/1C  | Bolt, 2 B.A.                  | ... | ... | ... | ... | ... | ... | ... | ...     | —                      | —                   | —         |
| 28D/14129   | A30/12G     | Bolt, $\frac{5}{16}$ " B.S.F. | ... | ... | ... | ... | ... | ... | ... | ...     | —                      | —                   | —         |
| 28M/9435067 | AGS.2008/C1 | Nut, 2 B.A.                   | ... | ... | ... | ... | ... | ... | ... | ...     | —                      | —                   | —         |
| 28M/10327   | AGS.2002/B1 | Nut, 4 B.A.                   | ... | ... | ... | ... | ... | ... | ... | ...     | —                      | —                   | —         |
| 28M/9403520 | A27.CP      | Nut, 2 B.A.                   | ... | ... | ... | ... | ... | ... | ... | ...     | —                      | —                   | —         |
| 28M/7727    | AGS.572/E   | Nut, $\frac{1}{2}$ " B.S.F.   | ... | ... | ... | ... | ... | ... | ... | ...     | —                      | —                   | —         |
| 28M/13122   | A27.G.S     | Nut, $\frac{5}{16}$ " B.S.F.  | ... | ... | ... | ... | ... | ... | ... | ...     | —                      | —                   | —         |
| 28P/19154   | SP.90.C.7   | Pin, split                    | ... | ... | ... | ... | ... | ... | ... | ...     | —                      | —                   | —         |
| 28S/2862    | A32.C.16    | Screw, 2 B.A.                 | ... | ... | ... | ... | ... | ... | ... | ...     | —                      | —                   | —         |
| 28S/2832    | A33.C.28    | Screw, 2 B.A.                 | ... | ... | ... | ... | ... | ... | ... | ...     | —                      | —                   | —         |
| 28W/9419474 | SP.15B      | Washer, 4 B.A....             | ... | ... | ... | ... | ... | ... | ... | ...     | —                      | —                   | —         |
| 28W/9419475 | SP.15C      | Washer, 2 B.A....             | ... | ... | ... | ... | ... | ... | ... | ...     | —                      | —                   | —         |
| 28W/9419476 | SP.15G      | Washer, $\frac{5}{16}$ " dia. | ... | ... | ... | ... | ... | ... | ... | ...     | —                      | —                   | —         |
| 28W/9419477 | SP.15J      | Washer, $\frac{3}{8}$ " dia.  | ... | ... | ... | ... | ... | ... | ... | ...     | —                      | —                   | —         |
| 28W/9419404 | SP.16C      | Washer, 2 B.A....             | ... | ... | ... | ... | ... | ... | ... | ...     | —                      | —                   | —         |


**RESTRICTED**

[illegible]

**RESTRICTED**









This file was downloaded  
from the RTFM Library.

Link: [www.scottbouch.com/rtfm](http://www.scottbouch.com/rtfm)

Please see site for usage terms,  
and more aircraft documents.

