

TAIL UNIT-RUDDER

| Ref. No. | Part No. | Description | No. Off | Material Specification | M.R. | Plate No. |
|----------|----------------|--|---------|------------------------|----------------|-----------|
| | | | | | Class of Store | |
| 1 | 2 | 3 | 4 | 5 | | |
| 7986 | D.207582 | RUDDER, GROUP ... (Complementary parts, e.g., intercomponent attachments, are listed on Page PE.1, and will not be supplied with the assembly spare) | 1 | — | A. | PC.1 |
| 1596 | — | Bearing , top, group (D.183796) ... Consisting of:— Block, bearing ... Cap, bearing ... | 1 | — | C. | PC.1 |
| | A.177979 | Block, bearing ... | 1 | Stamping | | |
| | A.177978 | Cap, bearing ... | 1 | Stamping | | |
| 1597 | — | Bearing , bottom, group (D.183796) ... Consisting of:— Block, bearing ... Cap, bearing ... | 1 | — | C. | PC.1 |
| | A.177977 | Block, bearing ... | 1 | Stamping | | |
| | A.177976 | Cap, bearing ... | 1 | Stamping | | |
| | F.183594 | Block , spacer ... | 1 | — | | |
| 1598 | Std.1553/C/30 | Bolt , attachment of lever ... | 4 | S.99.B | C. | 4 |
| 1599 | F.186349 | Bolt , attachment of top bearing cap ... | 2 | S.1 | C. | PC.1 |
| 1600 | F.186350 | Bolt , attachment of lower bearing cap ... | 2 | S.1 | C. | PC.1 |
| 1601 | Std.1639/3CX | Bolt , attachment of bearing blocks to spar ... | 4 | S.95.B | C. | 5 |
| 5664 | Std.1639/4CX | Bolt , attachment of bearing blocks to spar ... | 4 | S.95.B | C. | 4 |
| 9411 | F.213724 | Bolt , special, connection of trim tab shaft ... | 1 | S.96.B | C. | PC.1 |
| | B.214415 | Channel , sub, spar ... | 1 | L.72 | | |
| 2863 | A.184335 | Diaphragm , at rib No. 4, between main and sub spars | 1 | DTD 610 | MR/C | PC.2 |
| 2864 | F.183758 | Diaphragm , at rib No. 3, between main and sub spars | 1 | DTD.610 | MR/C | PC.2 |
| 2865 | A.183759 | Diaphragm , upper, aft of lever, between main and sub spars | 1 | DTD.610 | MR/C | PC.2 |
| 2866 | A.183760 | Diaphragm , lower, aft of lever, between main and sub spars | 1 | DTD.610 | MR/C | PC.2 |
| | A.185826 | Duct , cable ... | 1 | L.54 | | |
| | A.177975 | Lever , operating ... | 1 | Stamping | | |
| | B.183591 | Member , top edge ... | 1 | L.53 | | |
| 9409 | B.203279 | Panel , nosing ... | 1 | L.72 | C. | PC.1 |
| 9410 | Std.1221/Z/A25 | Pin ... | 1 | St. Steel | C. | PC.1 |
| 2867 | F.148758 | Plate , locating, on lower hinge bearing cap ... | 2 | DTD.610 | MR/C | PC.1 |
| 2868 | F.165348 | Plate , locating, on lower hinge bearing block ... | 2 | L.40 or DTD.364 | MR/C | PC.1 |
| | C.183881 | Nosing , assembly ... | 1 | — | | |
| 2878 | A.184196 | Bracket , mounting lower, for lower channel ... | 1 | S.3 | MR/C | PC.1 |
| 2877 | A.184195 | Bracket , mounting upper, for lower channel ... | 1 | S.3 | MR/C | PC.1 |
| 2876 | A.184194 | Bracket , mounting lower, for channel between ribs No. 4 and 5 | 1 | S.3 | MR/C | PC.1 |
| 2875 | A.184193 | Bracket , mounting upper, for channel between ribs No. 4 and 5 | 1 | S.3 | MR/C | PC.1 |
| 2874 | A.184192 | Bracket , mounting lower, for channel between ribs No. 5 and 6 | 1 | S.3 | MR/C | PC.1 |
| 2873 | A.184191 | Bracket , mounting upper, for channel between ribs No. 5 and 6 | 1 | S.3 | MR/C | PC.1 |
| 2869 | F.184187 | Bracket , mounting lower, for channel between ribs No. 8 and 9 | 1 | S.3 | MR/C | PC.1 |
| 2879 | B.184423 | Channel , mounting for balance weight, between ribs No. 1 and 2 | 1 | DTD.610 | MR/C | PC.1 |
| 2880 | B.184422 | Channel , mounting for balance weight, between ribs No. 4 and 5 | 1 | DTD.610 | MR/C | PC.1 |

TAIL UNIT—RUDDER

| Ref. No. | Part No. | Description | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|-----------|----------------|---|---------|------------------------|---------------------|-----------|
| | | | | | | |
| 2881 | B.184421 | Channel, mounting for balance weight, between ribs No. 5 and 6 | 1 | DTD.610 | MR/C | PC.1 |
| 2883 | B.184419 | Channel, mounting for balance weight, between ribs No. 8 and 9 | 1 | DTD.610 | MR/C | PC.1 |
| | F.217958 | Channel | 1 | L.72 | | PC.1 |
| 2884 | D.184080/2 | Skin, bottom | 1 | DTD.610 | MR/C | PC.1 |
| 2885 | D.184080/1 | Skin, top | 1 | DTD.610 | MR/C | PC.1 |
| 4283 | F.183706 | Stop | 1 | DTD.364 | MR/C | PC.1 |
| | A.217920 or | Weight, mass balance (12 oz.) | 1 | Lead | | PC.1 |
| | A.217921 | Weight, mass balance (14 oz.) | 1 | Lead | | PC.1 |
| 2887 | C.183466 | Rib, No. 1 | 1 | DTD.610 | MR/C | PC.2 |
| 2888 | C.183467 | Rib, No. 2 | 1 | DTD.610 | MR/C | PC.2 |
| 2889 | B.183468 | Rib, No. 3 (Angle F.188811 wired on) | 1 | DTD.610 | MR/C | PC.2 |
| 2890 | B.183469 | Rib, No. 4 (Angle F.188811 wired on) | 1 | DTD.610 | MR/C | PC.2 |
| 2891 | C.183470 | Rib, No. 5 | 1 | DTD.610 | MR/C | PC.2 |
| 2892 | C.183471 | Rib, No. 6 | 1 | DTD.610 | MR/C | PC.2 |
| 2893 | B.183472 | Rib, No. 7 | 1 | DTD.610 | MR/C | PC.2 |
| 2894 | C.183473 | Rib, No. 8 (Angle F.183480 wired on) | 1 | DTD.610 | MR/C | PC.2 |
| 2895 | B.183474 | Rib, No. 9 | 1 | DTD.610 | MR/C | PC.2 |
| 2896 | B.183475 | Rib, No. 10 | 1 | DTD.610 | MR/C | PC.2 |
| 2897 | F.183691 | Rib, nose, bottom | 1 | DTD.610 | MR/C | PC.2 |
| 2898 | F.183692 | Rib, nose, below lower hinge | 1 | DTD.610 | MR/C | PC.2 |
| 2899 | F.183693 | Rib, nose, between lower hinge | 1 | DTD.610 | MR/C | PC.2 |
| 2900 | A.183694 | Rib, nose, above lever | 1 | S.3 | MR/C | PC.2 |
| | A.203277 | Rib, nose above trim tab shaft attachment | 1 | L.72 | | PC.2 |
| | A.203278 | Rib, nose below trim tab shaft attachment | 1 | L.72 | | PC.2 |
| 2901 | A.183695 | Rib, nose, at rib No. 4 | 1 | S.3 and DTD.610 | MR/C | PC.2 |
| 2902 | F.183696 | Rib, nose, between ribs No. 4 and 5 | 1 | DTD.610 | MR/C | PC.2 |
| 2903 | F.183697 | Rib, nose, at rib No. 5 | 1 | DTD.610 | MR/C | PC.2 |
| 2904 | F.183698 | Rib, nose, lower, at rib No. 6 | 1 | DTD.610 | MR/C | PC.2 |
| 2905 | F.183699 | Rib, nose, upper, at rib No. 6 | 1 | DTD.610 | MR/C | PC.2 |
| 2906 | F.183700 | Rib, nose, between ribs No. 6 and 7 | 1 | DTD.610 | MR/C | PC.2 |
| 2907 | F.183701 | Rib, nose, below upper hinge | 1 | DTD.610 | MR/C | PC.2 |
| 2908 | F.183702 | Rib, nose, at rib No. 8 | 1 | DTD.610 | MR/C | PC.2 |
| 2909 | F.183703 | Rib, nose, at rib No. 9 | 1 | DTD.610 | MR/C | PC.2 |
| 2910 | F.183704 | Rib, nose, at rib No. 10 | 1 | DTD.610 | MR/C | PC.2 |
| 2911 | A.183568 | Section, trailing edge, between ribs No. 1 and 2 ... | 1 | — | MR/C | PC.2 |
| 2912 | B.183569 | Section, trailing edge, between rib No. 5 and top edge member | 1 | — | MR/C | PC.1 |
| | B.203272 | Shaft, operating trim tab, group | 1 | — | | PC.1 |
| 28R/13507 | Hoffmann CF.2A | Rod-end | 1 | — | A. | |
| | D.207582/1 | Skin, port | 1 | L.72 | | PC.1 |
| | D.207582/2 | Skin, starboard | 1 | L.72 | | PC.1 |
| | D.214411 | Spar, main | 1 | L.72 | | |
| | A.183757 | Spar, sub, forward, between ribs No. 1 and 2 ... | 1 | DTD.610 | MR/C | PC.2 |
| 2916 | C.183756 | Spar, sub, forward, between ribs No. 2 and 5 ... | 1 | DTD.610 | MR/C | PC.2 |
| 2917 | A.183571 | Spar, sub, forward, between ribs No. 7 and 8 ... | 1 | DTD.610 | MR/C | PC.2 |
| 2918 | A.183570 | Spar, sub, forward, between ribs No. 8 and 9 ... | 1 | DTD.610 | MR/C | PC.2 |
| 2919 | A.183511 | Spar, sub, aft, between ribs No. 1 and 2 ... | 1 | DTD.610 | MR/C | PC.2 |
| | C.214410 | Spar, sub, aft, between ribs No. 2 and 5, at trim tab (Angle F.188812 wired on) | 1 | L.72 | | PC.2 |
| 2921 | A.183509 | Spar, sub, aft, between ribs No. 5 and 6 ... | 1 | DTD.610 | MR/C | PC.2 |

TAIL UNIT—RUDDER

| Ref. No. | Part No. | Description | | | | | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|----------|----------------|---|-----|-----|-----|-----|---------|------------------------|---------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | | | | |
| 2922 | A.183508 | Spar , sub, aft, between ribs No. 6 and 7 | ... | ... | ... | ... | 1 | DTD.610 | MR/C | PC.2 |
| 2923 | A.183507 | Spar , sub, aft, between ribs No. 7 and 8 | ... | ... | ... | ... | 1 | DTD.610 | MR/C | PC.2 |
| 2924 | A.183506 | Spar , sub, aft, between ribs No. 8 and 9 | ... | ... | ... | ... | 1 | DTD.610 | MR/C | PC.2 |
| 2925 | A.183505 | Spar , sub, aft, between ribs No. 9 and 10 | ... | ... | ... | ... | 1 | DTD.610 | MR/C | PC.2 |
| 2926 | C.183884 | Stiffener , port | ... | ... | ... | ... | 1 | DTD.610 | MR/C | PC.2 |
| 2927 | C.183885 | Stiffener , starboard | ... | ... | ... | ... | 1 | DTD.610 | MR/C | PC.2 |
| 2928 | F.183572 | Strap , butt, at nosing assembly skin joints | ... | ... | ... | ... | 2 | DTD.610 | MR/C | PC.1 |
| 7987 | C.207584 | Tab , trim, complete | ... | ... | ... | ... | 1 | — | MR/B | PC.1 |
| 3814 | Std.1547/26/18 | Washer , for operating lever fixings | ... | ... | ... | ... | 4 | DTD.610 | MR/C | 4 |
| 4254 | F.184538 | Washer , tab, for balance weight fixings | ... | ... | ... | ... | 8 | DTD.171 | MR/C | PC.1 |
| 4255 | A.184130 | Weight , balance, between ribs No. 1 and 2 | ... | ... | ... | ... | 1 | — | MR/B | PC.1 |
| | A.202802 | Weight , balance, between ribs No. 4 and 5 | ... | ... | ... | ... | 1 | — | — | PC.1 |
| | A.202803 | Weight , balance, between ribs No. 5 and 6 | ... | ... | ... | ... | 1 | — | — | PC.1 |
| 4258 | C.198285 | Weight , balance, between ribs No. 6 and 7 | ... | ... | ... | ... | 1 | — | MR/B | PC.1 |
| 4259 | A.184125 | Weight , balance, between ribs No. 8 and 9 | ... | ... | ... | ... | 1 | — | MR/B | PC.1 |

RESTRICTED

Page PC.4

Hunter T. Mk. 7

TAIL UNIT-RUDDER

| Ref. No. | Part No. | Description | | | | | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|----------|----------|-------------|---|---|---|---|---------|------------------------|---------------------------|--------------|
| | | 1 | 2 | 3 | 4 | 5 | | | | |
| | | | | | | | | | | |

RESTRICTED

TAIL UNIT-RUDDER

| Ref. No. | Part No. | Description | | | | | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|-------------------------------|----------------|-------------------------------------|-----|-----|-----|-----|---------|------------------------|---------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | | | | |
| SUMMARY OF STOCK ITEMS | | | | | | | | | | |
| 28D/12512 | A.25.1C | Bolt , 2 B.A. | ... | ... | ... | ... | ... | ... | — | — |
| 28D/12513 | A.25.2C | Bolt , 2 B.A. | ... | ... | ... | ... | ... | ... | — | — |
| 28D/12534 | A.25.9C | Bolt , 2 B.A. | ... | ... | ... | ... | ... | ... | — | — |
| 28D/12538 | A.25.15C | Bolt , 2 B.A. | ... | ... | ... | ... | ... | ... | — | — |
| 28D/12539 | A.25.16C | Bolt , 2 B.A. | ... | ... | ... | ... | ... | ... | — | — |
| 28D/12630 | A.25.19C | Bolt , 2 B.A. | ... | ... | ... | ... | ... | ... | — | — |
| 28D/8306 | AS.1242/1C | Bolt , 2 B.A. | ... | ... | ... | ... | ... | ... | — | — |
| 28D/8307 | AS.1242/2C | Bolt , 2 B.A. | ... | ... | ... | ... | ... | ... | — | — |
| 28N/12606 | AGS.2030/43 | Circlip | ... | ... | ... | ... | ... | ... | — | — |
| 28M/10327 | AGS.2002/B1 | Nut , 4 B.A. | ... | ... | ... | ... | ... | ... | — | — |
| 28M/12929 | A.27.CP | Nut , 2 B.A. | ... | ... | ... | ... | ... | ... | — | — |
| 28M/12930 | A.27.ES | Nut , $\frac{1}{2}$ " B.S.F. | ... | ... | ... | ... | ... | ... | — | — |
| 28P/12587 | SP.9.C4 | Pin , split ... | ... | ... | ... | ... | ... | ... | — | — |
| 28P/1247 | AGS.213/3 | Pin , taper | ... | ... | ... | ... | ... | ... | — | — |
| 28R/13507 | Hoffmann CF.2A | Rod-end ... | ... | ... | ... | ... | ... | ... | — | — |
| 28W/12355 | SP.16.C | Washer , 2 B.A. | ... | ... | ... | ... | ... | ... | — | — |

RESTRICTED

Hunter T. Mk. 7

TAIL UNIT—RUDDER

| Ref. No. | Part No. | Description | | | | | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|----------|----------|-------------|---|---|---|---|---------|------------------------|------------------------------|--------------|
| | | 1 | 2 | 3 | 4 | 5 | | | | |
| | | | | | | | | | | |

RESTRICTED

Hunter T. Mk. 7
Issued with A/L No. 3

TAIL UNIT—RUDDER

| Ref. No. | Part No. | Description | | | | | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|----------|----------------|--|----------------------------|---|---|---|---------|------------------------|---------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | | | | |
| 9838 | D.227420 | RUDDER, GROUP (Mod. 709) (Pre Mod. 750) ... | | | | | 1 | — | A. | PC.1 |
| | D.232037 | RUDDER, GROUP (AS.840/30) ... | | | | | 1 | — | A. | |
| 7986 | D.207582 | RUDDER, GROUP (Pre Mod. 709) ... | | | | | 1 | — | A. | |
| | | (Complementary parts, e.g., intercomponent attachments, are listed on Page PE.1, and will not be supplied with the assembly spare) | | | | | | | | |
| 1596 | — | Bearing, top, group (D.232037) ... | | | | | 1 | — | C. | PC.1 |
| | | Consisting of :— | | | | | | | | |
| | A.177979 | Block, bearing ... | | | | | 1 | Stamping | | |
| | A.177978 | Cap, bearing ... | | | | | 1 | Stamping | | |
| 1597 | — | Bearing, bottom, group (D.232037) ... | | | | | 1 | — | C. | PC.1 |
| | | Consisting of :— | | | | | | | | |
| | A.177977 | Block, bearing ... | | | | | 1 | Stamping | | |
| | A.177976 | Cap, bearing ... | | | | | 1 | Stamping | | |
| 1598 | F.183594 | Block, spacer ... | | | | | 1 | — | | PC.1 |
| | Std.1553/C/30 | Bolt, attachment of lever ... | | | | | 4 | S.99.B | C. | |
| | 1599 | Bolt, attachment of top bearing cap ... | | | | | 2 | S.1 | C. | |
| | 1600 | Bolt, attachment of lower bearing cap ... | | | | | 2 | S.1 | C. | |
| | 1601 | Bolt, attachment of bearing blocks to spar ... | | | | | 4 | S.95.B | C. | |
| | 5664 | Bolt, attachment of bearing blocks to spar ... | | | | | 4 | S.95.B | C. | |
| | 9411 | Bolt, special, connection of trim tab shaft ... | | | | | 1 | S.96.B | C. | |
| | B.214414 | Channel, sub, spar ... | | | | | 1 | L.72 | | |
| 5478 | C.227202 | DAMPER, ASSEMBLY (Mod. 709) ... | | | | | — | — | | C. |
| | Std.1639/16CX | Bolt ... | | | | | 4 | — | | |
| | Girrlng No. | Damper ... | | | | | 1 | — | | |
| | A.8103 | Landing ... | | | | | 1 | — | | |
| | A.229660 | Landing ... | | | | | 1 | — | | |
| | A.229661 | Lever ... | | | | | 1 | S.95.B | | |
| | F.227396 | Nosing ... | | | | | 1 | — | | |
| | B.227377 | Rib ... | | | | | 1 | — | | |
| | A.227379 | Washer, profile ... | | | | | 2 | — | C. | |
| | 1327 | Std.1547/24/12 | Washer, profile ... | | | | 2 | — | C. | |
| 310 | Std.1547/30/12 | Diaphragm, at rib No. 4, between main and sub spars | | | | | 1 | DTD.610 | MR/C | PC.2 |
| 2863 | A.184335 | Diaphragm, at rib No. 3, between main and sub spars | | | | | 1 | DTD.610 | MR/C | PC.2 |
| 2864 | F.183758 | Diaphragm, upper, aft of lever, between main and sub spars | | | | | 1 | DTD.610 | MR/C | PC.2 |
| 2865 | A.183759 | Diaphragm, lower, aft of lever, between main and sub spars | | | | | 1 | DTD.610 | MR/C | PC.2 |
| 2866 | A.183760 | Diaphragm, lower, aft of lever, between main and sub spars | | | | | 1 | DTD.610 | MR/C | PC.2 |
| | A.185826 | Duct, cable ... | | | | | 1 | L.54 | | |
| | A.177975 | Lever, operating ... | | | | | 1 | Stamping | | |
| | B.183591 | Member, top edge ... | | | | | 1 | L.53 | | |
| 9409 | B.203279 | Panel, nosing ... | | | | | 1 | L.72 | C. | PC.1 |
| 9410 | Std.1221/Z/A25 | Pin ... | | | | | 1 | St. Steel | C. | PC.1 |
| 2867 | F.148758 | Plate, locating, on lower hinge bearing cap ... | | | | | 2 | DTD.610 | MR/C | PC.1 |
| 2868 | F.165348 | Plate, locating, on lower hinge bearing block ... | | | | | 2 | L.40 or DTD.364 | MR/C | PC.1 |
| | C.226221 | Nosing, assembly (AS.840/30) ... | | | | | 1 | — | | PC.1 |
| | A.226214 | Bracket, mounting lower, for lower channel (AS.840/30) ... | | | | | 1 | S.510 | | |
| | A.226213 | Bracket, mounting upper, for lower channel (AS.840/30) ... | | | | | 1 | S.510 | | PC.1 |
| | A.226212 | Bracket, mounting lower, for channel between ribs No. 4 and 5 (AS.840/30) ... | | | | | 1 | S.510 | | PC.1 |
| | A.226211 | Bracket, mounting upper, for channel between ribs No. 4 and 5 (AS.840/30) ... | | | | | 1 | S.510 | | PC.1 |
| | A.226216 | Bracket, mounting lower, for channel between ribs No. 5 and 6 (AS.840/30) ... | | | | | 1 | S.510 | | PC.1 |

RESTRICTED

TAIL UNIT—RUDDER

| Ref. No. | Part No. | Description | | | | | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|-----------|----------------|---|-----|-----|-----|-----|---------|------------------------|---------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | | | | |
| | A.226215 | Bracket , mounting upper, for channel between ribs No. 5 and 6 (AS.840/30) | | | | | 1 | S.510 | | PC.1 |
| 2869 | F.184187 | Bracket , mounting lower, for channel between ribs No. 8 and 9 | | | | | 1 | S.3 | MR/C | PC.1 |
| 2879 | B.184423 | Channel , mounting for balance weight, between ribs No. 1 and 2 | | | | | 1 | DTD.610 | MR/C | PC.1 |
| 2880 | B.184422 | Channel , mounting for balance weight, between ribs No. 4 and 5 | | | | | 1 | DTD.610 | MR/C | PC.1 |
| 2881 | B.184421 | Channel , mounting for balance weight, between ribs No. 5 and 6 | | | | | 1 | DTD.610 | MR/C | PC.1 |
| 2883 | B.184419 | Channel , mounting for balance weight, between ribs No. 8 and 9 | | | | | 1 | DTD.610 | MR/C | PC.1 |
| | F.217958 | Channel ... | ... | ... | ... | ... | 1 | L.72 | | PC.1 |
| 2884 | D.184080/2 | Skin , bottom | ... | ... | ... | ... | 1 | DTD.610 | MR/B | PC.1 |
| 2885 | D.184080/1 | Skin , top | ... | ... | ... | ... | 1 | DTD.610 | MR/B | PC.1 |
| 4283 | F.183706 | Stop | ... | ... | ... | ... | 1 | DTD.364 | MR/C | PC.1 |
| | A.226284 or | Weight , mass balance (AS.840/30) | ... | ... | ... | ... | 1 | Lead | | PC.1 |
| | A.226285 | Weight , mass balance (AS.840/30) | ... | ... | ... | ... | AR | Lead | | PC.1 |
| 2887 | C.183466 | Rib , No. 1 | ... | ... | ... | ... | 1 | DTD.610 | MR/C | PC.2 |
| 2888 | C.183467 | Rib , No. 2 | ... | ... | ... | ... | 1 | DTD.610 | MR/C | PC.2 |
| 2889 | C.183468 | Rib , No. 3 (Angle F.188811 wired on) | ... | ... | ... | ... | 1 | DTD.610 | MR/C | PC.2 |
| 2890 | B.183469 | Rib , No. 4 (Angle F.188811 wired on) | ... | ... | ... | ... | 1 | DTD.610 | MR/C | PC.2 |
| 2891 | C.183470 | Rib , No. 5 | ... | ... | ... | ... | 1 | DTD.610 | MR/C | PC.2 |
| 2892 | C.183471 | Rib , No. 6 | ... | ... | ... | ... | 1 | DTD.610 | MR/C | PC.2 |
| 2893 | B.183472 | Rib , No. 7 | ... | ... | ... | ... | 1 | DTD.610 | MR/C | PC.2 |
| 2894 | C.183473 | Rib , No. 8 (Angle F.183480 wired on) | ... | ... | ... | ... | 1 | DTD.610 | MR/C | PC.2 |
| 2895 | B.183474 | Rib , No. 9 | ... | ... | ... | ... | 1 | DTD.610 | MR/C | PC.2 |
| 2896 | B.183475 | Rib , No. 10 | ... | ... | ... | ... | 1 | DTD.610 | MR/C | PC.2 |
| 2897 | F.183691 | Rib , nose, bottom | ... | ... | ... | ... | 1 | DTD.610 | MR/C | PC.2 |
| 2898 | F.183692 | Rib , nose, below lower hinge | ... | ... | ... | ... | 1 | DTD.610 | MR/C | PC.2 |
| 2899 | F.183693 | Rib , nose, between lower hinge | ... | ... | ... | ... | 1 | DTD.610 | MR/C | PC.2 |
| 2900 | A.183694 | Rib , nose, above lever | ... | ... | ... | ... | 1 | S.3 | MR/C | PC.2 |
| | A.203277 | Rib , nose above trim tab shaft attachment | ... | ... | ... | ... | 1 | L.72 | | PC.2 |
| | A.203278 | Rib , nose below trim tab shaft attachment | ... | ... | ... | ... | 1 | L.72 | | PC.2 |
| 2901 | A.183695 | Rib , nose, at rib No. 4 | ... | ... | ... | ... | 1 | S.3 and DTD.610 | MR/C | PC.2 |
| 2902 | F.183696 | Rib , nose, between ribs No. 4 and 5 | ... | ... | ... | ... | 1 | DTD.610 | MR/C | PC.2 |
| 2903 | F.183697 | Rib , nose, at rib No. 5 | ... | ... | ... | ... | 1 | DTD.610 | MR/C | PC.2 |
| 2904 | F.183698 | Rib , nose, lower, at rib No. 6 | ... | ... | ... | ... | 1 | DTD.610 | MR/C | PC.2 |
| 2905 | F.183699 | Rib , nose, upper, at rib No. 6 | ... | ... | ... | ... | 1 | DTD.610 | MR/C | PC.2 |
| 2906 | F.183700 | Rib , nose, between ribs No. 6 and 7 | ... | ... | ... | ... | 1 | DTD.610 | MR/C | PC.2 |
| 2907 | F.183701 | Rib , nose, below upper hinge | ... | ... | ... | ... | 1 | DTD.610 | MR/C | PC.2 |
| 2908 | F.183702 | Rib , nose, at rib No. 8 | ... | ... | ... | ... | 1 | DTD.610 | MR/C | PC.2 |
| 2909 | F.183703 | Rib , nose, at rib No. 9 | ... | ... | ... | ... | 1 | DTD.610 | MR/C | PC.2 |
| 2910 | F.183704 | Rib , nose, at rib No. 10 | ... | ... | ... | ... | 1 | DTD.610 | MR/C | PC.2 |
| 2911 | A.183568 | Section , trailing edge, between ribs No. 1 and 2 | ... | ... | ... | ... | 1 | — | MR/C | PC.2 |
| 2912 | B.183569 | Section , trailing edge, between rib No. 5 and top edge member | ... | ... | ... | ... | 1 | — | MR/C | PC.1 |
| | B.203272 | Shaft , operating trim tab, group | ... | ... | ... | ... | 1 | — | | PC.1 |
| 28R/13507 | Hoffmann CF.2A | Rod-end ... | ... | ... | ... | ... | 1 | — | A. | |
| | D.207582/1 | Skin , port (Pre Mod. 709) | ... | ... | ... | ... | 1 | L.72 | | |
| | D.232037/1 | Skin , port (AS.840/30) | ... | ... | ... | ... | 1 | L.72 | | PC.1 |
| | D.227420/1 | Skin , port (Mod. 709) | ... | ... | ... | ... | 1 | L.72 | | |
| | D.207582/2 | Skin , starboard (Pre Mod. 709) | ... | ... | ... | ... | 1 | L.72 | | |
| | D.232037/2 | Skin , starboard (AS.840/30) | ... | ... | ... | ... | 1 | L.72 | | PC.1 |
| | D.227420/2 | Skin , starboard (Mod. 709) | ... | ... | ... | ... | 1 | L.72 | | |
| | D.214411 | Spar , main | ... | ... | ... | ... | 1 | L.72 | | |

RESTRICTED

TAIL UNIT—RUDDER

| Ref. No. | Part No. | Description | | | | | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|----------|----------------|---|-----|-----|-----|-----|---------|------------------------|---------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | | | | |
| 2915 | A.183757 | Spar , sub, forward, between ribs No. 1 and 2 ... | | | | | 1 | DTD.610 | MR/C | PC.2 |
| 2916 | C.183756 | Spar , sub, forward, between ribs No. 2 and 5 ... | | | | | 1 | DTD.610 | MR/C | PC.2 |
| 2917 | A.183571 | Spar , sub, forward, between ribs No. 7 and 8 ... | | | | | 1 | DTD.610 | MR/C | PC.2 |
| 2918 | A.183570 | Spar , sub, forward, between ribs No. 8 and 9 ... | | | | | 1 | DTD.610 | MR/C | PC.2 |
| 2919 | A.183511 | Spar , sub, aft, between ribs No. 1 and 2 ... | | | | | 1 | DTD.610 | MR/C | PC.2 |
| | C.214410 | Spar , sub, aft, between ribs No. 2 and 5, at trim tab (Angle F.188812 wired on) | | | | | 1 | L.72 | | PC.2 |
| 2921 | A.183509 | Spar , sub, aft, between ribs No. 5 and 6 ... | | | | | 1 | DTD.610 | MR/C | PC.2 |
| 2922 | A.183508 | Spar , sub, aft, between ribs No. 6 and 7 ... | | | | | 1 | DTD.610 | MR/C | PC.2 |
| 2923 | A.183507 | Spar , sub, aft, between ribs No. 7 and 8 ... | | | | | 1 | DTD.610 | MR/C | PC.2 |
| 2924 | A.183506 | Spar , sub, aft, between ribs No. 8 and 9 ... | | | | | 1 | DTD.610 | MR/C | PC.2 |
| 2925 | A.183505 | Spar , sub, aft, between ribs No. 9 and 10 ... | | | | | 1 | DTD.610 | MR/C | PC.2 |
| | C.231230 | SPOILERS, RUDDER, ASSEMBLY (Mod. 750) | | | | | - | — | | |
| | B.230506 | Spoiler , port ... | ... | ... | ... | ... | 1 | L.72 | | |
| | B.230507 | Spoiler , starboard ... | ... | ... | ... | ... | 1 | L.72 | | |
| 2926 | C.183884 | Stiffener , port ... | ... | ... | ... | ... | 1 | DTD.610 | MR/C | PC.2 |
| 2927 | C.183885 | Stiffener , starboard ... | ... | ... | ... | ... | 1 | DTD.610 | MR/C | PC.2 |
| 2928 | F.183572 | Strap , butt, at nosing assembly skin joints ... | ... | ... | ... | | 2 | DTD.610 | MR/C | PC.1 |
| 7987 | C.207584 | Tab , trim, complete (Pre Mod. 729) ... | ... | ... | ... | | 1 | — | B. | |
| 9739 | C.228569 | Tab , trim, complete (Mod. 729) ... | ... | ... | ... | | 1 | — | B. | PC.1 |
| 3814 | Std.1547/26/18 | Washer , for operating lever fixings ... | ... | ... | ... | | 4 | DTD.610 | MR/C | 4 |
| 4254 | F.184538 | Washer , tab, for balance weight fixings ... | ... | ... | ... | | 8 | DTD.171 | MR/C | PC.1 |
| 4255 | A.184130 | Weight , balance, between ribs No. 1 and 2 ... | ... | ... | ... | | 1 | — | MR/B | PC.1 |
| | A.202802 | Weight , balance, between ribs No. 4 and 5 ... | ... | ... | ... | | 1 | — | | PC.1 |
| | A.202803 | Weight , balance, between ribs No. 5 and 6 ... | ... | ... | ... | | 1 | — | | PC.1 |
| 4258 | C.198285 | Weight , balance, between ribs No. 6 and 7 ... | ... | ... | ... | | 1 | — | MR/B | PC.1 |
| 4259 | A.184125 | Weight , balance, between ribs No. 8 and 9 ... | ... | ... | ... | | 1 | — | MR/B | PC.1 |

RESTRICTED

Hunter T. Mk. 7
Issued with A/L No. 3

TAIL UNIT—RUDDER

| Ref. No. | Part No. | Description | | | | | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|----------|----------|-------------|---|---|---|---|------------|---------------------------|------------------------------|--------------|
| | | 1 | 2 | 3 | 4 | 5 | | | | |
| | | | | | | | | | | |

RESTRICTED


TAIL UNIT—RUDDER


| Ref. No. | Part No. | Description | | | | | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|-------------------------------|----------------|-------------------------------------|-----|-----|-----|-----|---------|------------------------|---------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | | | | |
| SUMMARY OF STOCK ITEMS | | | | | | | | | | |
| 28D/9436920 | A.25.1C | Bolt , 2 B.A. | ... | ... | ... | ... | ... | ... | — | — |
| 28D/9133011 | A.25.2C | Bolt , 2 B.A. | ... | ... | ... | ... | ... | ... | — | — |
| 28D/9149644 | A.25.9C | Bolt , 2 B.A. | ... | ... | ... | ... | ... | ... | — | — |
| 28D/9453970 | A.25.15C | Bolt , 2 B.A. | ... | ... | ... | ... | ... | ... | — | — |
| 28D/1011021 | A.25.16C | Bolt , 2 B.A. | ... | ... | ... | ... | ... | ... | — | — |
| 28D/9140648 | A.25.19C | Bolt , 2 B.A. | ... | ... | ... | ... | ... | ... | — | — |
| 28D/1007975 | AS.1242/1C | Bolt , 2 B.A. | ... | ... | ... | ... | ... | ... | — | — |
| 28D/8307 | AS.1242/2C | Bolt , 2 B.A. | ... | ... | ... | ... | ... | ... | — | — |
| 28N/13438 | AGS.2030/43 | Circlip ... | ... | ... | ... | ... | ... | ... | — | — |
| 28M/10327 | AGS.2002/B1 | Nut , 4 B.A. | ... | ... | ... | ... | ... | ... | — | — |
| 28M/9403520 | A.27.CP | Nut , 2 B.A. | ... | ... | ... | ... | ... | ... | — | — |
| 28M/1011467 | A.27.ES | Nut , $\frac{1}{4}$ " B.S.F. | ... | ... | ... | ... | ... | ... | — | — |
| 28P/19225 | SP.90.C.3 | Pin , split | ... | ... | ... | ... | ... | ... | — | — |
| 28P/19154 | SP.90.C.7 | Pin , split | ... | ... | ... | ... | ... | ... | — | — |
| 28P/1247 | AGS.213/3 | Pin , taper | ... | ... | ... | ... | ... | ... | — | — |
| 28R/13507 | Hoffmann CF.2A | Rod-end ... | ... | ... | ... | ... | ... | ... | — | — |
| 28W/9419475 | SP.15.C | Washer , 2 B.A. | ... | ... | ... | ... | ... | ... | — | — |
| 28W/9419404 | SP.16.C | Washer , 2 B.A. | ... | ... | ... | ... | ... | ... | — | — |


RESTRICTED

| Ref. No. | Part No. | Description | | | | | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|----------|----------|-------------|---|---|---|---|---------|------------------------|---------------------------|--------------|
| | | 1 | 2 | 3 | 4 | 5 | | | | |
| | | | | | | | | | | |

RESTRICTED









This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.