

UNDERCARRIAGE—MAIN FAIRING

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
		1 2 3 4 5				
	D.187500-1	FAIRING, MAIN UNDERCARRIAGE, ASSEMBLY	-	—		
4219	F.191499	Bolt, banjo, for greaser pipe	2	—	C.	RB.1
7016	E.214862	Door, wheel, port, group (with trimming allowance)	1	—	A.	RB.2
7017	E.214863	Door, wheel, starboard, group (with trimming allowance)	1	—	A.	RB.2
484	F.187537	Bolt, attachment of jack anchorage shackle ...	2	S.95.B	C.	RB.2
4669	F.201476	Bolt, front and aft lock pin fittings	16	S.99.B	C.	RB.2
8394	A.211328	Fitting, pin, aft lock, port	1	DTD.473	C.	RB.2
8395	A.211329	Fitting, pin, aft lock, starboard	1	DTD.473	C.	RB.2
8392	A.211326	Fitting, pin, front lock, port	1	DTD.473	C.	RB.2
8393	A.211327	Fitting, pin, front lock, starboard	1	DTD.473	C.	RB.2
491	C.178792	Hinge, door, port	1	—	C.	RB.2
492	C.178793	Hinge, door, starboard	1	—	C.	RB.2
7018	A.212601	Lever, group	2	—	B.	RB.2
5772	F.202798	Bush	1	BSS.250	MR/C	RB.2
	Std.1221.Y.D.85	Pin	1	S.2		4
5773	F.201688	Roller	1	DTD.504	MR/C	RB.2
8213	F.212691	Roller	1	L.65	MR/C	
7885	F.214842	Plate, locking	2	L.72	C.	RB.2
493	F.187533	Shackle, jack anchorage, port	1	—	C.	RB.2
494	F.187534	Shackle, jack anchorage, starboard	1	—	C.	RB.2
495	F.187535	Shim, at aft lock pin fitting	QR	DTD.610	C.	RB.2
496	F.187536	Shim, at front lock pin fitting	QR	DTD.610	C.	RB.2
7824	F.206293	Shim, taper at aft lock pin fitting	QR	L.72	C.	
7882	F.206294	Shim, taper at front lock pin fitting	QR	L.72	C.	
8396	F.211330	Shim, at front lock pin fitting	QR	Shim Steel	C.	
8397	F.211331	Shim, at front lock pin fitting	QR	Shim Steel	C.	
8398	F.211332	Shim, at front lock pin fitting	QR	Shim Steel	C.	
8399	F.211333	Shim, at aft lock pin fitting	QR	Shim Steel	C.	
8400	F.211334	Shim, at aft lock pin fitting	QR	Shim Steel	C.	
8401	F.211335	Shim, at aft lock pin fitting	QR	Shim Steel	C.	
5775	F.201687	Tube, distance, at lever attachment	2	S.95.B	MR/C	RB.2
	Std.914/J/20	Washer, for pin through channel	2	S.1		
343	E.187463	Fairing, leg, port, group	1	—	A.	RB.1
344	E.187464	Fairing, leg, starboard, group	1	—	A.	RB.1
497	A.187467	Panel, access to locking pin attachment bolts ...	2	DTD.610	C.	RB.1
498	A.170012	Pin, attachment of fairing links	2	S.1	C.	RB.1
6101	A.208253	Pin, locking, port	1	—	C.	RB.1
6102	A.208254	Pin, locking, starboard	1	—	C.	RB.1
3927	Std.1208/75/32/ 70	Shim, at attachment of fairing	8	St. Steel	C.	4
1534	F.187496	Washer, serrated, for lock pin	2	S.3	C.	RB.1
8169	D.215617	Fairing, wheel, port, group (with trimming allowance) (Pre Mod. 795)	1	—	A.	
10083	D.235154	Fairing, wheel, port, group (with trimming allowance) (Mod. 795)	1	—	A.	RB.2
8170	D.215618	Fairing, wheel, starboard, group (with trimming allowance) (Pre Mod. 795)	1	—	A.	
10084	D.235155	Fairing, wheel, starboard, group (with trimming allowance) (Mod. 795)	1	—	A.	RB.2
	D.187155	DETAILS OF FAIRING, ASSEMBLY				
503	F.151366	Bolt, fairing attachment to undercarriage leg bracket	8	S.1	C.	RB.2
505	F.187218	Nut, clamp, fairing attachment to undercarriage leg bracket	8	S.92.B	C.	RB.2
4671	B.203598	Panel, access to brakes	2	L.72	C.	RB.2

UNDERCARRIAGE—MAIN FAIRING

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
509	F.151365					Plate , clamp, fairing attachment to undercarriage leg bracket	8	S.1	C.	RB.2
510	A.173027					Plate , fairing attachment to undercarriage leg bracket	8	S.92.B	C.	RB.2
511	F.151368					Sleeve , adjusting, fairing attachment to undercarriage leg bracket	8	S.2	C.	RB.2
512	F.151367					Washer , fairing attachment to undercarriage leg bracket	8	L.16	C.	RB.2
504	Palmer No. 74					Grommet (Mod. 795)	2	—	C.	
6168	Hellermann 2553					Grommet	2	—	C.	
	A.237408					Guard , mechanical recuperator "Port" (Mod. 795)	1	L.72		
	A.237409					Guard , mechanical recuperator "Starboard" (Mod. 795)	1	L.72		
506	A.187178					Panel , access to bleeder screw (Pre Mod. 795) ...	2	DTD.610	D.	RB.2
507	A.187180					Panel , access to jacking plug, port ...	1	DTD.610	C.	RB.2
508	A.187181					Panel , access to jacking plug, starboard ...	1	DTD.610	C.	RB.2
	B.235144					Plate , port (Mod. 795)	1	—		
	B.235145					Plate , starboard (Mod. 795)	1	—		
	Std.1546/24/12					Washer , profile (Mod. 795)	4	DTD.610		
341	D.186870					Flap , fairing, port, group (with trimming allowance)	1	—	A.	RB.1
342	D.186871					Flap , fairing, starboard, group (with trimming allowance)	1	—	A.	RB.1
513	F.187237					Bolt , attachment of link to bracket	2	S.95.B	C.	RB.1
514	A.186873					Bracket , link	2	DTD.166	C.	RB.1
515†	A.187118					Hinge , front port, rear starboard	2	—	C.	RB.1
516†	A.187119					Hinge , front starboard, rear port	2	—	C.	RB.1
	B.182128					Hinge , flap and leg fairing, port, group	1	—		
	B.182129					Hinge , flap and leg fairing, starboard, group	1	—		
3985	A.197874					Bracket , front, leg fairing, port	1	Stmpg.	C.	RB.1
3986	A.197875					Bracket , front, leg fairing, starboard	1	Stmpg.	C.	RB.1
3987	A.197876					Bracket , rear, leg, fairing, port	1	Stmpg.	C.	RB.1
3988	A.197877					Bracket , rear, leg, fairing, starboard	1	Stmpg.	C.	RB.1
9135	B.182107					Hinge , flap, port	1	—	MR/C	RB.1
6957	B.182108					Hinge , flap, starboard	1	—	C.	RB.1
549	F.182111					Link , flap, hinge, forward, port	2	S.2	C.	RB.1
550	F.182112					Link , flap, hinge, forward, starboard	2	S.2	C.	RB.1
6171	F.202596					Link , hinge, rear, port and starboard	4	Casting or S.96.B	C.	RB.1
551	F.189654					Pin , flap, hinge, front, $\frac{3}{16}$ " dia. × 3-80" long ...	2	St. Stl.	C.	RB.1
552	F.189655					Pin , flap, hinge, rear, $\frac{3}{16}$ " dia. × 3-35" long ...	2	St. Stl.	C.	RB.1
6172	F.207897					Shim , for hinge bracket	4	Lam. Alum.	C.	
517	A.187321					Link , undercarriage fairing flap, group	2	—	C.	RB.1
518	F.151348					Bolt , lubricating	1	S.94.B	C.	RB.1
519	F.187323					Shackle	1	S.1	C.	RB.1
520	B.187328					Link , leg fairing, group	4	—	C.	RB.1
	A.187325					Bearing , rod end	1	—		
	A.187326					Bearing , rod end	1	—		
	A.187327					Rod , connecting... ..	1	—		
521	F.187324					Pin , hinge, fairing flap	2	S.3	C.	RB.1
522	F.171532					Pin , hinge, leg fairing	4	S.95.B	C.	RB.1
8299	A.206280					Pipe , greaser, port	1	—	C.	RB.1
8300	A.206281					Pipe , greaser, starboard	1	—	C.	RB.1
3983	F.197954					Plate , fairing flap hinge pin retaining	2	DTD.610	C.	RB.1
3984	F.197955					Plate , fairing flap hinge pin retaining	2	DTD.610	C.	RB.1
27QA/490	Dowty SP.915/3					Seal , for greaser pipe banjo	4	—	C.	
4222	Std.915/U/18					Washer , for greaser pipe... ..	2	DTD.610	C.	4


UNDERCARRIAGE—MAIN FAIRING

Ref. No.	Part No.	Description										No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5	6	7	8	9	10				
		SUMMARY OF STOCK ITEMS													
28N/	AGS.636/2	Ball	...	...	...	...	...	...	...	...	...	-	—	—	
28D/1010658	A25.1.B	Bolt, 4 B.A.	...	...	...	...	...	...	...	...	...	-	—	—	
28D/1008149	A25.2.B	Bolt, 4 B.A.	...	...	...	...	...	...	...	...	...	-	—	—	
28D/1010030	A25.7.C	Bolt, 2 B.A.	...	...	...	...	...	...	...	...	...	-	—	—	
28D/1011019	A25.8.C	Bolt, 2 B.A.	...	...	...	...	...	...	...	...	...	-	—	—	
28D/8307	AS.1242/2C	Bolt, 2 B.A.	...	...	...	...	...	...	...	...	...	-	—	—	
28D/8308	AS.1242/3C	Bolt, 2 B.A.	...	...	...	...	...	...	...	...	...	-	—	—	
28D/8310	AS.1242/6C	Bolt, 2 B.A.	...	...	...	...	...	...	...	...	...	-	—	—	
28D/1007978	AS.1242.7.C	Bolt, 2 B.A.	...	...	...	...	...	...	...	...	...	-	—	—	
28D/8312	AS.1242.8C	Bolt, 2 B.A.	...	...	...	...	...	...	...	...	...	-	—	—	
28D/11439	AS.1242/16G	Bolt, $\frac{5}{16}$ " B.S.F.	...	...	...	...	...	...	...	...	...	-	—	—	
28M/8101	AGS.572.C	Nut,	...	...	...	...	...	...	...	...	...	-	—	—	
28M/5240	A14.JB.	Nut, $\frac{3}{8}$ " B.S.F.	...	...	...	...	...	...	...	...	...	-	—	—	
28M/5227	A14.JB.L	Nut, $\frac{3}{8}$ " B.S.F.	...	...	...	...	...	...	...	...	...	-	—	—	
28M/753	A16.Y.CT	Nut, 2 B.A.	...	...	...	...	...	...	...	...	...	-	—	—	
28M/770	A16.Y.GS	Nut, $\frac{5}{16}$ " B.S.F.	...	...	...	...	...	...	...	...	...	-	—	—	
28M/1006473	A27.CT	Nut, 2 B.A.	...	...	...	...	...	...	...	...	...	-	—	—	
28M/1011467	A27.ES	Nut, $\frac{1}{4}$ " B.S.F.	...	...	...	...	...	...	...	...	...	-	—	—	
28M/13122	A27.GS	Nut, $\frac{5}{16}$ " B.S.F.	...	...	...	...	...	...	...	...	...	-	—	—	
28M/10288	AGS.2001/C1	Nut, 2 B.A.	...	...	...	...	...	...	...	...	...	-	—	—	
28M/10327	AGS.2002/B/1	Nut, 4 B.A.	...	...	...	...	...	...	...	...	...	-	—	—	
28N/9156370	SP.21	Nipple, lubricating	...	...	...	...	...	...	...	...	...	-	—	—	
28P/837	SP.4.Y.B11	Pin	...	...	...	...	...	...	...	...	...	-	—	—	
28P/838	SP.4.Y.B12	Pin	...	...	...	...	...	...	...	...	...	-	—	—	
28P/1087	SP.4.Y.G.20	Pin	...	...	...	...	...	...	...	...	...	-	—	—	
28W/9419474	SP.15.B	Washer, 4 B.A....	...	...	...	...	...	...	...	...	...	-	—	—	
28W/9419475	SP.15.C	Washer, 2 B.A.	...	...	...	...	...	...	...	...	...	-	—	—	
28W/9419405	SP.15.E	Washer, $\frac{1}{4}$ " dia.	...	...	...	...	...	...	...	...	...	-	—	—	
28W/9419476	SP.15.G	Washer, $\frac{3}{16}$ " dia.	...	...	...	...	...	...	...	...	...	-	—	—	
28W/9419404	SP.16.C	Washer	...	...	...	...	...	...	...	...	...	-	—	—	
28W/9416192	SP.41.G	Washer, tab	...	...	...	...	...	...	...	...	...	-	—	—	


RESTRICTED

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				

RESTRICTED



MAIN UNDERCARRIAGE



This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

