

GROUND EQUIPMENT
TRESTLING AND SLINGING

Ref. No.	Part No.	Description				No. off	Matl. Spec.	Cl. of St.	Plate and Illust'n No.
		1	2	3	4			M.R.	
		TRESTLING AND SLINGING, COMPLETE AIRCRAFT AND COMPONENTS							
		Consisting of :—							
95027	1U1093	BEAM, FOR U.J.T. No. 8 FOR TROLLEY C/S TRAILING EDGE, GROUP				2	—	A	
95091	U1220	Bracket, anchor, fixed nose portion				2	—	C	
95021	U1092	EYEBOLT, FOR CANOPY LIFTING, GRP.				1	—	C	
95189	U1589	EYEBOLT, FOR CANOPY LIFTING, GRP.				1	—	C	
95083	1U1170	HOIST, FOR RADAR UNITS, GROUP...				1	—	A	
		Spares for :—							
	10U1170	Chain, 9" long				4	V15		
	14U1170	Collar, 3/8" o/d				1	Mild Steel		
	20U1170	Drum, rope at top pulley				1	DTD364B		
	50U1170	Handle, double, at top pulley				1	—		
	55U1170	HOOK C/W SPLICED ROPE, GROUP				1	—		
	45U1170	Label, " ident "				1	L16		
	42U1170	Lever, cam, at wheel				1	—		
	39U1170	LINK, SWINGING, GROUP				1	—		
	AT/30420	Pawl, at wheel... ..				1	—		
	26U1170	Pin, quick release, 3/8" dia.				1	—		
	18U1170	Pin, special				1	Mild Steel		
	24U1170	Pulley				1	—		
	38U1170	Pulley, inside hoisting rail				1	—		
	2U1170	RAIL, HOISTING, GROUP				1	—		
	AT30422	Spring, at wheel				1	—		
	22U1170	Sprocket, at wheel				1	—		
	13U1170	Tube, 3/8" i/d x 18G x 3-875" long				1	Mild Steel		
	40U1170	Wheel, 2" dia. x .625" thick				2	—		

**GROUND EQUIPMENT
TRESTLING AND SLINGING**

Ref. No.	Part No.	Description				No. off	Matl. Spec.	Cl. of St.	Plate and Illust'n No.
		1	2	3	4			M.R.	
MINILIFT EQUIPMENT									
Consisting of:—									
4G 5426	39/1				Handle, 9", " H25 Scanner "...	2	—	A	
4G 5433	25/41				Hoist, ball end cable, " bomb door hoisting "	2	—	A	
4G 5429	32/5				Hook, cable hoist, " rudder P.C.U." ...	1	—	A	
4G 5428	30/13				Sheath, top, type No. 1 " engine generators "	1	—	A	
4G 5446	29/2				Sleeve, connecting, extension tubes, straight	1	—	A	
4G 5443	29/16				Tube, extension, 36", " green satin " ...	1	—	A	
4G 5452	29/19				Tube, extension 84" " air conditioning units"	2	—	A	
4G 5425	25/63				Winch, " minilift " universal 250 lbs., " radome hoisting "	2	—	A	
					For H25 Scanner :—use items 4G/5425, 4G/5426, 4G/5443, 4G/5428, 4G/5429, 4G/5446—2 off each				
					For bomb door hoisting :—use items 4G/5429—2 off				
					For rudder P.C.U. :—use items 4G/5425, 4G/5426, 4G/5432, 4G/5428, 4G/5429—1 off each				
					For engine generators :—use items 4G/5425, 4G/5426, 4G/5443, 4G/5452, 4G/5428, 4G/5429, 4G/5446—1 off each				
					For green satin :—use items 4G/5425, 4G/5426, 4G/5452, 4G/5428, 4G/5433—1 off each				
					For air conditioning units :—use items 4G/5425, 4G/5426, 4G/5452, 4G/5428, 4G/5433—2 off each				
					For radome hoisting :—use items 4G/5425, 4G/5426, 4G/5443, 4G/5452, 4G/5428, 4G/5433, 4G/5446—2 off each				

**GROUND EQUIPMENT
TRESTLING AND SLINGING**

Ref. No.	Part No.	Description				No. off	Matl. Spec.	Cl. of St.	Plate and Illust'n No.
		1	2	3	4			M.R.	
95007	1U1063	SLING, FOR CREW'S NACELLE, GROUP				1	—	A	
		Consisting of :—							
	2U1063	Bar, spreader	1	—		
28D/14199	A25/20S	Bolt, special, $\frac{3}{4}$ " BSF x 2" long	2	—	C	
	12U1063	Bolt, forked, eye R.H., L.H.	2	L96		
	5U1063	CABLE, FRONT, GROUP				1	—		
	6U1063	CABLE, REAR, GROUP				1	—		
28N/5559	9U1063	Chain, 8" long	2	—		
	12/AGS/899	Collar	2	Mild Steel	C	
	7U1063	Head, lifting	1	—		
	4U1063	Link, for attaching to spreader bar	4	—		
	3U1063	Link, for attachment to component...	2	—		
28M/13590	A27SS	Nut, for attaching cable to lifting head	2	—	C	
	AVIATION DEVELOPMENT								
28FP/41	A815	Pin, quick release	2	—	C	
28P/1168	SP4/18M	Pin, $\frac{1}{2}$ " dia. x 1-2" long	4	—	C	
28P/1169	SP4/19M	Pin, $\frac{1}{2}$ " dia. x 1-3" long	2	—	C	
28P/12721	SP9/H16	Pin, split, $\frac{5}{8}$ " dia. x 2" long	2	—	C	
28P/1006943	SP9/C10	Pin, split, $\frac{5}{8}$ " dia. x 1-25" long	6	—	C	
	10U1063	Ring, split, $\frac{1}{2}$ " dia.	2	Mild Steel		
	11U1063	Washer, $\frac{1}{8}$ " o/d x $\frac{7}{16}$ " l/d x $\frac{1}{32}$ " thick	4	Mild Steel		
95008	1U1064	SLING, FOR CENTRE SECTION TRAILING EDGE, GROUP				1	—	C	
		Consisting of :—							
	2U1064	Bar, spreader	1	—		
	3U1064	Cable, front	2	—		
	4U1064	Cable, rear	2	—		
	5U1064	Cable, top, front	1	—		
	6U1064	Cable, top, rear	1	—		
28W/5553	6/AGS/899	Collar, $\frac{5}{8}$ " i/d	8	—	C	
28W/5555	8/AGS/899	Collar, $\frac{3}{4}$ " i/d	8	—	C	
	9U1064	Head, lifting	1	—		
	7U1064	Link, $1\frac{1}{2}$ " x $\frac{3}{8}$ " x $3\frac{1}{2}$ " long	8	Mild Steel		
	8U1064	Link, $1\frac{1}{2}$ " x $\frac{3}{8}$ " x $3\frac{1}{2}$ " long	8	Mild Steel		
28P/906	SP4Y/F16	Pin, $\frac{5}{16}$ " dia. x 1" long...	8	—	C	
28P/1202461	SP9/E8	Pin, split	16	—	C	
28P/1099	SP4Y/H17	Pin, $\frac{3}{8}$ " dia. x 1-10" long	8	—	C	

GROUND EQUIPMENT
TRESTLING AND SLINGING

Ref. No.	Part No.	Description				No. off	Matl. Spec.	Cl. of St.	Plate and Illust'n No.
		1	2	3	4			M.R.	
95009	1U1139	SLING, FOR CENTRE SECTION FUSELAGE, PORT AND STARBOARD, GRP.				1	—	A	
		Consisting of :—							
	2U1139	Bar, spreader			1	—			
	8U1065	Bobbin, aft			2	—			
	9U1065	Bobbin, forward			2	—			
	5U1139	Cable, L.H.			1	—			
	6U1139	Cable, R.H.			1	—			
	6U1065	Cable, L.H.			1	—			
	7U1065	Cable, R.H.			1	—			
28P/6924	18/AGS/899	Collar, $\frac{3}{8}$ " i/d			4	—	C		
28P/7116	15/AGS/899	Collar, $\frac{3}{8}$ " i/d			4	—	C		
	8U1139	Chain, 8" long			2	V9			
	3U1065	Head, lifting			1	—			
	3U1139	Link, forward			2	Mild Steel			
	10U1139	Link, aft...			2	Mild Steel			
	7U1139	Pin, quick release, A1025, $\frac{3}{8}$ " dia.			2	—			
28P/12243	SP4Y/U33	Pin, steel, $\frac{3}{8}$ " dia. x 3-4" long...			2	—			
	SP4Y/R33	Pin, steel, $\frac{3}{8}$ " dia. x 3-4" long...			2	—	C		
	SP4Y/R28	Pin, steel, $\frac{3}{8}$ " dia. x 2-4" long...			2	—			
28P/1011084	SP9/H14	Pin, split, $\frac{3}{32}$ " dia. x $1\frac{1}{2}$ " long...			4	—	C		
28P/12721	SP9/H16	Pin, split, $\frac{3}{32}$ " dia. x 2" long...			4	—	C		
	4U1139	Plate, lifting			2	Mild Steel			
	9U1139	Ring, split, $\frac{1}{2}$ " i/d			2	—			
	11U1149	Ring, split, 1" i/d			1	—			
	14U1065	Tag			1	—			
	1U1621	SLING, FOR REAR FUSELAGE, ECM, GROUP				1	—	A	
		Consisting of :—							
	5U1621	Bar, spreader, end			1	—			
	12U1621	Bar, spreader			1	—			
	14U1621	Block, padded			1	—			
	8U1621	Block, support...			1	—			
	7U1621	Cable			1	—			
	13U1621	Eye, lifting			2	—			
28FP/	AS/2436/42	Pin, quick release, port side			1	—	C		
	6U1621	Strap, webbing			2	—			

GROUND EQUIPMENT
TRESTLING AND SLINGING

Ref. No.	Part No.	Description				No. off	Matl. Spec.	Cl. of St.	Plate and Illust'n No.
		1	2	3	4			M.R.	
95010	2U1066	SLING, FOR MAINPLANE, LESSAILERONS ANDELEVATORS, OUTBOARD, GROUP				1	—	A	
95055	3U1066	SLING, FOR MAINPLANE, LESSAILERONS AND ELEVATORS, INBOARD, GROUP				1	—	A	
		Spares for :—							
	4U1066	Bar, spreader				1	—		
	16U1066	Chain, 6" long				2	V9		
	9U1066	Block, 5-125" x 2-5" x 2-5"				1	—		
	14U1066	Bolt, eye				2	S96		
	12U1066	Cable, front, outboard				1	—		
	13U1066	Cable, rear, outboard... ..				1	—		
	10U1066	Cable, front, inboard				1	—		
	11U1066	Cable, rear, inboard				1	—		
	8U1066	Head, auxiliary, lifting				1	Mild Steel		
	7U1066	Head, lifting				2	—		
	1U1005	Label, " ident "				1	Brass		
	19U1066	Label, " sling for mainplane "				1	L4		
	18U1066	Label, " outboard "				1	L4		
	AVIATION DEVELOPMENT								
28FP/51	A1015	Pin, quick release				2	—	C	
	17U1066	Ring, split, 1/2" i/d x 20G				3	—		
	5U1066	SLING, INBOARD, GROUP				1	—		
95011	1U1068	SLING, FOR FIN, GROUP... ..				1	—	A	
		Consisting of :—							
	2U1068	Bar, spreader				1	—		
	12U1068	Bolt, eye				2	S96		
	9U1068	Chain, 6" long				2	V9		
28N/5551	4/AGS/899	Collar, 1/2" i/d				4	Mild Steel		
	4U1068	Cable, R.H. and L.H., 8' 3" long				2	—		
	6U1068	Felt, 8" x 3/4" x 3/8"				2	—		
	1U1005	Label, " ident "				1	Brass		
	3U1068	Link, 1/2" x 3" x 1"				4	Mild Steel		
28P/1006943	SP9C6	Pin, split, 1/8" x 3/4" long				4	—	C	
28P/865	SP4Y/D7	Pin, 1/4" dia. x 0-55"				4	—	C	
	10U1068	Ring, split, 1/2" i/d				4	—		
	11U1068	Ring, split, 1 1/2" i/d				1	Brass		
	7U1068	Thread, 3/25-5 or 3/35-5				QR	F34		
28Y/3006	C/AGS/136	Thimble, 0-21" dia. groove				4	Brass	C	
	5U1068	Wire, binding, copper, 18SWG.				QR	—		

GROUND EQUIPMENT
TRESTLING AND SLINGING

Ref. No.	Part No.	Description				No. off	Mati. Spec.	Cl. of St.	Plate and Illust'n No.
		1	2	3	4			M.R.	
95012	1U1069	SLING, RUDDER, GROUP				1	—	A	
		Consisting of:—							
	3U1069	Bar, 1" dia. x 3' 10" long				1	S96		
	10U1069	Bolt-eye, 1½" dia. x 2½" long... ..				2	S96		
	5U1069	Cable				2	—		
	7U1069	Chain, 8" long				4	V9		
28N/5551	4/AGS/899	Collar, ½" l/d				4	—	C	
	2U1069	Head, lifting				1	—		
	1U1005	Label, " ident "				1	Brass		
	3U1068	Link, ½" x 3" x 1"				4	Mild Steel		
	6U1069	Lug, attachment				2	Brass		
28P/871	SP4Y/D13	Pin, ½" dia. x 0.85" long				2	—	C	
28P/9429619	SP9C/5	Pin, split, ¼" dia. x ⅜" long				4	—	C	
28P/866	SP4Y/D8	Pin, ½" dia. x 0.60" long				2	—	C	
	AVIATION DEVELOPMENT								
28/FP5	A409	Pin, quick release				2	—	C	
	8U1069	Ring, split, ¾" l/d				7	Brass		
	4U1069	Tube, distance, bottom R.H. and L.H.				2	—		
95014	1U1073	SLING, LIFTING ELEVATOR, OUT-BOARD, GROUP				1	—	A	
		Consisting of:—							
	2U1073	Bar, spreader				1	—		
	12U1068	Bolt, eye				2	S96		
	3U1073	Cable, 5' 6" long				1	W2		
	4U1073	Cable, 5' 3" long				1	W2		
	6U1073	Chain, 8" long				2	V9		
	3U1072	Head, lifting				1	Mild Steel		
	1U1005	Label, " ident "				1	Brass		
	AVIATION DEVELOPMENT								
28FP/6	No. A411	Pin, quick release, ¼" dia.				2	—	C	
28P/12262	SP9/E6	Pin, ⅜" dia. x ⅜" long... ..				4	—	C	
	7U1073	Ring, split, 1½" o/d				1	Brass		
	5U1073	Ring, split, ½" o/d				4	Spring Steel		
28Y/2903	SP1/690E	Shackle, ⅜" dia. hole... ..				4	—	C	
28Y/3006	B/AGS/136	Thimble, 0.21" dia. grooves				4	Brass	C	

GROUND EQUIPMENT
TRESTLING AND SLINGING

Ref. No.	Part No.	Description				No. off	Matl. Spec.	Cl. of St.	Plate and Illust'n No.	
		1	2	3	4			M.R.		
95013	1U1072	SLING, LIFTING, ELEVATOR, INBOARD, GROUP				1	—	A		
		Consisting of:—								
		2U1072	Bar, spreader	1	—			
		12U1068	Bolt, eye	2	S96			
		4U1072	Cable, 5' 3" long	1	W2			
		5U1072	Cable, 5' 8" long	1	W2			
		7U1072	Chain, 8" long	1	V9			
		3U1072	Head, lifting	1	Mild Steel			
		1U1005	Label, "ident"	1	Brass			
		AVIATION DEVELOPMENT								
		A411	Pin, quick release	2	—	C		
		SP4Y/G8	Pin, $\frac{11}{16}$ " dia.	4	—	C		
	28FP/6 28P/ 28P/12262	SP9/E6	Pin, $\frac{3}{16}$ " dia. x $\frac{1}{2}$ " long	4	—	C		
	8U1072	Ring, split, $1\frac{1}{2}$ " i/d	1	Brass				
	6U1072	Ring, split, $\frac{1}{2}$ " o/d	4	Spring Steel				
28Y/2902 28Y/3006	SP1/690E B/AGS/136	Shackle, $\frac{11}{16}$ " hole	4	BSS	C			
		Thimble, 0-21" dia. groove	4	BSS265	C			
95018	1U1084	SLING, LIFTING, AILERON, INBOARD, GROUP				1	—	A		
		Consisting of:—								
		2U1084	Bar, spreader	1	—			
		12U1068	Bolt, eye	2	S96			
		3U1084	Cable, 3' 7" long	1	—			
		4U1084	Cable, 4' 2" long	1	—			
		6U1084	Chain, 8" long	2	V9			
		3U1072	Head, lifting	1	Mild Steel			
		1U1005	Label, "ident"	1	Brass			
		AVIATION DEVELOPMENT								
		A411	Pin, quick release	2	—	C		
	28/FP6	5U1084	Ring, split, $\frac{1}{2}$ " o/d	4	Spring Steel			
		8U1084	Ring, split, $1\frac{1}{2}$ " o/d	1	Brass			
95019	1U1085	SLING, LIFTING AILERON, OUT-BOARD, GROUP				1	—	A		
		Consisting of:—								
		2U1085	Bar, spreader	1	—			
		12U1068	Bolt, eye	2	S96			
		3U1085	Cable, 5' 1" long	1	—			
		4U1085	Cable, 5' 5" long	1	—			
		6U1085	Chain, 8" long	2	V9			
		3U1072	Head, lifting	1	Mild Steel			
		1U1005	Label, "ident"	1	Brass			
		AVIATION DEVELOPMENT								
		A411	Pin, quick release	2	—	C		
	28FP/6	8U1085	Ring, split, $1\frac{1}{2}$ " o/d	1	Brass			
		5U1085	Ring, split, $\frac{1}{2}$ " o/d	4	Spring Steel			

GROUND EQUIPMENT
TRESTLING AND SLINGING

Ref. No.	Part No.	Description				No. off	Matl. Spec.	Cl. of St.	Plate and Illust'n No.
		1	2	3	4			M.R.	
95070	1U1181	SLING, FOR FIN CAP, GROUP ...				1	—	A	
		Consisting of :—							
	2U1103	Bar, spreader ...				1	—		
	6U1181	Bar, tommy, $\frac{1}{8}$ " dia. x $1\frac{1}{2}$ " long at lifting plate				8	Mild Steel		
	7U1103	Bolt, special, $\frac{3}{16}$ " dia. x 2 BA x 2.157" long at lifting head				8	Mild Steel		
	2U1181	Cable, $\frac{1}{8}$ " dia. ...				4	W2		
	7U1181	Cable, " 5-cwt., wire rope " ...				1	—		
	1U1005	Label, " ident " ...				1	Brass		
	4U1181	Plate, lifting, L.H. ...				2	—		
	5U1181	Plate, lifting, R.H. ...				2	—		
28Y3004	A/AGS/136	Thimble, 0-12" dia. groove ...				8	BSS265	C	
28W/9419402	SP13/C	Washer, 2 BA ...				8	—	C	
	3U1181	Wire, binding ...				As reqd.	—		
95147	1U1267	SLING, LIFTING, FOR CABIN, AIR CONDITIONING UNIT, GROUP				1	—	A	
		Consisting of :—							
	3U1267	Arm, ball ended ...				2	Mild Steel		
	2U1267	Bar, spreader ...				1	—		
28N/5551	4/AGS/899	Collar, $\frac{1}{2}$ " I/d ...				2	—		
	1U1005	Label, " ident " ...				1	Brass		
28P/1006943	SP9/C6	Pin, split, $\frac{1}{8}$ " x $\frac{1}{4}$ " ...				2	—	C	
28P/866	SP4Y/D8	Pin, solid, $\frac{1}{4}$ " dia. ...				2	—	C	
95076	1U1190	SLING, FOR OLYMPUS ENGINE GENERATOR, GROUP				1	—	A	
		Consisting of :—							
	3U1190	CABLE, GROUP ...				2	—		
		Consisting of :—							
	3aU1190	Cable, 12" long ...				1	BS6 W2		
	3dU1190	Cable, 6" long ...				1	BS6 W2		
	AVIATION DEVELOPMENT								
28FP/2	A405	Pin, quick release, $\frac{1}{4}$ " dia. ...				2	—	C	
28Y/2900	SP1/690/C	Shackle, $\frac{1}{2}$ " hole ...				4	—	C	
28Y/3004	A/AGS/136	Thimble ...				4	—	C	
	3bU1190	Wire, binding ...				As reqd.	—		
28N/5551	4/AGS/899	Collar, $\frac{1}{2}$ " I/d ...				2	—	C	
	2U1190	Head, lifting ...				1	Mild Steel		
	1U1005	Label, " ident " ...				1	Brass		
28P/1006943	SP9C/6	Pin, split, $\frac{1}{8}$ " x $\frac{1}{4}$ " ...				2	—	C	
28P/865	SP4Y/D7	Pin, solid, $\frac{1}{4}$ " dia. x 0.55" long ...				2	—	C	
	4U1190	Ring, split, $\frac{1}{2}$ " I/d ...				1	Spring Steel		

GROUND EQUIPMENT
TRESTLING AND SLINGING

Ref. No.	Part No.	Description				No. off	Mati. Spec.	Cl. of St.	Plate and Illust'n No.	
		1	2	3	4			M.R.		
95073	1U1271	SLING, FOR BOMB DOORS, GROUP ...				1	—	A		
		Consisting of :—								
	2U1271	Cable, 26" long	1	BSS W2			
	1U1005	Label, " ident "	1	Brass			
	4U1271	Ring, split, 1" dia.	2	Spring Steel			
	3U1271	Wire, binding	As reqd.				
95228	1U1319	SLING, FOR BOMB DOORS, GROUP...				1	—	A		
		Consisting of :—								
	2U1319	Bar, spreader	1	—			
	3U1319	Cable	1	W2			
	5U1319	Chain, 8" long	2	V15			
	4U1319	Link, 3½" x 1½" x 1/8"	4	S92			
	28FP/ 28P/9429619 28P/5510	AS/2444/23	Pin, quick release	2	—	C	
		SP9/C5	Pin, split	4	—	C	
		SP4Z/D10	Pin, steel, solid	4	—		
		6U1319	Ring, split, 1" i/d	4	Spring Steel		
	9U1319	Strap	2	—			
95093	1U1182	SLING, FOR GREEN SATIN GROUP ...				1	—	A		
		Consisting of :—								
	2U1182	Bar, spreader	1	—			
	3U1182	Cable, front	2	SW2			
	5U1182	Cable, rear	2	SW2			
	8U1182	Pad, soft solid rubber	2	—			
28Y/3004	7U1182	PLATE, LIFTING, GROUP				4	—			
	A/AGS/136	Thimble	4	—	C		
	4U1182	Wire, binding	As reqd.	—			
95094	1U1236	SLING, FOR N.B.C. CALCULATORS, CREW'S NACELLE, GROUP				1	—	A		
		Consisting of :—								
	2U1236	Bar, spreader	1	—			
	5U1236	Chain	2	V16			
	2bU1236	Head, lifting	1	—			
	3U1236	Hook	2	—			
	1U1290	Label, " ident "	1	—			
28FP/2	AVIATION DEVELOPMENT A405	Pin, quick release	2	—	C		
	6U1236	Ring, split, ½" o/d	4	—			

GROUND EQUIPMENT
TRESTLING AND SLINGING

Ref. No.	Part No.	Description				No. off	Matl. Spec.	Cl. of St.	Plate and Illust'n No.
		1	2	3	4			M.R.	
95121	1U1241	SLING, FOR METAL NOSE PORTION, GROUP				1	—	A	
		Consisting of :—							
	2U1241	Bar, spreader				1	—		
28D/12633	4U1241	Bolt, eye				2	Mild Steel	C	
	A25/7E	Bolt, hex. hd., 1/4" BSF, 7" plain				2	—		
	6U1241	Chain, 6" long				2	V15		
	8U1241	Label, " front "				1	L16		
	9U1241	Label, " rear "				1	L16		
28M/12928	1U1005	Label, " ident "				1	Brass	C	
	A27/EP	Nut, hex. 1/4" BSF				2	—		
	AS/2434/13	Pin, quick release				2	—		
	5U1241	Ring, split, 1" i/d				3	—		
	3U1241	Shackle, 6" x 7 1/4" x 1/2"				1	—		
	7U1241	Screw, PK No. 4 type US990 x 1/2"				8	—		
95365	1U1574	SLING, MAIN UNDERCARRIAGE, GRP.				1	—	A	
		Consisting of :—							
	2U1574	CABLE, GROUP				1	—		
	6U1574	Chain, 10" long				2	—		
	7U1574	Chain, 22" long				2	—		
	1U1290	Label, " ident "				1	—		
	4U1574	LINK, GROUP				2	—		
	5U1574	LINK, GROUP				2	—		
28FP/	AS2438/34	Pin, quick release				2	—	C	
28FP/	AS2438/101	Pin, quick release				1	—	C	
28FP/	AS2438/66	Pin, quick release				1	—	C	
28P 9429652	SP9/E10	Pin, split				2	—	C	
	8U1574	Ring, split, 1" i/d				8	—		
95366	1U1575	SLING, NOSE UNDERCARRIAGE, GRP.				1...	—	A	
		Consisting of :—							
	2U1575	CABLE, GROUP				1	—		
	3U1575	CABLE LOOP, FRONT, GROUP				1	—		
	4U1575	CABLE LOOP, REAR, GROUP				1	—		
	8U1575	Chain, 8" long				2	V15		
	1U1290	Label, " ident "				1	—		
	5U1575	Link, 3" x 2 1/2" x 1/8"				2	S514		
	6U1575	Link, 3" x 2 1/2" x 1/8"				2	S514		
28FP/	A5/08	Pin, quick release				2	—	C	
	7U1575	Ring, split, 1/2" dia.				2	Spring Steel		
	9U1575	Ring, split, 1" dia.				2	Spring Steel		

GROUND EQUIPMENT
TRESTLING AND SLINGING

Ref. No.	Part No.	Description				No. off	Matl. Spec.	Cl. of St.	Plate and Illust'n No.
		1	2	3	4			M.R.	
95445	U1683	SLING, BLEED, AIR TURBINE, ALTERNATOR, GROUP				1	—	A	
		Consisting of:—							
	9U1683	Bush, $\frac{3}{8}$ " o/d x $\frac{1}{4}$ " long, 18 SWG				4	Mild Steel		
	8U1683	Chain, 5" long				2	V15		
	5U1683	HOOK, GROUP				1	—		
		Consisting of:—							
	5aU1683	Hook				1	Mild Steel		
	5eU1683	Rope, wire				1	W2		
	AGS/136/B	Thimble				2	Brass		
	1U1290	Label, "Ident"				1	—		
	2U1683	Lug, lifting, 4" x 6 $\frac{1}{2}$ " x $\frac{1}{4}$ "				1	Mild Steel		
28FP/15	AVIATION DEVELOPMENT A508	Pin, quick release				1	—	C	
	6U1683	PLATE, SLING, GROUP				1	—		
		Consisting of:—							
	6eU1683	Chain, 8" long				2	V15		
28FP/4	AVIATION DEVELOPMENT A407	Pin, quick release				2	—	C	
	6dU1683	Ring, split, 1" i/d				4	Mild Steel		
	6fU1683	Rope, wire				1	W2		
	AGS/136/B	Thimble				2	Brass		
	7U1683	Ring, split 1" i/d				4	Mild Steel		
95148	1U1256	SLING, FOR DINGHY PACK, GROUP				1	—	A	
		Consisting of:—							
28D/12543	2U1256	Bar, spreader				1	—	C	
	A25/6E	Bolt, $\frac{1}{2}$ " BSF x 6" plain				3	H.T.		
	6U1256	Chain, 6" long				3	V15		
	1U1005	Label, "Ident"				1	Brass		
	3U1256	Link, swinging, 18-3" x 1" x $\frac{3}{16}$ "				1	Mild Steel		
	4U1256	Link, swinging, 17-6" x 1" x $\frac{3}{16}$ "				2	Mild steel		
28M/12930	A27/ES	Nut				3	—	C	
28P/1007741	SP9/CB	Pin, split, $\frac{1}{8}$ " dia. x 1" long				3	—	C	
27FP/17	A512	Pin, quick release, pip Mk. 4 type 1-2" long				3	—	C	
28W/9418921	5U1256	Ring, split, 1" i/d				6	—	C	
	SP13/E	Washer, $\frac{1}{2}$ " BSF				3	—	C	
4G/	—	TRESTLE, UJ NO. 16, GROUP				2	—	A	
4G	—	TRESTLE, NO. 8, C/W TYPE A BRACKETS, GROUP				2	—	A	

This file was downloaded
from the RTFM Library.
Link: www.scottbouch.com/rtfm
Please see site for usage terms,
and more aircraft documents.

