

VALVES,
MANUAL CONTROL

FF

Issued with A.L. 7.

INDEX OF MAJOR UNITS

RESTRICTED

RESTRICTED

TYPE / APPLICABILITY

ACCESSORY :-

| AIRCRAFT | MK | No. OFF | MK | No. OFF | MK | No. OFF | MK | No. OFF | MK | No. OFF | MK | No. OFF | MK | No. OFF | MK | No. OFF |
|----------|----|------------|----|------------|----|------------|----|------------|----|------------|----|------------|----|------------|----|------------|
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |

RESTRICTED

| TYPE / APPLICABILITY | | | | | | | | | | | | | | | | |
|-------------------------------------|----|------------------------------|----|---------|----|---------|----|---------|----|---------|----|---------|----|---------|----|---------|
| Section FF — VALVES, MANUAL CONTROL | | | | | | | | | | | | | | | | |
| ACCESSORY :- | | VALVE, MANUAL CONTROL 513390 | | | | | | | | | | | | | | |
| AIRCRAFT | MK | No. OFF | MK | No. OFF | MK | No. OFF | MK | No. OFF | MK | No. OFF | MK | No. OFF | MK | No. OFF | MK | No. OFF |
| VULCAN | 1 | 1 | 2 | 1 | | | | | | | | | | | | |
| CANBERRA | 4 | 1 | 7 | 1 | 8 | 1 | | | | | | | | | | |
| VICTOR | 2 | 1 | | | | | | | | | | | | | | |
| VALVE, MANUAL CONTROL 513000 | | | | | | | | | | | | | | | | |
| CANBERRA | 4 | 1 | 7 | 1 | 8 | 1 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |

Page FF 2

VALVES, MANUAL CONTROL

| Ref. No. | Part No. | Description | No. Off | Matl. Spec. | CL. OF | Plate No. |
|--------------|-------------|--|------------|----------------|---------------------|--------------|
| | | | | | ST. M.R. L.M. | |
| | 513000 | VALVE, MANUAL CONTROL (5/8" GLANDLESS) ... | 1 | — | | FF 2 |
| | | Spares for :— | | | | |
| | N.D. | BALL, 3/16" dia. | 1 | S.S. | | |
| | 554328 | BLOCK, bearing, valve centre compression pin ... | 2 | BS.369 | | FF 2 |
| | 554000 | BODY, valve | 1 | DTD.424A | | FF 2 |
| | 554001 | CAP, handwheel spindle | 1 | S.110 | | FF 2 |
| 1370 | 554748 | HANDWHEEL, complete | 1 | — | C | FF 2 |
| 28M/10319 | AGS.2002/C3 | Nut, 2 B.A. | 1 | — | C | |
| 28VV/9436805 | SP11/C | Washer, 2 B.A. | 1 | — | C | |
| 28VV/9436801 | SP11/E | Washer, .250" B.S.F. | 1 | — | C | |
| | OP.12112 | NAMEPLATE | 1 | L.4 | | FF 2 |
| | 554749 | PIN, valve centre compression | 2 | S.110 | | FF 2 |
| 995 | 5100/28 | RING — TRUARC, valve centre sleeve seating washer and spacer retaining. | 1 | — | C | FF 2 |
| 27QA/239 | SP.900/10 | RING, 'O', valve centre seating — DOWTY ... | 1 | — | C | FF 2 |
| 991 | 554008 | SPACER, locating valve centre sleeve | 1 | DTD.171A | C | FF 2 |
| 993 | 554006 | SLEEVE, valve sealing | 1 | RUBBER | C | FF 2 |
| | 554329 | SPINDLE, handwheel | 1 | S.80 | | FF 2 |
| | 554005 | VALVE, centre | 1 | L.64 | | FF 2 |
| | 554003 | WASHER, thrust cap seating | 1 | S.61 | | FF 2 |
| 992 | 554007 | WASHER, valve centre sleeve seating | 1 | S.110 | C | FF 2 |


VALVES, MANUAL CONTROL

| Ref. No. | Part No. | Description | No. Off | Matl. Spec. | CL. OF | Plate No. |
|-----------|-------------|--|------------|----------------|---------------------|--------------|
| | | | | | ST. M.R. L.M. | |
| 989 | 513390 | VALVE, MANUAL CONTROL (5/8" GLANDLESS) ... | 1 | — | A | FF 1 |
| | | Spares for :— | | | | |
| | N.D. | BALL, 5/16" dia. | 1 | S.S. | | |
| | 554328 | BLOCK, bearing, valve centre compression pin ... | 2 | BS.369 | | FF 1 |
| | 554183 | BODY, valve | 1 | — | | FF 1 |
| | 554001 | CAP, handwheel spindle | 1 | S.110 | | FF 1 |
| 1370 | 554748 | HANDWHEEL, complete | 1 | — | C | FF 1 |
| 28M/10339 | AGS.2002/C2 | Nut, 2 B.A. | 1 | — | C | |
| 28W/14319 | SP11/C | Washer, 2 B.A. | 1 | — | C | |
| 28W/14621 | SP11/E | Washer, .250" B.S.F. | 1 | — | C | |
| | OP.12112 | NAMEPLATE | 1 | L.4 | | FF 1 |
| | 554749 | PIN, valve, centre compression | 2 | S.110 | | FF 1 |
| 995 | 5100/28 | RING — TRUARC, valve centre sleeve seating washer and spacer retaining. | 1 | — | C | FF 1 |
| 27QA/239 | SP.900/10 | RING, 'O' — DOWTY, valve centre sealing ... | 1 | — | C | FF 1 |
| 991 | 554008 | SPACER, locating valve centre sleeve | 1 | DTD.171A | C | FF 1 |
| 993 | 554006 | SLEEVE, valve sealing | 1 | RUBBER | C | FF 1 |
| | 554329 | SPINDLE, handwheel | 1 | S.80 | | FF 1 |
| | 554005 | VALVE, centre | 1 | L.64 | | FF 1 |
| | 554003 | WASHER, thrust cap seating | 1 | S.61 | | FF 1 |
| 992 | 554007 | WASHER, valve centre sleeve seating | 1 | S.110 | C | FF 1 |

RESTRICTED


ISSUED WITH AL7

PLATE FF2



VALVE. MANUAL CONTROL.

RESTRICTED



VALVE, MANUAL CONTROL



This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.